

# Reaction Summary

Coastal Truss & Vinyl Siding  
5933 Industrial Blvd.  
Patterson Georgia 31557  
Business: (912) 647-5956

JOB NAME Mitch Brown

TRANSACTION # 260108-01KM

STATUS Quote

STRUCTURE 260108-01K MODEL

ORDERED This field intentionally left blank.

SOLD TO Solid Rock Builders

SHIP TO

SCHD DELIVERY This field intentionally left blank.

126 SW Aurora Way  
Lake City Fl.

SALES REP Kent Music






JOB CATEGORY

Roof Loading				Floor Loading			
TC Live:	TC Dead:	BC Live:	BC Dead:	TC Live:	TC Dead:	BC Live:	BC Dead:
20	7	0	7				










  

Building Code	Wind Design Method	Exp Cat	Occ Cat	Velocity	TC Dead	BC Dead
FBC2023/TPI2014	MWFRS (Directional)/C-C hybrid Wind ASCE 7-22	C	II	130	4.2	4.2

## Component Item - Roof Trusses

DIAGRAM	QTY		LABEL	(Shipping)		LUMBER	REACTIONS							
	PLY	PITCH		HEIGHT	SPAN									
	1	3.54 /12	CJ01	(4-02-02) 3-07-13	11-03-00	2 x 4	Joint 11 685 -221	Joint 8 714 -150						
	1	5 /12	GE01	(3-04-00) 2-09-09	13-04-00	2 x 4	Joint 13 215 -108	Joint 16 223 -108	Joint 11 103	Joint 12 389	Joint 10 392	Joint 13 215	Joint 16 223	
	1	5 /12	GE02	(4-08-11) 4-02-04	20-00-00	2 x 4	Joint 21 216 -106	Joint 17 181 32	Joint 18 201	Joint 19 120	Joint 20 312	Joint 16 201	Joint 15 119	Joint 14 314
	1	5 /12	H01	(5-00-07) 4-06-01	30-00-00	2 x 4	Joint 17 1252 -368	Joint 18 1312 -365						
	1	5 /12	H02	(5-10-07) 5-04-01	30-00-00	2 x 4	Joint 14 1252 -368	Joint 15 1316 -365						
	1	5 /12	H03	(6-08-07) 6-02-01	30-00-00	2 x 4	Joint 14 1591 -368	Joint 15 1639 -365						
	1	5 /12	H04	(7-06-07) 7-00-01	30-00-00	2 x 4	Joint 12 1580 -368	Joint 13 1636 -365						
	1	5 /12	H05	(8-04-07) 7-10-01	30-00-00	2 x 4	Joint 16 1252 -368	Joint 17 1310 -365						
	1 2-ply	-5 /12	H06	(4-02-07) 3-08-01	30-00-00	2 x 6 2 x 4	Joint 21 4658 -1104	Joint 10 3583 -880						
	1	5 /12	H07	(8-07-03) 8-00-12	38-00-00	2 x 4	Joint 16 1608 -368	Joint 17 1639 -365						
	1	5 /12	H08	(7-09-03) 7-02-12	38-00-00	2 x 4	Joint 20 688 -196	Joint 16 2065 -519	Joint 23 565 -174					
	1	5 /12	H09	(6-11-03) 6-04-12	38-00-00	2 x 4	Joint 19 592 -161	Joint 15 2574 -494	Joint 22 957 -234					
	1	5 /12	H10	(6-01-03) 5-06-12	38-00-00	2 x 4	Joint 18 528 -163	Joint 14 1969 -491	Joint 21 809 -236					
	1	5 /12	H11	(5-03-03) 4-08-12	38-00-00	2 x 4	Joint 19 742 -216	Joint 15 1911 -478	Joint 22 639 -195					
	1	5 /12	H12	(5-00-07) 4-06-01	38-00-00	2 x 4	Joint 19 731 -218	Joint 15 1902 -474	Joint 22 658 -197					
	1	5 /12	J01	(3-10-11) 3-04-04	8-00-00	2 x 4	Joint 10 231 -99	Joint 7 28 6	Joint 8 135 -50	Joint 9 315 -71	Joint 6 62 -30	Joint 10 231 -99	Joint 10 231 -99	Joint 7 28 6
	5	5 /12	J02	(4-02-07) 3-08-01	8-00-00	2 x 4	Joint 5 425 -124	Joint 3 240 -109	Joint 4 123 9					
	6	5 /12	J03	(3-08-01) 2-10-01	5-08-08	2 x 6 2 x 4	Joint 1 57 -12	Joint 4 0 0	Joint 6 636 -136					
	2	5 /12	J04	(1-08-07) 1-02-01	2-00-00	2 x 4	Joint 5 193 -102	Joint 3 43 -13	Joint 4 26 4					

# Component Item - Roof Trusses

DIAGRAM	QTY		LABEL	(Shipping)		LUMBER	REACTIONS				
	PLY	PITCH		HEIGHT	SPAN		Joint 5	Joint 3	Joint 4	Joint 2	Joint 9
	2	5/12	J05	(2-06-07) 2-00-01	4-00-00	2 x 4	262	111	59		
	2	5/12	J06	(3-04-07) 2-10-01	6-00-00	2 x 4	342	176	91		
	3	5/12	J07	(4-00-13) 3-06-06	7-08-00	2 x 4	353	302	212	35	
	1	5/12	J08	3-06-06	7-08-00	2 x 4 2 x 6	238	741	187	142	
	1	5/12	M01	(4-00-02) 3-05-11	8-03-08	2 x 4	239	82	120	345	239
	4	5/12	T01	(3-07-13) 3-01-06	13-04-00	2 x 4	616	616			
	5	5/12	T02	(3-07-13) 3-01-06	13-04-00	2 x 4	531	619			
	1	5/12	T03	(5-00-07) 4-06-01	20-00-00	2 x 4	883	883			
	4	5/12	T04	(5-00-07) 4-06-01	17-08-08	2 x 4	809	1374	118		
	1 2-ply	5/12	T05	(5-00-07) 4-06-01	38-00-00	2 x 4 2 x 6	705	2482	762		
	4	5/12	T07	(8-09-07) 8-03-01	30-00-00	2 x 4	1613	1640			