


⊠ Dia= 5/8"
⊕ Dia= 3/4"



ANCHOR BOLT PLAN


NOTE: All Base Plates @ 100'-0" (U.N.)



Union LaSteel			
PROJECT	Warehouse	ANCHOR BOLT PLAN	
ID	MarkHaddoxWarehouse	DESIGN:	CHECK:
PROJECT ADDRESS	297 Brown Road Lake City, FL 32055	DATE: 9/13/19	SHEET 2 OF 21

CE CONSULTING ENGINEERS, CORP.

226 SOUTH MAIN STREET, MONROE, OHIO 45050
PHONE : (513) 229-9000
FAX : (513) 360-0109



GENERAL NOTES

1. FOUNDATION DESIGN AND CONSTRUCTION ARE NOT THE RESPONSIBILITY OF ABC METAL BUILDINGS.
2. THE BUILDING REACTION DATA REPORTS THE LOADS WHICH THIS BUILDING PLACES ON THE FOUNDATION.
3. ANCHOR BOLTS SHALL BE ACCURATELY SET TO A TOLERANCE OF +/- 1/8" IN BOTH ELEVATION AND LOCATION.
4. COLUMN BASE PLATES ARE DESIGNED NOT TO EXCEED A BEARING PRESSURE OF 1125 POUNDS PER SQUARE INCH.



Union LaSteel					
PROJECT			ANCHOR BOLT DETAILS		
ID	Warehouse		DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	297 Brown Road Lake City, Fl. 32055		DATE: 9/13/19	SHEET 3 OF 21	

