

DATE 06/08/2005

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000023248

APPLICANT JOSEPH EICHELSDERFER

PHONE 752-8809

ADDRESS 633 SW CURTAIN LANE

FT. WHITE

FL 32038

OWNER JOSEPH EICHELSDERFER

PHONE 752-8809

ADDRESS 633 SW CURTAIN LANE

FT. WHITE

FL 32038

CONTRACTOR RONNIE NORRIS

PHONE 752-3871

LOCATION OF PROPERTY 247S, TL ON 240, TR ON ICHETUCKNEE LANE, TURN ON CURTAIN,
LAST HOUSE ON RIGHT

TYPE DEVELOPMENT MH, UTILITY

ESTIMATED COST OF CONSTRUCTION .00

HEATED FLOOR AREA

TOTAL AREA

HEIGHT .00 STORIES

FOUNDATION

WALLS

ROOF PITCH

FLOOR

LAND USE & ZONING A-3

MAX. HEIGHT

Minimum Set Back Requirements: STREET-FRONT

30.00

REAR

25.00

SIDE

25.00

NO. EX.D.U.

0

FLOOD ZONE

X

DEVELOPMENT PERMIT NO.

PARCEL ID 36-5S-15-00485-081

SUBDIVISION

FERNWOOD EST

LOT 20

BLOCK

PHASE

UNIT

TOTAL ACRES 13.00

IH0000049

Culvert Permit No.

Culvert Waiver

Contractor's License Number

Applicant/Owner/Contractor

EXISTING

05-0547-N

BK

HD

Driveway Connection

Septic Tank Number

LU & Zoning checked by

Approved for Issuance

New Resident

COMMENTS: ONE FOOT ABOVE THE ROAD, LETTER OF PERMISSION FROM FATHER RECEIVED

Check # or Cash CASH

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power

Foundation

Monolithic

date/app. by

date/app. by

date/app. by

Under slab rough-in plumbing

Slab

Sheathing/Nailing

date/app. by

date/app. by

date/app. by

Framing

date/app. by

Rough-in plumbing above slab and below wood floor

date/app. by

Electrical rough-in

date/app. by

Heat & Air Duct

date/app. by

Peri. beam (Lintel)

date/app. by

Permanent power

date/app. by

C.O. Final

date/app. by

Culvert

date/app. by

M/H tie downs, blocking, electricity and plumbing

date/app. by

Pool

date/app. by

Reconnection

date/app. by

Pump pole

date/app. by

Utility Pole

date/app. by

M/H Pole

date/app. by

Travel Trailer

date/app. by

Re-roof

date/app. by

BUILDING PERMIT FEE \$

.00

CERTIFICATION FEE \$

.00

SURCHARGE FEE \$

.00

MISC. FEES \$

200.00

ZONING CERT. FEE \$

50.00

FIRE FEE \$

17.01

WASTE FEE \$

36.75

FLOOD ZONE DEVELOPMENT FEE \$

CULVERT FEE \$

TOTAL FEE 303.76

INSPECTORS OFFICE

CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

left message

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

Office Use Only
 AP# 0505-115 Zoning Official BLK 0306.05 Building Official HD 5-31-05
 Date Received 5/27/05 By GA Permit # 23248
 Flood Zone X Development Permit N/A Zoning A-3 Land Use Plan Map Category A3
 Comments To be placed on lot 20
Old Application
 FEMA Map # _____ Elevation _____ Finished Floor _____ River _____ In Floodway _____
☒ Site Plan with Setbacks shown ☒ Environmental Health Signed Site Plan ☐ Env. Health Release
☒ Well letter provided ☒ Existing Well
 Revised 9-23-04

- Property ID 36-55-15-00485-081 Must have a copy of the property deed
- New Mobile Home _____ Used Mobile Home ☒ Year 97
- Subdivision Information Fernwood Est, Lots 20, 21, 22
- Applicant Joseph and Bertie Eichelsdorfer Phone # cell 984-7277
- Address 2195 S.W. Spruce Rd Ft White, FL 32038
Marilyn S.
- Name of Property Owner Joseph & Bertie Eichelsdorfer Phone# 386-752-8809
- 911 Address 633 S.W. Curtain Ln. Ft White, FL 32038
- Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progressive Energy
- Name of Owner of Mobile Home Joseph & Bertie Eichelsdorfer Phone # _____
- Address 2195 S.W. Spruce Rd Ft White, FL 32038
- Relationship to Property Owner Son & Daughter in law
- Current Number of Dwellings on Property one
- Lot Size 1 plus acre Total Acreage 13.4
- Do you : Have an Existing Drive or need a Culvert Permit or a Culvert Waiver Permit
- Driving Directions SR 247 to 240, left at 240 to Ichetucknee Ln turn right on Ichetucknee Ln to Curtain Ln, last house on right Brick house
- Is this Mobile Home Replacing an Existing Mobile Home no (owe)
- Name of Licensed Dealer/Installer Ronnie Jervis Phone # 752-3871
- Installers Address 1004 SW Charles Ter. L.C. FL 32024
- License Number IH-0000049 Installation Decal # 245838

COLUMBIA COUNTY PERMIT WORKSHEET

These worksheets must be completed and signed by the installer.
Submit the originals with the packet.

Installer Kennie Nicks License # TH000049


911 Address where home is being installed. 2195 S.W. Spruce Rd Ft White, FL 32838

Manufacturer Remoral Length x width 60 x 14

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's Initials KN



New Home ☐ Used Home ☒

Home installed to the Manufacturer's Installation Manual ☐

Home is installed in accordance with Rule 15-C ☒

Single wide ☒ Wind Zone II ☒ Wind Zone III ☐

Double wide ☐ Installation Decal # 245838

Triple/Quad ☐ Serial # 133660

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity (sq in)	Footer size (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" X 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	5'	6'	7'	8'
1500 psf	4' 6"	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'
2500 psf	7' 6"	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17x22

Perimeter pier pad size -

Other pier pad sizes (required by the mfg.) 16x16

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening S-W Pier pad size S-W

ANCHORS 4 ft 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer -
Longitudinal Stabilizing Device w/ Lateral Arms Manufacturer -

OTHER TIES

Number 6
Sidewall -
Longitudinal Marriage wall -
Shearwall S-W

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil without testing.

x 1600 x 1600 x 1500

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 1500 x 1600 x 1500

TORQUE PROBE TEST

The results of the torque probe test is 205 inch pounds or check here if you are declaring 5' anchors without testing 4. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name Ronnie Norris

Date Tested 5-20-05

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg.

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg.

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Site Preparation

Debris and organic material removed ☒
Water drainage: Natural ☒ Swale ☐ Pad ☐ Other ☐

Fastening multi wide units

Floor: Type Fastener: Length: Spacing:
Walls: Type Fastener: Length: Spacing: SW SW SW
Roof: Type Fastener: Length: Spacing:
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Installed:

Type gasket Pg. SW
Between Floors Yes
Between Walls Yes
Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes Pg.
Siding on units is installed to manufacturer's specifications. Yes
Fireplace chimney installed so as not to allow intrusion of rain water. Yes

Miscellaneous

Skirting to be installed. Yes No
Dryer vent installed outside of skirting. Yes N/A
Range downflow vent installed outside of skirting. Yes N/A
Drain lines supported at 4 foot intervals. Yes
Electrical crossovers protected. Yes
Other :

Installer verifies all information given with this permit worksheet

is accurate and true based on the

manufacturer's installation instructions and or Rule 15C-1 & 2


Installer Signature Ronnie Norris Date 5-25-05

LETTER OF AUTHORIZATION

Date: 5/26/05

I, Ronnie Norris, authorize ^{Joseph} Mr. or Mrs. Eichelsderfer
to pull a move-on permit under my license. Pertaining to the permit only.

Sincerely,



Ronnie Norris

@ CAM110M01 S CamaUSA Appraisal System
5/27/2005 11:57 Property Maintenance
Year T Property Sel
2005 R 36-5S-15-00485-081
Owner EICHELSDERFER JOSEPH G & + Conf
Addr MARILYN S EICHELSDERFER
333 SW TAMMARACK LOOP

Columbia County
8400 Land 001 *
2049 AG 001
91359 Bldg 001
2850 Xfea 003
104658 TOTAL B

13.420 Total Acres

City,St LAKE CITY
Country

FL Zip 32024
(PUD1)

Retain Cap? Y
(PUD2)

Renewal Notice
N AG
(PUD3) MKTA02

Appr By CM Date 4/09/2001 AppCode UseCd 005000 IMPROVED AG
TxDist Nbhd MktA ExCode Exemption/% TxCode Units Tp
003 36515.01 02 HX 25000

FERNWOOD

House# 633 Street CURTAIN MD LN Dir SW #
City FT WHITE

Subd N/A Condo .00 N/A

Sect 36 Twn 5S Rnge 15E Subd Blk Lot

Legals LOTS 20 & 21 FERNWOOD ESTATES ORB 461-716, 558-123, 470-529,
461-716, 558-123, 633-766, 775-780, 775-781, 812-178-179 +

Map# 12 Mnt 3/10/2005 CHUCK

F1=Task F2=ExTx F3=Exit F4=Prompt F11=Docs F10=GoTo PgUp/PgDn F24=More




STATE OF FLORIDA
DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 05-0547N

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.



Notes: LOT 20 + 21 is 13.40 AC
SHOWN ON DRAWING 1+ AC

Site Plan submitted by: Joseph H. Eichelberger Signature
Plan Approved ✓ Not Approved _____
By MA County Health Department
Owner Owner Title
Date _____

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT



Columbia County Property Appraiser

J. Doyle Crews, CFA - Lake City, Florida - 386-758-1083

PARCEL: 36-5S-15-00485-081 HX - IMPROVED A (005000)

LOTS 20 & 21 FERNWOOD ESTATES ORB 461-716, 558-123, 470-529, 461-716, 558-123, 633-766,

Name: EICHELSDERFER JOSEPH G &

Site: CURTAIN

Mail: 333 SW TAMMARACK LOOP

LAKE CITY, FL 32024

Sales 3/1/2005 \$159,000.00 / Q

Info 10/11/1995 \$123,000.00 / Q

5/20/1993 \$0.001 / U

LandVal \$8,400.00

BldgVal \$91,359.00

ApprVal \$104,658.00

JustVal \$133,907.00

Assd \$93,700.00

Exmpt \$25,000.00

Taxable \$68,700.00

0 170 340 510 ft



This information, GIS Map Updated: 5/2/2005, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

@ CAM112M01S CamaUSA Appraisal SystemColumbia County
5/27/2005 12:33 Legal Description Maintenance8400 Land 001 *
Year T PropertySel2049 AG 001
2005 R 36-5S-15-00485-08191359 Bldg 001
633 CURTAIN LN SW FT WHITE2850 Xfea 003
HX EICHELSDERFER JOSEPH G &104658 TOTALB

1	LOTS 20 & 21 FERNWOOD ESTATES	ORB 461-716, 558-123, 470-529,	2
3	461-716, 558-123, 633-766,	775-780, 775-781, 812-178-179	4
5	WD 1039-1434.		6
7			8
9			10
11			12
13			14
15			16
17			18
19			20
21			22
23			24
25			26
27			28

Mnt 3/10/2005 CHUCK
F1=Task F3=Exit F4=Prompt F10=GoTo PgUp/PgDn F24=More





This information, GIS Map Updated: 5/2/2005, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

I Joseph N Eichelberg give
Wayne Eichelberg and his wife
to live on my land part 36.55-15-00485
-081

Joseph N Eichelberg
5/27/05

Gale Tedder
5/27/05





DEPARTMENT OF
CODE ENFORCEMENT
COLUMBIA COUNTY, FLORIDA

PRELIMINARY MOBILE HOME INSPECTION REPORT

DATE RECEIVED 5/27/05 BY GP

IS THE M/H ON THE PROPERTY WHERE THE PERMIT WILL BE ISSUED? No

OWNERS NAME Bertie Eidelander PHONE 752-8809 CELL (386) 984-0014
984-7275

911 ADDRESS 351 SW Tamarack Loop

MOBILE HOME PARK W/A SUBDIVISION Ferwood Est, Lot 20, 21

DRIVING DIRECTIONS TO MOBILE HOME 2475, 3.6 miles,

TR Upchurch, 2nd drive, TL

Tamarack Loop, top of hill

CONTRACTOR Ronnie Norris PHONE _____ CELL _____

MOBILE HOME INFORMATION

MAKE General YEAR 1997 SIZE 60 X 14

COLOR White / Green SERIAL No. 13366 GMH6A2499614747

WIND ZONE II SMOKE DETECTOR Yes

INTERIOR:
FLOORS ☒

DOORS ☒

WALLS ☒

CABINETS ☒

ELECTRICAL (FIXTURES/OUTLETS) ☒

EXTERIOR:
WALLS / SIDING ☒

WINDOWS ☒

DOORS ☒

STATUS:
APPROVED ☒ WITH CONDITIONS: _____

NOT APPROVED _____ NEED REINSPECTION _____

INSPECTOR SIGNATURE Dmg/ RA NUMBER 306

Call before going

DATE 06/08/2005

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000023248

APPLICANT JOSEPH EICHELSDERFER PHONE 752-8809
ADDRESS 633 SW CURTAIN LANE FT. WHITE FL 32038
OWNER JOSEPH EICHELSDERFER PHONE 752-8809
ADDRESS 633 SW CURTAIN LANE FT. WHITE FL 32038
CONTRACTOR DON TODD PHONE 963-3433
LOCATION OF PROPERTY 247S, TL ON 240, TR ON ICHETUCKNEE LANE, TURN ON CURTAIN,
LAST HOUSE ON RIGHT
TYPE DEVELOPMENT MH,UTILITY ESTIMATED COST OF CONSTRUCTION .00
HEATED FLOOR AREA TOTAL AREA HEIGHT .00 STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 36-5S-15-00485-081 SUBDIVISION FERNWOOD EST
LOT 20 BLOCK PHASE UNIT TOTAL ACRES 13.00

IH0000316
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING 05-0547-N BK HD
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: ONE FOOT ABOVE THE ROAD, LETTER OF PERMISSION FROM FATHER RECEIVED
LETTER FROM OWNER FIRING FIRST CONTRACTOR, NEW PAPERWORK FROM NEW

CONTRACTOR Check # or Cash CASH

FOR BUILDING & ZONING DEPARTMENT ONLY

Temporary Power Foundation Monolithic (footer/Slab)
date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
date/app. by date/app. by date/app. by
Framing Rough-in plumbing above slab and below wood floor
date/app. by date/app. by
Electrical rough-in Heat & Air Duct Peri. beam (Lintel)
date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
date/app. by date/app. by date/app. by
M/H tie downs, blocking, electricity and plumbing Pool
date/app. by date/app. by
Reconnection Pump pole Utility Pole
date/app. by date/app. by date/app. by
M/H Pole Travel Trailer Re-roof
date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$.00 CERTIFICATION FEE \$.00 SURCHARGE FEE \$.00
MISC. FEES \$ 200.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 17.01 WASTE FEE \$ 36.75
FLOOD ZONE DEVELOPMENT FEE \$ CULVERT FEE \$ TOTAL FEE 303.76

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only		Zoning Official _____		Building Official _____	
AP# <u>0505-115</u>	Date Received _____	By _____	Permit # _____		
Flood Zone _____	Development Permit _____	Zoning _____	Land Use Plan Map Category _____		
Comments _____					
<u>New Application</u>					
FEMA Map # _____	Elevation _____	Finished Floor _____	River _____	In Floodway _____	
☐ Site Plan with Setbacks shown ☐ Environmental Health Signed Site Plan ☐ Env. Health Release ☐ Well letter provided ☐ Existing Well					
Revised 9-23-04					

- Property ID 36-55-15-00485-081 Must have a copy of the property deed
- New Mobile Home _____ Used Mobile Home L Year 97
- Subdivision Information Fernwood Est 60T 20
- Applicant Joseph & Bertie Cichelski Phone # Cell 984-7277
- Address 2195 S.W. Spruce Rd St White FL 32038
- Name of Property Owner Joseph T. Cichelski Phone # 386-752 8809
- 911 Address 633 SW Curtain Ln St White FL 32038
- Circle the correct power company - FL Power & Light - Clay Electric
 (Circle One) - Suwannee Valley Electric - Progressive Energy
- Name of Owner of Mobile Home Joseph & Bertie Phone # _____
- Address 2195 SW Spruce. Rd. St White FL 32038
- Relationship to Property Owner Son & Daughter in law
- Current Number of Dwellings on Property one
- Lot Size 1+ AC - Total Acreage 13.4
- Do you : Have an Existing Drive or need a Culvert Permit or a Culvert Waiver Permit
- Driving Directions SR. 247 to 240 Left at 240 to Tatchucke turn
(R) on Tatchucke to Curtin Ln Last House on
Right Bricks House
- Is this Mobile Home Replacing an Existing Mobile Home NO ONE
- Name of Licensed Dealer/Installer Poy Todd Phone # 963 3433
- Installers Address 13021 39 Ave
- License Number TH0000316 Installation Decal # ?

COLUMBIA COUNTY PERMIT WORKSHEET

These worksheets must be completed and signed by the installer.
Submit the originals with the packet.

Installer Ben Todd License # TH000031C

911 Address where home is being installed. 2155 SW Spruce Rd. St. Louis, MO 63117.

Manufacturer General Length x width 60x114

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used)
where the sidewall ties exceed 5 ft 4 in.

Installer's initials Ben T.

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" X 24" (576)*	26" x 26" (676)
1000 psf	3'		4'	5'	6'	7'	8'
1500 psf	4' 6"		6'	7'	8'	8'	8'
2000 psf	6'		8'	8'	8'	8'	8'
2500 psf	7' 6"		8'	8'	8'	8'	8'
3000 psf	8'		8'	8'	8'	8'	8'
3500 psf	8'		8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size

Perimeter pier pad size

Other pier pad sizes (required by the mfg.)

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

ANCHORS

Opening SW Pier pad size SW

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer

Longitudinal Stabilizing Device w/ Lateral Arms

Manufacturer

OTHER TIES


Number

Sidewall

Longitudinal

Marriage wall

Shearwall



POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil without testing.

x1500 x1600 x1500

POCKET PENETROMETER TESTING METHOD

- 1. Test the perimeter of the home at 6 locations.
- 2. Take the reading at the depth of the footer.
- 3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x1500 x1600 x1500

TORQUE PROBE TEST

The results of the torque probe test is 275 inch pounds or check here if you are declaring 5' anchors without testing 4. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Date Tested

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg.

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg.

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Site Preparation

Debris and organic material removed Swale Pad Other

Fastening multi wide units

Floor: Type Fastener: Length: Spacing: Walls: Type Fastener: Length: Spacing: Roof: Type Fastener: Length: Spacing: For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Type gasket Pg.

Installed: Between Floors Yes Between Walls Yes Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes Pg. Siding on units is installed to manufacturer's specifications. Yes Fireplace chimney installed so as not to allow intrusion of rain water. Yes

Miscellaneous

Skirting to be installed. Yes No Dryer vent installed outside of skirting. Yes N/A Range downflow vent installed outside of skirting. Yes N/A Drain lines supported at 4 foot intervals. Yes Electrical crossovers protected. Yes Other :

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature

Date

6/16/2005

To Columbia County Building Inspectors
Lake City, FL

To Whom it may concern:

I fired Ronnie Harris movers of mobile homes
& hired Donald Todd to move my mobile home.
Will you please make the necessary changes.
Thank you for your time.

Joseph Eichelberger

23248