

SIGN PACKAGE PROPOSAL

NEW BUILD

PRESENTED TO:

Culver's 205 N. Marion Ave. Lake City, FL

394 NW Commons Loop Lake City, FL 32055

Cost of Signage: BB-1 - \$115.00

SL-30 Wall Signs - \$1,780 SL-45 Wall Signs - \$2,635 Directional - \$515.72 Menu Board - \$5,675 (x2) DTC-2 - \$5735.00 (x2) VHD-1 - \$835.00 (x2) PE-40 - \$24,875.50 EMC - \$15,561.00

DATE PREPARED:

2/23/22 - Preliminary 4/8/22 - Permitting





ButterBurger Outdoor Panel Wall Sign

BB-1

All aluminum 0.080" thick panel backside is blank (white)

Baked on aluminum white enamel

Digital print overlay with overlaminate

Rounded corners are to be 1.25" radius

Sign is to be mounted at 50 degree angle (set by flange)



SCALE: 1-1/2" = 1'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

* Determined by physical address numbers

TYPICAL INSTALLATION - TOP VIEW WALL LEFT HAND FLANGE 50 DEGREE ANGLE SCALE: N.T.S

HOLE PATTERN

HOLES ARE .250" DIAMETER .737" IN FROM SIDE & 1.488" IN FROM TOP & BOTTOM TAB IS TO BE BENT 50 DEGREES UP AT LINE

NOTES			

SALES PERSON:	DESIGNED BY:	A0:
MARK WESSELL	J KROEGER	35883

DATE CREATED / REVISION I	DATE CREATED / REVISION HISTORY				
2/23/22 - NEW					
4/8/22 - Permitting					



© 2020 Springfield Sign & Graphics Inc., Springfield Sign











ELEVATION WALL SIGNS

SL-45 & SL-30 Illuminated White Script Channel Letters

SL-SERIES

Channel letter construction

One piece (saddle capped sections)

LED internal illumination


Typical application for new construction

Embedded power supplies

UL marked product

No install pattern needed, level line scribed in back of sign

Culver's



SIGN SQUARE FOOTAGE

MAIN ELEVATION: QTY-1 SL-30 (44.37" X 94.50") = 29.12 SF FRONT ELEVATION: QTY-1 SL-45 (56.00" X 120.00") = 46.67 SF QTY-1 SL-30 (44.37" X 94.50") = 29.12 SF REAR ELEVATION: DRIVE THRU ELEVATION: QTY-1 SL-30 (44.37" X 94.50") = 29.12 SF

QTY-1 BB-1 (17.67" X 27.88") = 3.42 SF

NOTES

LL-X LED accent strip lighting typical placements: MAIN: (2) places - FRONT: (3) Places - REAR: 2, DRIVE THRU: (2) places

BB-1 typical Drive-Thru placement: DRIVE THRU



MFG: T.B.D. STYLE: T.B.D. COLOR: T.B.D.



MFG: T.B.D. STYLE: T.B.D. COLOR: T.B.D.

DATE CREATED / REVISION HISTORY 2/23/22 - NEW 4/8/22 - Permitting SALES PERSON: DESIGNED BY:

35883

© 2020 Springfield Sign & Graphics Inc., Springfield Sign

This drawing is Copyrighted material, it remains the property of Springfield Sign unless otherwise agreed upon in writing. It is unlawful to use this drawing for bidding purposes, nor can it be reproduces, copied or used in the production of a sign without written permission from Springfield Sign & Graphics.









J KROEGER

MARK WESSELL



PE-40-L-36X108-10-RGB

PE-40

Culver's sign cabinet of aluminum construction and internally illuminated with LED's

Pole skirt enclosure provides cradle rest for iconic Culver's logo - all aluminum construction

Thermoformed polycarbonate faces, embossed Culver's, 3M1 HP vinyl decoration

Watchfire³ 36x108 RGB full color 10mm Electronic Message Center (EMC) with RF wireless communication

Amber EMC option available

Broadband communication option available

UL marked product

1 - Watchfire signs by Time-O-Matic Inc.





EMC CHART - KNOWN RESTRICTIONS

COLOR: Y N STATIC: Y N VIDEO: Y NX ANIMATION: Y NX MOVEMENT: Y NX

HOLD TIME (IF STATIC): ? Sec/Min

TRANSITION TYPE: Transition if applicable

DAYTIME BRIGHTNESS: Brightness if applicable

NIGHTTIME BRIGHTNESS: Brightness if applicable

ADDITIONAL RESTRICTIONS:

on-Flashing Sign Area - 1.50 times the linear lot road frontage distance

Scrolling or Animated Sign Area - .50 times the linear lot road frontage distance to a maximum of 20 square feet.

18' Height restriction. 20 SF Max on EMC.

SIGN CODES

NOTES

SQUARE FOOTAGE CALCULATIONS: Oval: 5'-0" x 8'-3" = 56.35 SF EMC: 2'-5" x 6'-3" = 15.10 SF Total: 56.35 SF

SALES PERSON: MARK WESSELL

DESIGNED BY: J KROEGER

35883

DATE CREATED / REVISION HISTORY

2/23/22 - NEW 4/8/22 - Permittina

© 2020 Springfield Sign & Graphics Inc., Springfield Sign











Routed Address Numbers

AD-1


Address letters as required for building occupancy

Size & quantity may vary

Stud/adhesive mounting

1/2" thick, black XPVC

NOTE: Address to be verified with G.C. prior to mfq.





NOTES			

SALES PERSON:	DESIGNED BY:	A0:
MARK WESSELL	J KROEGER	35883

DATE CREATED / REVISION HISTORY				
2/23/22 - NEW				
4/8/22 - Permitting				



SCALE: 1" = 6'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

* Determined by physical address numbers

© 2020 Springfield Sign & Graphics Inc., Springfield Sign









Illuminated Directional Signs

DIR

All aluminum construction

LED internal illumination

Totally self contained lighting

Polycarbonate thermoformed faces

Face removal for service

Site plans show placement & field orientation

UL marked product






SIDE: A



SIDE: B



NOTES

SQUARE FOOTAGE CALCULATIONS: MATHEMATICAL: 2.55 SF RECTANGULAR: 3.24 SF

SALES PERSON:

DESIGNED BY:

35883

MARK WESSELL J KROEGER

DATE CREATED / REVISION HISTORY 2/23/22 - NEW 4/8/22 - Permittina



SCALE: 3/4" = 1'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

© 2020 Springfield Sign & Graphics Inc., Springfield Sign











Drive-Thru Canopy For Order Confirmation System (OCS)

DTC-2

All aluminum construction

Rated for 160 mph winds (3 second burst) & heavy northern states snow loads

Order Confirmation System (OCS) by others

Rear panel (door) access lockable

Provides protection from rain for **DT** customer

Houses OCS, speaker &







*ALL MEASUREMENTS ARE APPROXIMATE

NOTES		DA	
		2/2	23
	П	4/8	3/
	1 4		_

DATE CREATED / R	REVISION HISTORY			
2/23/22 - NEW				
4/8/22 - Permitting				
			1	
SALES PERSON:	DESIGNED BY:	A0:		
MARK WESSELL	J KROEGER	35883		

© 2020 Springfield Sign & Graphics Inc., Springfield Sign











Drive-Thru Canopy For Order Confirmation System (OCS)

DTC-2

All aluminum construction

Rated for 160 mph winds (3 second burst) & heavy northern states snow loads

Order Confirmation System (OCS) by others

Rear panel (door) access lockable

Provides protection from rain for **DT** customer

Houses OCS, speaker &







*ALL MEASUREMENTS ARE APPROXIMATE

NOTES		DA	
		2/2	23
	П	4/8	3/
	1 4		_

DATE CREATED / R	REVISION HISTORY			
2/23/22 - NEW				
4/8/22 - Permitting				
			1	
SALES PERSON:	DESIGNED BY:	A0:		
MARK WESSELL	J KROEGER	35883		

© 2020 Springfield Sign & Graphics Inc., Springfield Sign











Lake City, FL

SIGN PLACEMENT

6"TO GRADE

SCALE: 1/2" = 1' SALES PERSON:

MARK WESSELL

2/23/22 - NEW

4/8/22 - Permittina

FCO Interior Sign with City & State

FCO-3

0.25" painted aluminum plate

Routed to shape

Pin mounted for rough surface application

VHB tape for smooth wall application

Mounting pattern with fastener instructions





0.25" PAINTED ALUMINUM PLATE



0.25" PAINTED ALUMINUM PLATE



SCALE: 1" = 1'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

SPRINGFIELD**SIGN** www.springfieldsign.com

DESIGNED BY:

35883

J KROEGER

DATE CREATED / REVISION HISTORY

© 2020 Springfield Sign & Graphics Inc., Springfield Sign







Interior Maximum Occupancy Sign

MAX-1

3/16" White acrylic substrate

Direct to surface printing

3M1 VHB peel & stick adhesive on

"MAXIMUM OCCUPANCY" must be verified prior to manufacturing



Culver's

SCALE: 3" = 1

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

NOTES	REVISION HISTORY	,		
	2/23/22 - NEW			
	4/8/22 - Permitting			
	SALES PERSON: MARK WESSELL	DESIGNED BY: J KROEGER	A0: 35883	

© 2020 Springfield Sign & Graphics Inc., Springfield Sign











Blue Outdoor Drive-Thru Menu Board

MB-DT-46

Standard Menu Board for Drive-Thru Lane

LED Internal Illumination


POP Graphic panels must be purchased separately

POPP-Out magnet access panels included for easy in & out of POP panels

"-CS" option for 160mph coastal wind standards available

Locking rear access doors (4)





- A INSIDE BACK OF MENU BOARD FACE (ONLY ONE PANEL SHOWN FOR
- B FRONT PANEL IS ANTI-GLARE (CLEAR) FOR INCREASED VISIBILITY
- C POP PANEL PRODUCT GRAPHIC
- D REAR PANEL FITTED WITH POPP-Out PANEL
- E SUPPORTING "TIP TRAY" FOR PANELS (SELF ALIGNING)

SALES PERSON: DESIGNED BY: AO:

- F POPP-Out TAB HANDLE
- G PAIRED MAGNETIC "LATCH" (MAGNETS EMBEDDED IN POP-Out PANEL & BACK OF MENU BOARD)

OALLO I LIIOUN.	DEGIGIN	2001.	AU.
MARK WESSELL	J KROEG	ER	35883
DATE CREATED / I	REVISION H	HISTORY	
2/23/22 - NEW			
4/8/22 - Permitting			



SCALE: 3/8" = 1'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

© 2020 Springfield Sign & Graphics Inc., Springfield Sign











Blue Outdoor Drive-Thru Menu Board

MB-DT-46

Standard Menu Board for Drive-Thru Lane

LED Internal Illumination


POP Graphic panels must be purchased separately

POPP-Out magnet access panels included for easy in & out of POP panels

"-CS" option for 160mph coastal wind standards available

Locking rear access doors (4)





- A INSIDE BACK OF MENU BOARD FACE (ONLY ONE PANEL SHOWN FOR
- B FRONT PANEL IS ANTI-GLARE (CLEAR) FOR INCREASED VISIBILITY
- C POP PANEL PRODUCT GRAPHIC
- D REAR PANEL FITTED WITH POPP-Out PANEL
- E SUPPORTING "TIP TRAY" FOR PANELS (SELF ALIGNING)

SALES PERSON: DESIGNED BY: AO:

- F POPP-Out TAB HANDLE
- G PAIRED MAGNETIC "LATCH" (MAGNETS EMBEDDED IN POP-Out PANEL & BACK OF MENU BOARD)

OALLO I EIIOUN.	DEGIGIN	2001.	AU.			
MARK WESSELL	J KROEGER		35883			
DATE CREATED / REVISION HISTORY						
2/23/22 - NEW						
4/8/22 - Permitting						



SCALE: 3/8" = 1'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

© 2020 Springfield Sign & Graphics Inc., Springfield Sign











Blue Indoor Menu Board

MB-ID-84

Easy lift up & out graphic panel

American Beech Wood surround

Surround is painted black

LED internal illumination

Ultra low power consumption

FRONT VIEW END VIEW







SCALE: 3/8" = 1'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

NOTES

MENU BOARD TO INSTALL CENTERED TO THE FRONT CASH REGISTER COUNTER



DATE CREATED / REVISION HISTORY					
2/23/22 - NEW					
4/8/22 - Permitting					
A					

SALES PERSON: DESIGNED BY:

J KROEGER

35883

© 2020 Springfield Sign & Graphics Inc., Springfield Sign











Handicapped Parking Post & Panel Sign

REG-HC-1

All aluminum 0.080" thick panel

U-Channel steel post (green)

Bolted connection

Local codes may require actual copy/graphics to vary

Rounded corners for safety

First surface vinyl (printed) copy

NOTE 1: Overall height can vary per local codes

NOTE 2: 6' x 12" sign panel may also be required

Culver's



ADDITIONAL PARKING SIGN PANELS

STANDARD FACE OPTIONS:

YOU'RE ON THE





PARKING





ADDITIONAL FACE OPTIONS:







SCALE: 1/2" = 1'

SALES PERSON: DESIGNED BY: MARK WESSELL J KROEGER

35883

DATE CREATED / REVISION HISTORY 2/23/22 - NEW 4/8/22 - Permittina

SCALE: 3/4" = 1'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

© 2020 Springfield Sign & Graphics Inc., Springfield Sign













Restroom Signs

RR-1-G RR-1-L RR-3

RR-1 SERIES RESTROOM SIGNS

Injection molded plastic

ADA compliant

Raised braille

Self adhesive back

RR-3 SIGN

White aluminum substrate laminated with black core

Digitally printed blue copy routed to shape





RR-1-G GENTI EMEN



RR-1-L



SCALE: 3" = 1'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

SIGN MOUNTING LOCATIONS RR-1 SERIES EXTERIOR SIDE OF DOOR RR-3 INTERIOR SIDE OF DOOR SCALE: 1-1/2" = 1 SALES PERSON: DESIGNED BY: MARK WESSELL J KROEGER 35883 DATE CREATED / REVISION HISTORY 2/23/22 - NEW 4/8/22 - Permitting

© 2020 Springfield Sign & Graphics Inc., Springfield Sign











Entry Door & Drive-Thru Vinyl Letering

V-1-1 V-5-1 **V-6**

3M1 HP white vinyl substrate

UV digitally printed image (blue)

Satin gloss over laminate

Contour cut

First surface application


NOTE 1: Business hours shown are typical. However, each location may be different than shown.

1 - 3M is a registered trademark of Minnesota Mining & Manufacturing




V-1-1 & V-6

TYPICAL SINGLE DOOR LAYOUT




V-1-1 & V-6

TYPICAL DOUBLE DOOR LAYOUT



V-5-1

TYPICAL DRIVE-THRU LAYOUT



SCALE: 3/8" = 1'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

V-1-1 Calvers **OPEN DAILY** 10 am - 10 pm Proudly owned and operated by Franchisee Name SCALE: 1-1/2" = 1 V-6 SCALE: 1-1/2" = 1 V-5-1 Proudly owned and operated by Franchisee Name SCALE: 1-1/2" = 1' SALES PERSON: DESIGNED BY: MARK WESSELL J KROEGER 35883

SIGN SPECIFICATIONS

2/23/22 - NEW 4/8/22 - Permitting

DATE CREATED / REVISION HISTORY

© 2020 Springfield Sign & Graphics Inc., Springfield Sign











Vehicle Height Detector for Drive-Thru Lane


VHD-1


All steel (painted) construction

Re-settable if engaged

Used to help protect canopies from advancing vehicles that are too tall

NOTE: Clearance height must be verified prior to mfg.





SALES PERSON: MARK WESSELL

DESIGNED BY: J KROEGER

35883

DATE CREATED / REVISION HISTORY 2/23/22 - NEW

4/8/22 - Permittina

Culver's

SCALE: 1/2" = 1'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

© 2020 Springfield Sign & Graphics Inc., Springfield Sign











Vehicle Height Detector for Drive-Thru Lane


VHD-1


All steel (painted) construction

Re-settable if engaged

Used to help protect canopies from advancing vehicles that are too tall

NOTE: Clearance height must be verified prior to mfg.





SALES PERSON: MARK WESSELL

DESIGNED BY: J KROEGER

35883

DATE CREATED / REVISION HISTORY 2/23/22 - NEW

4/8/22 - Permittina

Culver's

SCALE: 1/2" = 1'

*SCALE AND COLORS NOT REPRESENTATIVE FROM EMAIL ATTACHMENTS *ALL MEASUREMENTS ARE APPROXIMATE

© 2020 Springfield Sign & Graphics Inc., Springfield Sign









