















763 Southwest way  
Court, Lake City, FL  
32025

263 Southwest Way.  
Court, Lake City, FL  
32025







763 Southwest Lucy.  
Court, Lake City, FL  
32025

Meets the Following: ASTM D226 Type IV, ASTM D8257  
ASTM D4869 Type IV, ASTM D8257  
CAN/CSA A123.3 and A220.1

PRO GUARD 20  
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20  
SYNTHETIC ROOFING UNDERLAYMENT

163 South West Lake City, FL  
33202

Meets the Following: ASTM D226 Type II, ASTM D8257  
ASTM D4869 Type IV, ASTM D8257  
CAN/CSA A123.3 and A220.1

La resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie, tipo de calzado y clima y la pendiente del techo.  
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la pente.

Slip resistance may vary with surface conditions, weather, footwear and roof pitch.  
Slip resistance can vary with surface conditions, weather, footwear and roof pitch.

OVERLAP LINE  
LÍNEA DE SUPERPOSICIÓN

La resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie, tipo de calzado y clima y la pendiente del techo.  
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la pente.

Slip resistance may vary with surface conditions, weather, footwear and roof pitch.  
Slip resistance can vary with surface conditions, weather, footwear and roof pitch.

OVERLAP LINE  
LÍNEA DE SUPERPOSICIÓN

Resistance may vary with surface conditions, weather, footwear and roof pitch  
de variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo  
ance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

LÍNEA DE SUPERPOSICIÓN

OVERLAP LINE



Supply Co. Inc.

Meets the Following: ASTM D226 Type IV  
ASTM D4669 Type IV, ASTM D9257  
CAN/CSA A123.3 and A23.1

PRO GUARD 20  
SYNTHETIC RUBBERING UNDERLAYMENT

20  
LAYMENT



Supply Co. Inc.

Following: ASTM D226 Type IV, ASTM D9257  
D4669 Type IV, ASTM D9257  
CAN/CSA A123.3 and A23.1

763 Southwest Lucy  
Court, Lake City, FL  
32025



Resistance may vary with surface conditions, weather, footwear and roof pitch  
de variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo  
ance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

LÍNEA DE SUPERPOSICIÓN

OVERLAP LINE





263 Southwest Lucy  
Court, Lake City, FL  
32025

**ABC**  
Supply Co. inc.

Slip resistance may vary with surface conditions, weather, footwear  
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado  
Le degré de résistance au glissement peut varier dépendant de la température, du type de chaussures

OVERLAP LINE

LÍNEA DE SUPER



763 Southwest Lucy  
Court, Lake City, FL  
32025

Resistance may vary with surface conditions, weather, footwear and roof pitch  
de variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo  
ance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

LÍNEA DE SUPERPOSICIÓN

OVERLAP LINE



Supply Co. Inc.

Meets the following: ASTM D226 Type II  
ASTM D4869 Type IV, ASTM D4857  
CAN/CSA A122.3 and A120.1

PRO GUARD 20

SYNTHETIC BEARING UNDERLAYMENT

20

LAYMENT



Supply Co. Inc.

Following: ASTM D226 Type II,  
D4869 Type IV, ASTM D4857  
CAN/CSA A122.3 and A120.1

763 Southwest Lucy  
Court, Lake City, FL  
32025

PRO GUARD 20

Resistance may vary with surface conditions, weather, footwear and roof pitch  
de variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo  
ance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

LÍNEA DE SUPERPOSICIÓN

OVERLAP LINE

any with surface conditions, weather, footwear and roof pitch  
dependant de la superficie, tipo de calzado o clima y la pendiente del techo  
LÍNEA DE SUPERPOSICIÓN

163 Southwest Way  
Court Lake City, FL  
32025



Supply Co. Inc.

20

PRO GUARD  
SYNTHETIC  
ROOFING UNDERLAYMENT  
20

Meets the Following: ASTM  
ASTM D4659 Type IV  
CAN/CSA A122

Supply Co. Inc.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

Footwear and roof pitch  
o de calzado o clima y la pendiente del techo  
ERPOSICIÓN



Slip resistance may vary with surface conditions, weather, footwear and roof pitch  
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo  
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utiliser et la toit pente

LINEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type II,  
ASTM D4869 Type IV, ASTM D8257  
CAN/CSA A123.3 and A220.1

**ABC**  
Supply Co. Inc.

OVERLAP LINE  
LINEA DE SUPERPOSICIÓN

463 SouthWest Lake City  
2025

**PRO GUARD 20**  
UNDERLAYMENT

**PRO GUARD 20**  
SYNTHETIC ROOFING UNDERLAYMENT

**ABC**  
Supply Co. Inc.


Meets the Following: ASTM D226 Type II,  
ASTM D4869 Type IV, ASTM D8257  
CAN/CSA A123.3 and A220.1

OVERLAP LINE  
LINEA DE SUPERPOSICIÓN

Slip resistance may vary with surface conditions, weather, footwear and roof pitch  
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo  
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utiliser et la toit pente

LINEA DE SUPERPOSICIÓN





163 South West  
Lucy, Court.  
Lake City

163 Southwest  
Lucy, court.  
Lake city



263 Southwest Lucy  
Court, Lake City, FL  
32025

163 Southwest  
Lucy, Court.  
Lake city

2104 Shadow  
Czyzak Dr, Kissimmee


Meets the Following: ASTM D226 Type II  
ASTM D4869  
CAN/CSA

ABC  
Supply Co. inc.

La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado y condiciones de uso.  
La résistance au glissement peut varier dépendant de la température, état de la surface et du type de chaussures.  
Slip resistance may vary with surface conditions, type of footwear and conditions of use.  
OVERLAP LINE  
LINEA DE SUPERPOSICIÓN

163 Southwest Loop  
Covington, LA 70025

Slip resistance may vary with surface conditions.  
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie.  
La résistance au glissement peut varier dépendant de la température, état de la surface et du type de chaussures.  
OVERLAP LINE



[illegible]

163 Southwest  
Lucy, Court.  
Lake city

163 Southwest  
Lucy, court.  
Lake city

163 Southwest  
Lucy, Court.  
Lake city






163 Southwest  
Lucy, Court.  
Lake city

263 Southmwest  
Court/Lake. Ci  
32025

20  
OFFING UNDERLAYMENT


ABO

763 Southwest Lacey.  
Court, Lake City, FL  
32025



53 Southwest Lucy  
Court, Lake City, FL  
32025

SYNTHETIC  
MENT  
CAUTION



163 Southwest  
Lucy, Court.  
Lake City

163 Southwest  
Lucy, Court.  
Lake City



BO Supply Co. Inc.

# PRO GUAPA PRO 20 SYNTHETIC ROOFING UNDERLAYMENT

BO Supply Co. Inc.

VERLAP LINE  
LINEA DE SUPERPOSICIÓN  
Do not install this roof with any other underlayment, weather, footings and roof pitch  
Ne pas installer de sous-couche avec d'autres sous-couche, type de toiture ou climat et la pente du toit

Meets the Following: ASTM D226 Type II,  
ASTM D4869 Type IV, ASTM D8257  
CAN/CSA A123.3 and A220.1






263 South West Lucy  
Court, Lake City, FL  
32025

SYNTHETIC

MENT



263 Southwest Lucy  
Court, Lake City, FL  
32025





163 Southwest  
Lucy, court.  
Lake city



ASTM D226 Type  
ASTM D3257  
ASTM A123.3 and A220.1



263 South West Lucy  
Court, Lake City, FL  
32025



H&B Supply Co. Inc.

ASTM D226 Type II,  
ASTM D257  
WISA 1123.3 and A220.1

763 Southwest Lucy  
Court, Lake City, FL  
32025



Meets the Following: ASTM D226 Type II,  
ASTM D4869 Type IV, ASTM D8257  
CAN/CSA A123.3 and A220.1

**ABO**  
**Supply Co. inc.**



La resis

163 Southwest  
Luch, court.  
Lake city



Slip resistance may vary with surface conditions, weather, footwear and roof pitch  
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la temperatura  
Le degré de résistance au glissement peut varier de la température, chaussures utiliser et le

400288552120724065 R

**OVERLAP LINE**

**LINEA DE SUPERPOSICIÓN**



163 Southwest  
Lucy, court.  
Lake city





33 Southwest Lucky  
Court, Lake City, FL  
32025

