

DATE 05/13/2010

Columbia County Building Permit
This Permit Must Be Prominently Posted on Premises During Construction

PERMIT
000028564

APPLICANT TIM O'MALLEY PHONE 813.402.3728
ADDRESS 207 KELEY LN, STE. K. TAMPA FL 33619
OWNER THOMAS JOHNSON PHONE 386.755.4987
ADDRESS 1024 NW TURNER AVENUE LAKE CITY FL 32055
CONTRACTOR BOYSIE RAMDIAL PHONE 813.402.3728
LOCATION OF PROPERTY 90-W TO TURNR RD,TR AND IT'S 9/10 OF A MILE ON THE
L.
TYPE DEVELOPMENT WINDOWS REPLACED ESTIMATED COST OF CONSTRUCTION 4107.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING MAX. HEIGHT
Minimum Set Back Requirments: STREET-FRONT REAR SIDE
NO. EX.D.U. 1 FLOOD ZONE DEVELOPMENT PERMIT NO.

PARCEL ID 28-3S-16-02366-001 SUBDIVISION
LOT BLOCK PHASE UNIT TOTAL ACRES 1.00

CRC046858
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING X-10-149 J/L N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: NOC ON FILE. NO INSPECTIONS UNTIL 2ND PAGE HAS BEEN SIGNED
BY PROPERTY OWNER.

Check # or Cash 35838

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by
Under slab rough-in plumbing date/app. by Slab date/app. by Sheathing/Nailing date/app. by
Framing date/app. by Insulation date/app. by
Rough-in plumbing above slab and below wood floor date/app. by Electrical rough-in date/app. by
Heat & Air Duct date/app. by Peri. beam (Lintel) date/app. by Pool date/app. by
Permanent power date/app. by C.O. Final date/app. by Culvert date/app. by
Pump pole date/app. by Utility Pole date/app. by M/H tie downs, blocking, electricity and plumbing date/app. by
Reconnection date/app. by RV date/app. by Re-roof date/app. by

BUILDING PERMIT FEE \$ 25.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 0.00 ZONING CERT. FEE \$ FIRE FEE \$ 0.00 WASTE FEE \$
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ CULVERT FEE \$ TOTAL FEE 25.00
INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS OT THE PREVIOUS INSPECTION.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

HOME IMPROVEMENT CONTRACT
PLEASE READ THIS

Name: Tampa

Date: 4/29/10

Sold, Furnished and Installed by:

THD At-Home Services, Inc.

d/b/a The Home Depot At-Home Services

207 Kelsey Lane Suite K, Tampa, FL 33619

Toll Free (866) 653-8438; (813) 402-3700; Fax (813) 630-4112

Fein # 75-2698460 FL Lic # CCC058327, CGC1507093,

CRC046858, CCC1325540, CRC1327831

Branch Number: 49

Installation Address:

1024 NW Turner Ave Lake City FL 32055
City State Zip

Purchaser(s):

Work Phone:

Home Phone:

Cell Phone:

Thomas Johnson	[336] 365-2898	[386] 755-4987	[]
	[]	[]	[]

Home Address:

(If different from Installation Address)

City

State

Zip

E-mail Address (to receive project communications and Home Depot updates):

☐ I DO NOT wish to receive any marketing emails from The Home Depot

Project Information: Undersigned ("Customer"), the owners of the property located at the above installation address, agrees to buy, and THD At-Home Services, Inc. ("The Home Depot") agrees to furnish, deliver and arrange for the installation ("Installation") of all materials described on the below and on the referenced Spec Sheet(s), all of which are incorporated into this Contract by this reference, along with any applicable State Supplement and Payment Summary attached hereto and any Change Orders (collectively, "Contract"):

Job #: (Internal Reference)

Products:

Spec Sheet(s) #:

Project Amount

4940872	<input type="checkbox"/> Roofing <input type="checkbox"/> Siding <input checked="" type="checkbox"/> Windows <input type="checkbox"/> Insulation <input type="checkbox"/> Gutters / Covers <input type="checkbox"/> Entry Doors <input type="checkbox"/>	122542	\$ 4107.00
	<input type="checkbox"/> Roofing <input type="checkbox"/> Siding <input type="checkbox"/> Windows <input type="checkbox"/> Insulation <input type="checkbox"/> Gutters / Covers <input type="checkbox"/> Entry Doors <input type="checkbox"/>		\$
	<input type="checkbox"/> Roofing <input type="checkbox"/> Siding <input type="checkbox"/> Windows <input type="checkbox"/> Insulation <input type="checkbox"/> Gutters / Covers <input type="checkbox"/> Entry Doors <input type="checkbox"/>		\$
	<input type="checkbox"/> Roofing <input type="checkbox"/> Siding <input type="checkbox"/> Windows <input type="checkbox"/> Insulation <input type="checkbox"/> Gutters / Covers <input type="checkbox"/> Entry Doors <input type="checkbox"/>		\$
10% of Contract Amount due upon execution of this contract		Total Contract Amount	\$ 4107.00

Customer agrees that, immediately upon completion of the work for each Product, Customer will execute a Completion Certificate (one for each Product as defined by an individual Spec Sheet) and pay any balance due. As applicable, each Customer under this Contract agrees to be jointly and severally obligated and liable hereunder.

The Home Depot reserves the right to issue a Change Order or terminate this Contract or any individual Product(s) included herein, at its discretion, if The Home Depot or its authorized service provider determines that it cannot perform its obligations due to a structural problem with the home, environmental hazards such as mold, asbestos or lead paint, other safety concerns, pricing errors or because work required to complete the job was not included in the Contract.

Payment Summary: The Payment Summary # 353822, included as part of this Contract, sets forth the total Contract amount and payments required for the deposits and final payments by Product (as applicable).

NOTICE TO CUSTOMER

You are entitled to a completely filled-in copy of the Contract at the time you sign. Do not sign a Completion Certificate (note: there is one Completion Certificate for each listed Product as defined by individual Spec Sheets) before work on that Product is complete.

In the event of termination of this Contract, Customer agrees to pay The Home Depot the costs of materials, labor, expenses and services provided by The Home Depot or Authorized Service Provider through the date of termination, plus any other amounts set forth in this Agreement or allowed under applicable law. THE HOME DEPOT MAY WITHHOLD AMOUNTS OWED TO THE HOME DEPOT FROM THE DEPOSIT PAYMENT OR OTHER PAYMENTS MADE, WITHOUT LIMITING THE HOME DEPOT'S OTHER REMEDIES FOR RECOVERY OF SUCH AMOUNTS.

Acceptance and Authorization: Customer agrees and understands that this Agreement is the entire agreement between Customer and The Home Depot with regard to the Products and Installation services and supersedes all prior discussions and agreements, either oral or written, relating to said Products and Installation. This Agreement cannot be assigned or amended except by a writing signed by Customer and The Home Depot. Customer acknowledges and agrees that Customer has read, understands, voluntarily accepts the terms of and has received a copy of this Agreement.

Accepted by:

Submitted by:

X Thomas Johnson 4/29/10
Customer's Signature Date

X Michael White 4/29/10
Sales Consultant's Signature Date

X
Customer's Signature Date

Telephone No. (850) 284-3404

Sales Consultant License No. (as applicable)

CANCELLATION: CUSTOMER MAY CANCEL THIS AGREEMENT WITHOUT PENALTY OR OBLIGATION BY DELIVERING WRITTEN NOTICE TO THE HOME DEPOT BY MIDNIGHT ON THE THIRD BUSINESS DAY AFTER SIGNING THIS AGREEMENT. THE STATE SUPPLEMENT ATTACHED HERETO CONTAINS A FORM TO USE IF ONE IS SPECIFICALLY PRESCRIBED BY LAW IN CUSTOMER'S STATE.

NOTICE: ADDITIONAL TERMS AND CONDITIONS ARE STATED ON THE REVERSE SIDE
AND ARE PART OF THIS CONTRACT

**STATE OF FLORIDA**

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD
1940 NORTH MONROE STREET
TALLAHASSEE FL 32399-0783

(850) 487-1395

RAMDIAL, BOYSIE GANGA
THE HOME DEPOT AT-HOME SERVICES
1216 IBSEN AVE
ORLANDO FL 32809-6334

Congratulations! With this license you become one of the nearly one million Floridians licensed by the Department of Business and Professional Regulation. Our professionals and businesses range from architects to yacht brokers, from boxers to barbeque restaurants, and they keep Florida's economy strong.

Every day we work to improve the way we do business in order to serve you better. For information about our services, please log onto www.myfloridalicense.com. There you can find more information about our divisions and the regulations that impact you, subscribe to department newsletters and learn more about the Department's initiatives.

Our mission at the Department is: License Efficiently, Regulate Fairly. We constantly strive to serve you better so that you can serve your customers. Thank you for doing business in Florida, and congratulations on your new license!

STATE OF FLORIDA AC# 382155
DEPARTMENT OF BUSINESS AND
PROFESSIONAL REGULATION

CRC046858 06/18/08 078167489

CERTIFIED RESIDENTIAL CONTRACTOR
RAMDIAL, BOYSIE GANGA
THE HOME DEPOT AT-HOME SERVICESIS CERTIFIED under the provisions of Ch.489 FS
Expiration date: AUG 31, 2010 L08061801217

DETACH HERE

AC# 3821552

STATE OF FLORIDADEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONSTRUCTION INDUSTRY LICENSING BOARD

SEQ# L08061801217

DATE	BATCH NUMBER	LICENSE NBR
06/18/2008	078167489	CRC046858

The RESIDENTIAL CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2010

RAMDIAL, BOYSIE GANGA
THE HOME DEPOT AT-HOME SERVICES
1216 IBSEN AVE
ORLANDO FL 32809-6334CHARLIE CRIST
GOVERNORCHUCK DRAGO
INTERIM SECRETARY

DISPLAY AS REQUIRED BY LAW

2009-2010 HILLSBOROUGH COUNTY BUSINESS TAX RECEIPT

EXPIRES 9-30-2010 FOLIO NO.

FACILITIES OR MACHINES	0	ROOMS	0	SEATS	0	EMPLOYEES	1	RENEWAL	H. WASTE SURCHARGE	TAX
									182589.0000	18.00

2009-2010

BUSINESS LOCATION
207 KELSEY LN K
TAMPA 33619

NAME
MAILING ADDRESS
RAMDIAL BOYSIE GANGA
DBA/THE HOME DEPOT AT-HOME SERVICES
2690 CUMBERLAND PKWY STE 300
ATLANTA GA 30339

BUSINESS TAX RECEIPT

HAS HEREBY PAID A PRIVILEGE TAX TO ENGAGE
IN BUSINESS, PROFESSION, OR OCCUPATION SPECIFIED HEREON.

DOUG BELDEN, TAX COLLECTOR
813-635-5200
THIS BECOMES A TAX RECEIPT WHEN VALIDATED.

PAID - 26949 -6
07/17/2009 *** 58.00

Columbia County Property Appraiser

DB Last Updated: 3/29/2010

2009 Tax Roll Year

Parcel: 28-3S-16-02366-001

[<< Next Lower Parcel](#)
[Next Higher Parcel >>](#)
[Tax Collector](#)
[Tax Estimator](#)
[Property Card](#)
[Parcel List Generator](#)
[Interactive GIS Map](#)
[Print](#)

Search Result: 1 of 1

Owner & Property Info

Owner's Name	JOHNSON THOMAS E SR		
Mailing Address	1024 NW TURNER AVE LAKE CITY, FL 32055		
Site Address	1024 NW TURNER AVE		
Use Desc. (code)	SINGLE FAM (000100)		
Tax District	2 (County)	Neighborhood	28316
Land Area	1.000 ACRES	Market Area	06
Description	NOTE: This description is not to be used as the Legal Description for this parcel in any legal transaction. COMM 1290.18 FT E OF SW COR OF NE1/4 OF SE1/4 BEING A PT ON W R/W TURNER RD, RUN N 1125 FT FOR POB, RUN W 223.5 FT, N 197 FT TO N LINE OF NE1/4 OF SE1/4 E 223.5 FT TO W R/W TURNER, S 196.68 FT TO POB. (AKA PRCL 1) ORB 390-327, 559-560, 803-1832, 924-993,		



Property & Assessment Values

2009 Certified Values		
Mkt Land Value	cnt: (0)	\$16,416.00
Ag Land Value	cnt: (1)	\$0.00
Building Value	cnt: (1)	\$59,991.00
XFOB Value	cnt: (4)	\$8,110.00
Total Appraised Value		\$84,517.00
Just Value		\$84,517.00
Class Value		\$0.00
Assessed Value		\$60,771.00
Exempt Value	(code: HX)	\$35,771.00
Total Taxable Value	Cnty: \$25,000 Other: \$25,000 Schl:	\$35,771

2010 Working Values

NOTE:
2010 Working Values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

[Show Working Values](#)

Sales History

[Show Similar Sales within 1/2 mile](#)

Sale Date	OR Book/Page	OR Code	Vacant / Improved	Qualified Sale	Sale RCode	Sale Price
4/10/2001	924/993	WD	I	Q		\$66,000.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
1	SINGLE FAM (000100)	1974	COMMON BRK (19)	1340	1770	\$57,969.00
Note: All S.F. calculations are based on exterior building dimensions.						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
0296	SHED METAL	1993	\$200.00	0000080.000	8 x 10 x 0	AP (050.00)
0265	PRCH,UEP	0	\$7,560.00	0000420.000	14 x 30 x 0	(000.00)
0296	SHED METAL	2008	\$50.00	0000001.000	0 x 0 x 0	(000.00)
0070	CARPORT UF	2008	\$300.00	0000001.000	0 x 0 x 0	(000.00)

This Instrument Prepared By:
THD At-Home Services
207 Kelsey Lane, Suite K
Tampa, FL 33619

Inst: 201012007554 Date: 5/13/2010 Time: 12:25 PM
DC, P. DeWitt Cason, Columbia County Page 1 of 1 B: 1194 P: 610

4940872

NOTICE OF COMMENCEMENT

Permit No. _____
State of Florida _____
County of Columbia

Tax Folio No. 28-38-16-00300-001


THE UNDERSIGNED hereby gives notice that improvements will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement:

1. Description of property: (legal description of property, and street address if available) 1004 NW Turner Ave. Comm 1290.13 Pt E of SW cor of NE 1/4 of SE 1/4 being a pt on W R/W
2. General description of improvement: replacement windows
3. Owner information
 - (a) Name and address: Thomas Johnson 1004 NW Turner Ave, Lake City, FL 32055
 - (b) Interest in property: Fee simple titleholder
 - (c) Name and address of fee simple titleholder (if other than owner): _____
4. Contractor
 - (a) Name and address: THD At-Home Services, Inc 207 Kelsey Lane, Suite K, Tampa, FL 33619
 - (b) Phone number: 813-402-3700
5. Surety
 - (a) Name and address: _____
 - (b) Amount of bond: N/A
 - (c) Phone number: _____
6. Lender
 - (a) Name and address: _____
 - (b) Phone number: N/A
7. Persons within the State of Florida designated by Owner upon whom notices or other documents may be served as provided by Section 713.13(1)(a)7., Florida Statutes:
 - (a) Name and address: _____
 - (b) Phone number: N/A
8. In addition to himself, Owner designates the following person(s) to receive a copy of the Lienor's Notice as provided in Section 713.13(1)(b), Florida Statutes:
 - (a) Name and address: _____
 - (b) Phone number: N/A
9. Expiration date of notice of commencement (the expiration date is 1 year from the date of recording unless a different date is specified) _____

WARNING TO OWNER: ANY PAYMENTS MADE BY THE OWNER AFTER THE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED IMPROPER PAYMENTS UNDER CHAPTER 713, PART 1, SECTION 713.13, FLORIDA STATUTES, AND CAN RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE COMMENCING WORK OR RECORDING YOUR NOTICE OF COMMENCEMENT.

10. Thomas Johnson
Signature of Owner or Owner's Authorized Officer/Director
Partner/Manager
Signatory's Title/Office _____

The foregoing instrument was acknowledged before me this 20th day of April, 2010, by Thomas Johnson
(name of person) as owner (type of authority, e.g. officer, trustee, attorney in fact) for
Self (name of party on behalf of whom instrument was executed).



Verification Pursuant to Section 92.525, Florida Statutes

Michael J. White
Signature of Notary Public - State of Florida
Personally known _____ or Produced Identification ☒
FL DL

Under penalties of perjury, I declare that I have read the foregoing and that the facts stated in it are true to the best of my knowledge and belief.

Revised 7/1/07


STATE OF FLORIDA, COUNTY OF COLUMBIA
I HEREBY CERTIFY that the above and foregoing
is a true copy of the original filed in this office.
P. DEWITT CASON, CLERK OF COURTS

By: [Signature]
Deputy Clerk

Date: 5-13-10



Thomas Johnson
Signature of Natural Person Signing (in Line #10) Above



To Whom It May Concern:

This letter will authorize the following person(s) to act as agent(s) on behalf of THD At-Home Services, INC, D/B/A The Home Depot At-Home Services, 2690 Cumerland Pkwy SE, Suite 300, Atlanta, GA 30339 to pull for permits and inspections with respect to the installation, maintenance and repair of windows, siding, and fencing under Florida State Residential Contractor license number CRC046858.

Authorized person(s):

John Christianson
Erick DeDios
Kelly Julian
Brian Kirby
Don Kirby
Jason Kirby
James Kirby
Tim O'Malley
Elizabeth Grote
Aaron Graulau
Charles O'Neil

Owner: Thomas Johnson

Address: 1024 NW Turner Ave

Lake City, FL 32055

Boysie de Ramdial
Qualifier - Boysie Ramdial
THD At-Home Services, INC
The Home Depot At-Home Services

STATE OF FLORIDA
COUNTY OF HILLSBOROUGH


The foregoing instrument was acknowledged before me this 12th day of February, 2010 by Boysie Ramdial.

Nancy J Pacini
Notary Public - State of Florida

Printed Name

My Commission Expires

Personally known x or Produced Identification



WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

FLORIDA'S CONSTRUCTION LIEN LAW: Protect Yourself and Your Investment

According to Florida Law, those who work on your property or provide materials, and are not paid -in-full, have a right to enforce their claim for payment against your property. This claim is known as a construction lien. If your contractor fails to pay subcontractors or material suppliers or neglects to make other legally required payments, the people who are owed money may look to your property for payment, even if you have paid your contractor in full. This means if a lien is filed against your property, it could be sold against your will to pay for labor, materials or other services which your contractor may have failed to pay.

NOTICE OF RESPONSIBILITY TO BUILDING PERMITEE:

YOU ARE HEREBY NOTIFIED as the recipient of a building permit from Columbia County, Florida, you will be held responsible to the County for any damage to sidewalks and/or road curbs and gutters, concrete features and structures, together with damage to drainage facilities, removal of sod, major changes to lot grades that result in ponding of water, or other damage to roadway and other public infrastructure facilities caused by you or your contractor, subcontractors, agents or representatives in the construction and/or improvement of the building and lot for which this permit is issued. No certificate of occupancy will be issued until all corrective work to these public infrastructures and facilities has been corrected.

OWNERS CERTIFICATION: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning. I further understand the above written responsibilities in Columbia County for obtaining this Building Permit.

✓

Owners Signature

CONTRACTORS AFFIDAVIT: By my signature I understand and agree that I have informed and provided this written statement to the owner of all the above written responsibilities in Columbia County for obtaining this Building Permit.

Boypie de Randial
Contractor's Signature (Permitee)

Contractor's License Number CRCO 46858
Columbia County
Competency Card Number _____

Affirmed under penalty of perjury to by the Contractor and subscribed before me this 12th day of may 2010
Personally known ☒ or Produced Identification _____

Samantha Kaaa
State of Florida Notary Signature (For the Contractor)

SEAL:



SAMANTHA KAAA
NOTARY PUBLIC
STATE OF FLORIDA
Comm# DD0608785
Expires 10/25/2010

Johnson # 4940872



4/20/10

Hinge Locations
From outside,
Left to Right

Existing Window										New Window									
Location				Measurements				Grids				Product Options		Labor Options		Hinge Locations			
Room	Floor	Style Code	Wraps (Y/N)	Style Code	Series Code	Interior	Exterior	Width	Height	U	Type (F, S, GBC)	Color	Pattern	# of Bars		Gls, Hardw, Screens, Mull	Misc Items Code	For doors use "S" = stationary or "R" = operating	
														Location	Vertical				Horizontal
1 LR	1	SH	N	DH	CSOC	W/W	W/W	35.5	51.5	81			None				False		
2 LR	1	SH	N	DH	CSOC	W/W	W/W	35.5	55.5	71			None				False		
3 LR	1	SH	N	DH	CSOC	W/W	W/W	33	35.5	69			None				False	Temp	
4 LR	1	SH	N	DH	CSOC	W/W	W/W	36	35.5	72			None				False		
5 LR	1	SH	N	DH	CSOC	W/W	W/W	35.5	51.5	81			None				False		
6 LR	1	SH	N	DH	CSOC	W/W	W/W	35.5	51.5	72			None				False		
7 LR	1	SH	N	DH	CSOC	W/W	W/W	35.5	51.5	71			None				False		

I have reviewed and agree with all the job specifications above and the Special Terms and Conditions on the back of the yellow (Customer) cover.

Customer's Signature

US000H

Community Affairs

[BCIS Home](#) |
 [Log In](#) |
 [User Registration](#) |
 [Hot Topics](#) |
 [Submit Surcharge](#) |
 [Stats & Facts](#) |
 [Publications](#) |
 [FBC Staff](#) |
 [BCIS Site Map](#) |
 [Links](#) |
 [Search](#)



Product Approval
User: Public User

[Product Approval Menu](#) >
 [Product or Application Search](#) >
 [Application List](#) >
 [Application Detail](#)

- COMMUNITY PLANNING
- PLANNING & COMMUNITY DEVELOPMENT
- PLANNING & COMMUNITY DEVELOPMENT
- PLANNING & COMMUNITY DEVELOPMENT
- PLANNING & COMMUNITY DEVELOPMENT
- PLANNING & COMMUNITY DEVELOPMENT
- PLANNING & COMMUNITY DEVELOPMENT
- PLANNING & COMMUNITY DEVELOPMENT
- PLANNING & COMMUNITY DEVELOPMENT
- PLANNING & COMMUNITY DEVELOPMENT

FL #	FL5167-R4
Application Type	Revision
Code Version	2007
Application Status	Approved
Comments	
Archived	

Simonton Windows

1 Cochrane Ave
 Pensboro, WV 26415
 (800) 746-6687 Ext 4825
patricia_robison@simonton.com

Patricia Robison
patricia_robison@simonton.com

Patricia Robison
 1 Cochrane Dr
 Pensboro, WV 26415
 (304) 659-2903 Ext 4825
patricia_robison@simonton.com

Authorized Signature

 Technical Representative
 Address/Phone/Email

Quality Assurance Representative
Address/Phone/Email

AAMA
1827 Walden Office Square
Suite 550
Schaumburg, IL 60173
(847) 303-5664
webmaster@aamanet.org

Category
Subcategory

Windows
Double Hung

Compliance Method

Certification Mark or Listing

Certification Agency
Validated By

American Architectural Manufacturers Association
American Architectural Manufacturers Association

Referenced Standard and Year (of Standard)

Standard
AAMA/WDMA/CSA 101/I.S.2 A440

Year
2005

Equivalence of Product Standards
Certified By

Product Approval Method

Method 1 Option A

Date Submitted
Date Validated
Date Pending FBC Approval

10/27/2009
11/04/2009
11/06/2009

Date Approved

12/09/2009

Summary of Products

Go to Page



Page 1 / 2

FL #	Model, Number or Name	Description
5167.1	07-09	Reflections 5500, Prism Platinum, 9800, Generations, Sears 9300, 100VL StormBreaker, THD 6500, Vinyl DH Twin
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other: 73x63 twin- AAMA 450		Certification Agency Certificate FL5167 R4 C CAC 07-09 DH Twin 73x63 r50.pdf Quality Assurance Contract Expiration Date 05/19/2013 Installation Instructions FL5167 R4 II IN0060.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
5167.2	07-09	Reflections 5500, Prism Platinum, 9800, Generations, Sears 9300, 100VL StormBreaker, THD 6500, Vinyl DH Twin
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +65/-65 Other: 37x107 DH with PW mulled on top - AAMA 450		Certification Agency Certificate FL5167 R4 C CAC 07-09 DH w-transom 37x107 R65.pdf Quality Assurance Contract Expiration Date 04/15/2013 Installation Instructions FL5167 R4 II IN0063.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
5167.3	07-09	Reflections 5500, Prism Platinum, 9800, Generations, Sears 9300, 100VL StormBreaker, THD 6500, Vinyl DH Twin

Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other: 53x107 DH with PW mulled on top - AAMA 450		Certification Agency Certificate FL5167_R4_C_CAC_07-09 DH w-transom 53x107 R55.pdf Quality Assurance Contract Expiration Date 04/14/2013 Installation Instructions FL5167_R4_II_IN0063.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
5167.4	07-09 waivers to 07-70 & 75-75	Reflections 5500, Prism Platinum, Sears 9300, 100VL StormBreaker, Vinyl DH Certification Agency Certificate FL5167_R4_C_CAC_07-09 DH 37x84 R60.pdf FL5167_R4_C_CAC_07-70 to 07-09 waiver revised 1006 to include AAMA ALI signatures.pdf FL5167_R4_C_CAC New waiver letter for 07-07 75-70 07-70 07-75 to 75-75 signed by ALI and AAMA.pdf Quality Assurance Contract Expiration Date 07/28/2013 Installation Instructions FL5167_R4_II_IN0103.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
5167.5	07-09 waivers to 07-70 & 75-75	Reflections 5500, Prism Platinum, Sears 9300, 100 VL StormBreaker, Vinyl DH Certification Agency Certificate FL5167_R4_C_CAC_07-09 DH 36x75 R65.pdf FL5167_R4_C_CAC_07-70 to 07-09 waiver revised 1006 to include AAMA ALI signatures.pdf FL5167_R4_C_CAC New waiver letter for 07-07 75-70 07-70 07-75 to 75-75 signed by ALI and AAMA.pdf Quality Assurance Contract Expiration Date 03/13/2013

		Created by Independent Third Party:	
5167.13	07-75 waives to 75-75	THD@Home Services 6500	
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +40/-40 Other: 53x80		Certification Agency Certificate FL5167_R4_C_CAC_New waiver letter for 07-07 75-70 07-70 07-75 to 75-75 signed by ALI and AAMA.pdf FL5167_R4_C_CAC_SIM 07-75 R40 53x80.pdf Quality Assurance Contract Expiration Date 08/20/2011 Installation Instructions FL5167_R4_II_IN0113.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:	
5167.14	43-17	Profinish Contractor, Amcraft Grand Estates New Construction, Vinyl DH	
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +45/-45 Other: 36x63, 44x63		Certification Agency Certificate FL5167_R4_C_CAC 43-17 DH 36x63 R45.pdf FL5167_R4_C_CAC 43-17 DH 44x63 R45.pdf Quality Assurance Contract Expiration Date 01/31/2013 Installation Instructions FL5167_R4_II_IN0096.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:	
5167.15	43-17	Profinish Contractor, Amcraft Grand Estates New Construction, Vinyl DH	
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +30/-30 Other: 48x80		Certification Agency Certificate FL5167_R4_C_CAC_SIM 43-17 DH 48x80 R30.pdf Quality Assurance Contract Expiration Date 04/24/2011 Installation Instructions FL5167_R4_II_IN0096.pdf Verified By: American Architectural Manufacturers	

Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +45/-45 Other: 36x63	Grand Estates, Impressions 9400, THD 6100, Vinyl DH
	Certification Agency Certificate FL5167_R4_C_CAC_43-40 DH 36x63 R45.pdf Quality Assurance Contract Expiration Date 04/16/2013 Installation Instructions FL5167_R4_II_IN0432.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other: 32x62, 36x74,	Reflections 5300, Reflections 5050, Prism Ultra Gold, Prism Bronze, Amcraft Grand Estates Plus, Amcraft Grand Estates, Impressions 9400, THD 6100, Vinyl DH
	Certification Agency Certificate FL5167_R4_C_CAC_43-40 DH 32x62 R50.pdf FL5167_R4_C_CAC_43-40 DH 36x74 R50.pdf Quality Assurance Contract Expiration Date 03/12/2013 Installation Instructions FL5167_R4_II_IN0255.pdf FL5167_R4_II_IN0432.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +35/-35 Other: 52x71	9800, Generations, Amcraft Grand Estates Premium Plus, Polar Wall, 5500, Prism Platinum, 9300, SB 100VL, THD 6500, Vinyl DH
	Certification Agency Certificate FL5167_R4_C_CAC_75-75 DH 52x71 R35.pdf Quality Assurance Contract Expiration Date 07/31/2013 Installation Instructions FL5167_R4_II_IN0113.pdf Verified By: American Architectural Manufacturers Association

Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:	
5167.26	75-75
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other: 36x74	
Certification Agency Certificate FL5167_R4_C_CAC_75-75 DH 37x74 HCL50 1152013.pdf Quality Assurance Contract Expiration Date 01/15/2013 Installation Instructions FL5167_R4_II_IN0113.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:	

Go to Page



Page 2 / 2

Back

Next

DCA Administration

Department of Community Affairs

Florida Building Code Online

Codes and Standards

2555 Shumard Oak Boulevard

Tallahassee, Florida 32399-2100

(850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. Copyright and Disclaimer

Product Approval Accepts:



MODEL DESIGNATION:

MAXIMUM OVERALL NOMINAL SIZE:

DESIGN PRESSURE RATING:

USABLE CONFIGURATIONS:



GENERAL DESCRIPTION:

Simonon Double Hung with Stocked Fixed Series 07-09 / 07-10 / 07-20 Vinyl Window
H-Mulled Twin up to 72.5" x 63"


Anchors: Positive: 50.0 PSF Negative: 50.0 PSF
Design Pressure Ratings Vary: See Corresponding AAMA Test Report or Dade NOA or Florida P.E. Evaluation.

X X
X X


The head and side jamba are extruded PVC. The wall thickness through which the anchor screw penetrates is a minimum of 0.070".



1 HEAD
2 4X SCALE



1 SILL
2 4X SCALE



1 JAMB
3 4X SCALE

NOTES:

1. This installation has been evaluated for use in locations adhering to the Texas & Florida Building Codes and where pressure requirements as determined by ASCE 7 Minimum Design Loads for Buildings and Other Structures do not exceed the design pressure ratings herein, for use outside the H.V.H.Z.
2. All interior and exterior perimeter surfaces of the window must be caulked.
3. Anchors shall be as specified and spaced as shown. Anchor embedment to base material shall be beyond wall dressing or stucco and into wood.
4. The responsibility for selection of Simonon products to meet any applicable local laws, building codes, ordinances, or other safety requirements rests solely with the architect, building owner, or contractor.
5. Shims are optional. Max. shim stock is 1/4".
6. Wood bucks (by others) must be engineered and anchored properly to transfer loads to the structure.

DISCLOSURE STATEMENT

This document is the property of Simonon Windows, which retains all proprietary and other rights to its subject matter. No portion of this document is to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without its consent. This restriction does not limit the recipient's rights to utilize information contained in this document which is properly obtained from another source.

MATERIAL:

FINISH	EXTERIOR	INTERIOR
ALLOY & TEMPER	ALLOY & TEMPER	
WEIGHT		
SURFACE AREA		
FINISH TREATMENT		

Dimensional Tolerances
Unless Otherwise Specified

Decimals	Angles
.X ± .03	0° 30 min.
.XX ± .01	
.XXX ± .005	

SIMONON
1 Cochran Avenue
Rundberg, WV 26415

SCALE: FIT
SHEET: 1 of 1
APPROVED BY: DATE:

DRAWN BY: DATE: 02/21/06
CHECKED BY: DATE:
DATE: 07-09 / 07-10 / 07-20 TWIN (H-MUL) DOUBLE HUNG
2X BUCK INSTALLATION

REV	REVISIONS	REVISED BY	DATE
1	ISSUED FOR INSTALLATION TYPE PER TEST REPORT	T.O.D.	10/27/08

NO P.E. SEAL REQUIRED
INSTALLATION SUPPORTED
BY AAMA TEST REPORTS

MODEL DESIGNATION: Simonon Double Hung with Stocked Picture Window 07-09 Vinyl Window
MAXIMUM OVERALL NOMINAL SIZE: See Size Chart

DESIGN PRESSURE RATING:

Anchors: See Size Chart
Windows: Design Pressure Ratings Vary. See Corresponding AAMA Test Report or Dade NOA or Florida P.E. Evaluation.








USABLE CONFIGURATIONS:

0
X
X

GENERAL DESCRIPTION:

The head and side jambs are extruded PVC. The wall thickness through which the anchor screw penetrates is a minimum of 0.070".

SIZE CHART		
OVERALL SIZE	DP RATING	
WIDTH	HEIGHT	
53"	106.5"	±50 PSF
37"	106.5"	±65 PSF



NOTES:

1. This installation has been evaluated for use in locations adhering to the Texas & Florida Building Codes and where pressure requirements as determined by ASCE 7 Minimum Design Loads for Buildings and Other Structures do not exceed the design pressure ratings herein, for use outside the H.V.H.Z.
2. All interior and exterior perimeter surfaces of the window must be caulked.
3. Anchors shall be as specified and spaced as shown. Anchor embedment to base material shall be beyond wall dressing or stucco and into wood.
4. The responsibility for selection of Simonon products to meet any applicable local laws, building codes, ordinances, or other safety requirements rests solely with the architect, building owner, or contractor.
5. Shims are optional. Max. shim stock is 1/4".
6. Wood bucks (by others) must be engineered and anchored properly to transfer loads to the structure.

DISCLOSURE STATEMENT

This document is the property of Simonon Windows, which retains all proprietary and other rights to its subject matter. This document is provided to the recipient on the expressed understanding that it is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Simonon Windows. This restriction does not limit the recipient's rights to utilize information contained in this document which is properly obtained from another source.

FILE: N0063

MATERIAL:	
FINISH:	EXTERIOR: AS NOTED
ALLOY & TEMPER:	
HEIGHT:	VOLUME:
SURFACE AREA:	PERIMETER:
FINISH TREATMENT:	

Dimensional Tolerances Unless Otherwise Specified	
Decimals	Angles
.XX ± .03	0° 30 min.
.XXX ± .005	

DRAWING NO. 2	
1 C. Deane Avenue	
Pensacola, WV 26415	
CHECKED BY: DATE:	
APPROVED BY: DATE:	
SCALE: 1" = 1' 0"	
SHEET: 1 of 1	
DATE: 07-09 / 07-10 / 07-20 - PW OVER OH	
TITLE: 2X BUCK INSTALLATION	

NO P.E. SEAL REQUIRED
INSTALLATION SUPPORTED
BY AAMA TEST REPORTS

REV.	REVISIONS	REVISOR	DATE
1	RECORDED CONCRETE FROM DRAWING AND TITLE	T.O.	01/04/08
2	UPDATED DRAWING PER TEST REPORT	T.O.	10/28/08

MODEL DESIGNATION:

Simonon Double Hung Series 75-75 / 75-09 / 07-09 / 07-75 / 07-10 / 07-20 Vinyl Window

MAXIMUM OVERALL NOMINAL SIZE:

DESIGN PRESSURE RATING:

See Size Chart
Anchors: See Size Chart
Windows: Design Pressure Ratings Vary. See Corresponding Structural Test Report or Dade NOA, or Florida P.E. evaluation.


AAMA & ALI 506 Impact Approved

USABLE CONFIGURATIONS:

X

GENERAL DESCRIPTION:

The head and side jambs are extruded PVC. The wall thickness through which the anchor screw penetrates is a minimum of 0.070".



NO P.E. SEAL REQUIRED INSTALLATION SUPPORTED BY AAMA TEST REPORTS

SIZE CHART		DP RATING
OVERALL SIZE	HEIGHT	
48"	80"	±25 PSF
56"	84"	±25 PSF
53"	74"	±30 PSF
48"	80"	±35 PSF
52"	71"	±40 PSF
53"	80"	±40 PSF
36"	63"	±50 PSF
36"	74"	±50 PSF
36"	72"	±55 PSF

* VALID FOR 07-75 SERIES ONLY


NOTES:

- This installation has been evaluated for use in locations adhering to the Florida Building Code and where design pressure requirements as determined by ASCE 7 Minimum Design Loads for Buildings and Other Structures do not exceed the design pressure ratings listed herein.
- For installation where the sub-buck is less than 1-1/2" (FBC section 1707.4.4 Anchorage Methods and sub-sections 1707.4.4.1 and 1707.4.4.2) Topcon type concrete anchors must be used and the length must be such that a minimum 1-1/4" embedment of the Topcon into the concrete is obtained.
- All interior and exterior perimeter surfaces of the window must be caulked.
- Adjust Topcon anchor locations, if necessary, to maintain a minimum of 2.0" clearance from mortar joints.
- When the optional head expanders are used, the INSTALLER MUST ADJUST the anchor lengths to maintain the required minimum embedment into the substrate.
- Anchors shall be specified and spaced as shown. Anchor embedment to base material shall be beyond wall dressing or stucco and into wood or concrete.
- Wood bucks (by others) must be engineered and anchored properly to transfer loads to the structure.
- Follow ITW/Elco Topcon anchoring instructions.
- The responsibility for selection of Simonon Products to meet any applicable local laws, building codes, ordinances, or other safety requirements rests solely with the architect, building owner, or contractor.
- Concrete compressive strength = 3000 PSI at 28 days.
- Shims are optional. Max. shim stock is 1/4".
- When using a 1/4" shim Topcon through the window frame, pre-drill the thru hole at specified installation screw locations.

DISCLOSURE STATEMENT



This document is the property of Simonon Windows, which retains all proprietary and confidential information. This document is provided to the recipient on the expressed condition that it is not to be disclosed, reproduced in whole or in part, nor used in conjunction with the design, manufacture or installation of Simonon Windows without the written consent of Simonon Windows. This restriction does not apply to the recipient's use of the information contained in this document which is properly obtained from another source.

FILE IN0113



1 HEAD
4X SCALE

2 SILL
4X SCALE



1 JAMB
4X SCALE

REV.	REVISIONS:	REVISION BY:	DATE:
1	UPDATED TESTING INFORMATION.	G.L.S.	01/10/07
2	UPDATED SIZES TO MATCH CURRENT TEST REPORTS.	T.O.O.	01/25/08
3	REDESIGNED 07-75 ONLY SIZES.	T.O.O.	05/23/08

MATERIAL:		FINISH TREATMENT:		DIMENSIONAL TOLERANCES:		UNLESS OTHERWISE SPECIFIED		SIMONON		DRAWING NO.		REV.	
GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:
GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:
GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:	GLASS FINISH:	ALLOY & THERM:

2

2X BUCK INSTALLATION

Columbia County Building Permit Application

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

FLORIDA'S CONSTRUCTION LIEN LAW: Protect Yourself and Your Investment

According to Florida Law, those who work on your property or provide materials, and are not paid -in-full, have a right to enforce their claim for payment against your property. This claim is known as a construction lien. If your contractor fails to pay subcontractors or material suppliers or neglects to make other legally required payments, the people who are owed money may look to your property for payment, even if you have paid your contractor in full. This means if a lien is filed against your property, it could be sold against your will to pay for labor, materials or other services which your contractor may have failed to pay.

NOTICE OF RESPONSIBILITY TO BUILDING PERMITEE:

YOU ARE HEREBY NOTIFIED as the recipient of a building permit from Columbia County, Florida, you will be held responsible to the County for any damage to sidewalks and/or road curbs and gutters, concrete features and structures, together with damage to drainage facilities, removal of sod, major changes to lot grades that result in ponding of water, or other damage to roadway and other public infrastructure facilities caused by you or your contractor, subcontractors, agents or representatives in the construction and/or improvement of the building and lot for which this permit is issued. No certificate of occupancy will be issued until all corrective work to these public infrastructures and facilities has been corrected.

OWNERS CERTIFICATION: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning. I further understand the above written responsibilities in Columbia County for obtaining this Building Permit.


Owners Signature

CONTRACTORS AFFIDAVIT: By my signature I understand and agree that I have informed and provided this written statement to the owner of all the above written responsibilities in Columbia County for obtaining this Building Permit.

Contractor's Signature (Permitee)

Contractor's License Number _____

Columbia County

Competency Card Number _____

Affirmed under penalty of perjury to by the Contractor and subscribed before me this ____ day of _____ 20____
Personally known _____ or Produced Identification _____

SEAL:

State of Florida Notary Signature (For the Contractor)

28569