

2484

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 9-22-06)		Zoning Official <u>CFS 12/18/07</u>		Building Official <u>OK 3714 12-14-07</u>	
AP# <u>0712-42</u>	Date Received <u>12/13/07</u>	By <u>GT</u>	Permit # <u>26555</u>		
Flood Zone <u>X</u>	Development Permit <u>N/A</u>	Zoning <u>A-3</u>	Land Use Plan Map Category <u>A-3</u>		
Comments <u>14.9 family lot</u>					
FEMA Map# _____	Elevation _____	Finished Floor _____	River _____	In Floodway _____	
☒ Site Plan with Setbacks Shown	☒ EH Signed Site Plan	☐ EH Release	☐ Well letter	☐ Existing well	
☒ Copy of Recorded Deed or Affidavit from land owner		☐ Letter of Authorization from installer			
☐ State Road Access	☒ Parent Parcel # <u>12-55-15-00447-204</u>	☐ STUP-MH _____			

Property ID # 12-55-00447-215 Subdivision Part of Lot 3 Pine Ridge Acres

- New Mobile Home ☒ Used Mobile Home _____ Year 08
- Applicant Wendy Grennell Phone # 386-288-2428
- Address 3104 SW Old Wire Road Fort White FL 32038
- Name of Property Owner William + Margarita Torres Phone # 773-775-4928
- 911 Address 462 SW Pine Ridge Ct. LC, FL 32024
- Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy
- Name of Owner of Mobile Home William Torres Phone # 773-775-4928
Address 6254 N. Nagle Ave Chicago IL 60646
- Relationship to Property Owner same
- Current Number of Dwellings on Property 0
- Lot Size _____ Total Acreage .5
- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
- Is this Mobile Home Replacing an Existing Mobile Home No
- Driving Directions to the Property 247 South to CR 240 (L) to Pine Ridge Ct (R) to next drive past Maria Marie Gln on (L) follow back to property on (L)
- Name of Licensed Dealer/Installer Terry Thrift Phone # 386-623-0115
- Installers Address 448 NW Nye Hunter Drive Lake City FL
- License Number IH 0000036 Installation Decal # 290675 32055

Spoke to Wendy 12/21/07

PERMIT NUMBER

PERMIT WORKSHEET

Permit #

Permit # 11-0000036

License #

11-0000036

Address of home being installed

Manufacturer

NOTE:

If home is a single wide fill out one half of the sheeting plan

If home is a triple or quad wide attach in remainder of home


In interstitial Lateral Arm Systems cannot be used on any home (new or used)

Typical pier spacing

Installer's initials

TTT

Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations)



New Home

☒

Used Home

☐

Home installed to the Manufacturer's Installation Manual

Home is installed in accordance with Rule 15-C

Single wide

☐

Double wide

☒

Triple/Quad

☐

Serial #

290675

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity (sq ft)	10' x 10' (250)	15 1/2' x 18 1/2' (442)	20' x 20' (400)	22' x 22' (484)	24' x 24' (576)	28' x 28' (784)
1000 psf	8'	4'	8'	8'	7'	8'
1600 psf	8'	8'	8'	8'	8'	8'
2000 psf	8'	8'	8'	8'	8'	8'
2500 psf	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'

Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

L-beam pier pad size

Perimeter pier pad size

Other pier pad size (required by the mfg.)

Draw the approximate locations of marriage wall openings 4' foot or greater. Use this symbol to show the pier.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening 14'-6" Pier pad size 10' x 25'

POPULAR PAD SIZES

Pad Size	Sq ft
15 x 15	225
15 x 18	270
18.5 x 18.5	342
18 x 22.5	405
17 x 22	374
13 1/4 x 20 1/4	348
20 x 20	400
17 3/8 x 26 3/8	441
17 1/2 x 26 1/2	441
24 x 24	576
25 x 28	700

ANCHORS

4.8 6 ft

FRAME TIES

within 2' of end of home spaced at 6' 4" oo

OTHER TIES

Longitudinal Stabilizing Device (LSD)


Manufacturer

Longitudinal Stabilizing Device w/ Lateral Arms

Green Tech

TO HAVE 285 WITH 3150 SFT ANDIONS 60' BY 4" OR
CANTONER BLK ON 16x16 PUL AT 8' OR 10' PER BLK

10R28 28x32 B= TOWNHOMES



BLDG CONSTRUCTION LEGEND:

- 1-BE M BLOCKING SEE CHARTS FOR SPACING
- 2-BE M BLOCKING SEE CHARTS FOR SPACING
- 3-BE M BLOCKING SEE CHARTS FOR SPACING
- 4-BE M BLOCKING SEE CHARTS FOR SPACING
- 5-BE M BLOCKING SEE CHARTS FOR SPACING
- 6-BE M BLOCKING SEE CHARTS FOR SPACING
- 7-BE M BLOCKING SEE CHARTS FOR SPACING
- 8-BE M BLOCKING SEE CHARTS FOR SPACING
- 9-BE M BLOCKING SEE CHARTS FOR SPACING
- 10-BE M BLOCKING SEE CHARTS FOR SPACING
- 11-BE M BLOCKING SEE CHARTS FOR SPACING
- 12-BE M BLOCKING SEE CHARTS FOR SPACING
- 13-BE M BLOCKING SEE CHARTS FOR SPACING
- 14-BE M BLOCKING SEE CHARTS FOR SPACING
- 15-BE M BLOCKING SEE CHARTS FOR SPACING
- 16-BE M BLOCKING SEE CHARTS FOR SPACING
- 17-BE M BLOCKING SEE CHARTS FOR SPACING
- 18-BE M BLOCKING SEE CHARTS FOR SPACING
- 19-BE M BLOCKING SEE CHARTS FOR SPACING
- 20-BE M BLOCKING SEE CHARTS FOR SPACING
- 21-BE M BLOCKING SEE CHARTS FOR SPACING
- 22-BE M BLOCKING SEE CHARTS FOR SPACING
- 23-BE M BLOCKING SEE CHARTS FOR SPACING
- 24-BE M BLOCKING SEE CHARTS FOR SPACING
- 25-BE M BLOCKING SEE CHARTS FOR SPACING
- 26-BE M BLOCKING SEE CHARTS FOR SPACING
- 27-BE M BLOCKING SEE CHARTS FOR SPACING
- 28-BE M BLOCKING SEE CHARTS FOR SPACING
- 29-BE M BLOCKING SEE CHARTS FOR SPACING
- 30-BE M BLOCKING SEE CHARTS FOR SPACING
- 31-BE M BLOCKING SEE CHARTS FOR SPACING
- 32-BE M BLOCKING SEE CHARTS FOR SPACING
- 33-BE M BLOCKING SEE CHARTS FOR SPACING
- 34-BE M BLOCKING SEE CHARTS FOR SPACING
- 35-BE M BLOCKING SEE CHARTS FOR SPACING
- 36-BE M BLOCKING SEE CHARTS FOR SPACING
- 37-BE M BLOCKING SEE CHARTS FOR SPACING
- 38-BE M BLOCKING SEE CHARTS FOR SPACING
- 39-BE M BLOCKING SEE CHARTS FOR SPACING
- 40-BE M BLOCKING SEE CHARTS FOR SPACING
- 41-BE M BLOCKING SEE CHARTS FOR SPACING
- 42-BE M BLOCKING SEE CHARTS FOR SPACING
- 43-BE M BLOCKING SEE CHARTS FOR SPACING
- 44-BE M BLOCKING SEE CHARTS FOR SPACING
- 45-BE M BLOCKING SEE CHARTS FOR SPACING
- 46-BE M BLOCKING SEE CHARTS FOR SPACING
- 47-BE M BLOCKING SEE CHARTS FOR SPACING
- 48-BE M BLOCKING SEE CHARTS FOR SPACING
- 49-BE M BLOCKING SEE CHARTS FOR SPACING
- 50-BE M BLOCKING SEE CHARTS FOR SPACING
- 51-BE M BLOCKING SEE CHARTS FOR SPACING
- 52-BE M BLOCKING SEE CHARTS FOR SPACING
- 53-BE M BLOCKING SEE CHARTS FOR SPACING
- 54-BE M BLOCKING SEE CHARTS FOR SPACING
- 55-BE M BLOCKING SEE CHARTS FOR SPACING
- 56-BE M BLOCKING SEE CHARTS FOR SPACING
- 57-BE M BLOCKING SEE CHARTS FOR SPACING
- 58-BE M BLOCKING SEE CHARTS FOR SPACING
- 59-BE M BLOCKING SEE CHARTS FOR SPACING
- 60-BE M BLOCKING SEE CHARTS FOR SPACING
- 61-BE M BLOCKING SEE CHARTS FOR SPACING
- 62-BE M BLOCKING SEE CHARTS FOR SPACING
- 63-BE M BLOCKING SEE CHARTS FOR SPACING
- 64-BE M BLOCKING SEE CHARTS FOR SPACING
- 65-BE M BLOCKING SEE CHARTS FOR SPACING
- 66-BE M BLOCKING SEE CHARTS FOR SPACING
- 67-BE M BLOCKING SEE CHARTS FOR SPACING
- 68-BE M BLOCKING SEE CHARTS FOR SPACING
- 69-BE M BLOCKING SEE CHARTS FOR SPACING
- 70-BE M BLOCKING SEE CHARTS FOR SPACING
- 71-BE M BLOCKING SEE CHARTS FOR SPACING
- 72-BE M BLOCKING SEE CHARTS FOR SPACING
- 73-BE M BLOCKING SEE CHARTS FOR SPACING
- 74-BE M BLOCKING SEE CHARTS FOR SPACING
- 75-BE M BLOCKING SEE CHARTS FOR SPACING
- 76-BE M BLOCKING SEE CHARTS FOR SPACING
- 77-BE M BLOCKING SEE CHARTS FOR SPACING
- 78-BE M BLOCKING SEE CHARTS FOR SPACING
- 79-BE M BLOCKING SEE CHARTS FOR SPACING
- 80-BE M BLOCKING SEE CHARTS FOR SPACING
- 81-BE M BLOCKING SEE CHARTS FOR SPACING
- 82-BE M BLOCKING SEE CHARTS FOR SPACING
- 83-BE M BLOCKING SEE CHARTS FOR SPACING
- 84-BE M BLOCKING SEE CHARTS FOR SPACING
- 85-BE M BLOCKING SEE CHARTS FOR SPACING
- 86-BE M BLOCKING SEE CHARTS FOR SPACING
- 87-BE M BLOCKING SEE CHARTS FOR SPACING
- 88-BE M BLOCKING SEE CHARTS FOR SPACING
- 89-BE M BLOCKING SEE CHARTS FOR SPACING
- 90-BE M BLOCKING SEE CHARTS FOR SPACING
- 91-BE M BLOCKING SEE CHARTS FOR SPACING
- 92-BE M BLOCKING SEE CHARTS FOR SPACING
- 93-BE M BLOCKING SEE CHARTS FOR SPACING
- 94-BE M BLOCKING SEE CHARTS FOR SPACING
- 95-BE M BLOCKING SEE CHARTS FOR SPACING
- 96-BE M BLOCKING SEE CHARTS FOR SPACING
- 97-BE M BLOCKING SEE CHARTS FOR SPACING
- 98-BE M BLOCKING SEE CHARTS FOR SPACING
- 99-BE M BLOCKING SEE CHARTS FOR SPACING
- 100-BE M BLOCKING SEE CHARTS FOR SPACING

- 1) ALL EXTERIOR DOORS, BAY WINDOWS, RECESSED SIDEWALLS AND EXTERIOR WALL OPENINGS 40' OR GREATER WILL REQUIRE B LOCKING ON EACH SIDE.
- 2) 32' WIDE HALLS REQUIRE TO BE B LOCKED MIN 8'-0" ON CENTER DETECT 4' COLLARS.

TOWNHOMES		TOWNHOMES	
P4, BOX 100		P4, BOX 100	
LATE CITY, FLORIDA		LATE CITY, FLORIDA	
STAGE		STAGE	
Revised:		Revised:	
Date: 11-07		Date: 11-07	
By: [Signature]		By: [Signature]	
Project: [Signature]		Project: [Signature]	
Drawn: [Signature]		Drawn: [Signature]	
Scale: 1/8" = 1'-0"		Scale: 1/8" = 1'-0"	
Sheet: 2/28-181		Sheet: 2/28-181	
Title: BLOXING PLAN		Title: BLOXING PLAN	

ATTN: Wendy

PERMIT NUMBER

PERMIT WORKSHEET

Page 2 of 11

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psi or closer than to declare 1000 lb. soil without testing.

x1600 x1600 x1600
x1600 x1600 x1600
x1600 x1600 x1600

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

TORQUE PROBE TEST

The results of the torque probe test is 285 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral steel system is being used and 4 ft. anchors are allowed at the sidewalk locations. 1 understand 5 ft. testing is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb. holding capacity.

Installer's Initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Date Tested

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg.

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg.

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Site Preparation

Debris and organic material removed

Water drainage: Matured

State

Pad

Other

Fastening multi-wide units

Floor: Type Fastener: 2x4x10 Length: 10" Spacing: 24" 32"
Wall: Type Fastener: 2x4x10 Length: 10" Spacing: 24" 32"
Roof: Type Fastener: 2x4x10 Length: 10" Spacing: 24" 32"
For used frames a 1/2" 3/8" gage, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galy. roofing nails at 2' on center on both sides of the centerline.

Gas leak (meeting code requirement)

I understand a properly installed gas leak is a requirement of all new and used homes and that condensation, mold, mildew and blocked marriage walls are a result of a poorly installed or no gasket being installed. I understand a slip of tape will not serve as a gasket.

Installer's Initials

Type gasket: Foam Tape

Pg.

Installed:

Between Floor: Yes
Between Walls: Yes
Bottom of Ridgebeam: Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes
Sliding on cradle is installed to manufacturer's specifications. Yes
Fireplace chimney installed so as not to allow intrusion of rain water. Yes

Miscellaneous


Skirting to be installed. Yes No
Cinder vent installed outside of skirting. Yes No
Range downflow vent installed outside of skirting. Yes No
Drain lines supported at 4 foot intervals. Yes No
Electrical crossovers protected. Yes No
Other: Yes No

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Relic 15C-1 & 2

Installer Signature

Date

Torres



SHEARWALL ON

BLOCKING LEGEND:

1-BEAM BLOCKING
SEE SOIL BEARING CAPACITY CHARTS FOR SPACING

COLUMN BLOCKING
SEE SOIL BEARING CAPACITY CHARTS FOR PAD SIZE

SHEARWALL BLOCKING

SHEARWALL FRAME TIE

CENTER LINE TIES

VERTICAL TIE
MAX. SPACING 9'-9" CENTER TO CENTER

LONGITUDINAL TIES

32' TO SHEARWALL TIE


- 1) ALL EXTERIOR DOORS, BAY WINDOWS, RECESSED SIDEWALLS AND EXTERIOR WALL OPENINGS 48" OR GREATER WILL REQUIRE BLOCKING ON EACH SIDE.
- 2) 32" WIDE HOMES REQUIRED TO BE BLOCKED MIN 8'-0" ON CENTER BETWEEN COLUMNS.




TownHomes
P.O. BOX 1039
LAKE CITY, FLORIDA
32706

Date: 10-2-07	Revisions:	Doc#: 2634
Dr'n: ROB		
Permit: NEW		
Code: T (07)		
Model: 2828-183	Print:	BLOCKING PLAN

SITE PLAN EXAMPLE / WORKSHEET



Use this example to draw your own site plan. Show all existing buildings and any other homes on this property and show the distances between them. Also show where the roads or roads are around the property. This site plan can also be used for the 911 Addressing department if you include the distance from the driveway to the nearest property line.



Columbia County Property Appraiser

DB Last Updated: 11/15/2007

2008 Proposed Values

Tax Record

Property Card

Interactive GIS Map

Print

Parcel: 12-5S-15-00447-215

Search Result: 1 of 1

Owner & Property Info

Owner's Name	TORRES WILLIAM & MARGARITA		
Site Address			
Mailing Address	6254 N NAGLE AVE CHICAGO, IL 60646		
Use Desc. (code)	NO AG ACRE (009900)		
Neighborhood	12515.02	Tax District	3
UD Codes		Market Area	02
Total Land Area	0.500 ACRES		
Description	COMM NW COR OF SW1/4, S 734.21 FT, E 115.93 FT FOR POB, CONT E 136.39 FT, S 159.69 FT, W 136.39 FT, N 159.69 FT TO POB. (AKA PART OF LOT 3 PINE RIDGE ACRES S/D UNR). ORB 790-376, 809-1443, WD 1134-1622		

GIS Aerial



Property & Assessment Values

Mkt Land Value	cnt: (1)	\$8,800.00
Ag Land Value	cnt: (0)	\$0.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$8,800.00

Just Value	\$8,800.00
Class Value	\$0.00
Assessed Value	\$8,800.00
Exempt Value	\$0.00
Total Taxable Value	\$8,800.00

Sales History

Sale Date	Book/Page	Inst. Type	Sale VImp	Sale Qual	Sale RCode	Sale Price
10/25/2007	1134/1622	WD	V	Q		\$6,000.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
NONE						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
NONE						


Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
009900	AC NON-AG (MKT)	.500 AC	1.00/1.00/1.00/1.00	\$17,600.00	\$8,800.00

Columbia County Property Appraiser

DB Last Updated: 11/15/2007

1 of 1



This information, GIS Map Updated: 11/15/2007, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, its use, or its interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

COMM NW COR OF SW1/4, S 734.21 FT, E 115.93 FT FOR POB, CONT E 136.39 FT, S 159.69 FT, W 136.39 FT, N 159.69 FT TO POB.	TORRES WILLIAM & MARGARITA 6254 N NAGLE AVE CHICAGO, IL 60646	12-5S-15-00447-215	Columbia Cou
		PRINTED 11/15/2007 17:24	
		APPR 5/11/2006 CM	

BUSE	AE?	HTD AREA	.000	INDEX	12515.02	PINE RD AC	PUSE	009
MOD	BATH	EFF AREA	31.892	E-RATE	.000	INDX STR 12- 5S-15E		
EXW	FIXT	RCN				AYB MKT AREA 02		
%	BDRM	%GOOD		BLDG VAL		EYB (PUD1		
RSTR	RMS					AC	.500	
RCVR	UNTS	3 FIELD CK:		HX AppYr 2007		3 NTCD		
%	C-W%	3 LOC:				3 APPR CD		
INTW	HGHT	3				3 CNDO		
%	PMTR	3				3 SUBD		
FLOR	STYS	3				3 BLK		
%	ECON	3				3 LOT		
HTTP	FUNC	3				3 MAP#		
A/C	SPCD	3				3		
QUAL	DEPR	3				3 TXDT	003	
FNDN	UD-1	3				3		
SIZE	UD-2	3				3	----- BLDG TRA	
CEIL	UD-3	3				3		
ARCH	UD-4	3				3		
FRME	UD-5	3				3		
KTCH	UD-6	3				3		
WINDO	UD-7	3				3		
CLAS	UD-8	3				3		
OCC	UD-9	3				3		
COND	%	3				3	----- PERMIT	
SUB	A-AREA % E-AREA	SUB VALUE				3	NUMBER	DESC
						3		
						3		
						3	----- SALE	
						3	BOOK	PAGE
						3	1134	1622
						3	GRANTOR	ANTHONY & CARMEL
						3	GRANTEE	WILLIAM & MARGA
						3		
						3	GRANTOR	
						3	GRANTEE	
TOTAL								

TOTAL

http://www.appraiser.columbiacountyfla.com/GIS/Show_FieldCard.asp?PIN=12-5S-15-0... 12/11/2007

Wendy Grannell-Permit Services
3104 S W Old Wire Rd
Ft White, FL 32038
386-288-2428 Cell
386-466-1866 Office / Fax

MOBILE HOME INSTALLER AFFIDAVIT

As per Florida Statutes Section 320.8249 Mobile Home Installers License

Any person who engages in mobile home installation shall obtain a mobile home installer's license from the Bureau of Mobile Home and Recreational Vehicle Construction, of the Department of Highway Safety and Motor Vehicles pursuant to this section. Said license shall be renewed annually, and each licensee shall pay a fee of \$150

TERRY L. Thrift, license number TH-20000036, states that the
installation of the manufactured home for William Torres
at 911 Address: _____ City _____
will be done under my supervision.


Signed: Terry L. Thrift
Mobile Home Installer

Sworn to and described before me this 17 day of November 2007

Paula K. Ionescu-Adams
Notary public

Paula K. Ionescu-Adams Personally known _____
Notary Name

DL ID ✓



Wendy Grennell-Permit Services
3104 S W Old Wire Rd
Ft White, FL 32038
386-288-2428 Cell
386-486-1886 Office / Fax

MOBILE HOME INSTALLER LIMIT POWER OF ATTORNEY

I, TERRY L. THREIN, license number TH-0000036 authorize
Wendy Grennell or Shirley Bennett to be my representative and act on my behalf in all
aspects of applying for a mobile home permit to be placed on the following described
property. Property located in Columbia County, State of Florida.

Mobile Home Owner Name: William + Margarita Torres

Property Owner Name: same

911 Address: Y NOT GLEN City

Sec: 12 Twp: 55 Rge: 15 Tax Parcel # 60447-215


Signed: Terry L. Threin
Mobile Home Installer

Sworn to and described before me this 19 day of November 2007

Paula K. Ionescu-Adams
Notary public

Paula K. Ionescu-Adams Personally known
Notary Name

DL ID ✓



Wendy Grennell-Permit Services

3104 SW Old Wire Rd

Ft White, FL 32038

386-288-2428 Cell

386-466-1866 Office / Fax

FaxTo: Building + Zoning From: Wendy GrennellFax: 758-2160 Fax: 386-466-1866Phone: _____ Phone: 386-288-2428Date: 12/17/07 RE: Customer Torres

App # 0712-42

911 address

Torres
App# 0712-42**COLUMBIA COUNTY 9-1-1 ADDRESSING**

P. O. Box 1787, Lake City, FL 32836-1787
PHONE: (386) 758-1125 • FAX: (386) 758-1365 • Email: non_outfit@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED: 12/11/2007 DATE ISSUED: 12/14/2007

ENHANCED 9-1-1 ADDRESS:

482 SW PINE RIDGE CT
LAKE CITY FL 32024
PROPERTY APPRAISER PARCEL NUMBER:

12-5S-15-00447-215

Remarks:

PARENT PARCEL (00447-2040) .5 ACRE CUT OUT

Address Issued By:

Columbia County 9-1-1 Addressing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.

Approved Address

1059

DEC 14 2007

911Addressing/GIS Dept

**AFFIDAVIT OF SUBDIVIDED REAL PROPERTY
FOR USE OF IMMEDIATE FAMILY MEMBERS
FOR PRIMARY RESIDENCE**

**STATE OF FLORIDA
COUNTY OF COLUMBIA**

BEFORE ME the undersigned Notary Public personally appeared.

Camen + Anthony Mikulic, the Owner of the parent tract which has been subdivided for immediate family primary residence use, hereinafter the Owner, and William Torres, the family member of the Owner, who is the owner of the family parcel which is intended for immediate family primary residence use, hereafter the Family Member, and is related to the Owner as _____, and both individuals being first duly sworn according to law, depose and say:

1. Both the Owner and the Family Member have personal knowledge of all matters set forth in this Affidavit.
2. The Owner holds fee simple title to certain real property situated in Columbia County, and more particularly described by reference to the Columbia county Property Appraiser Tax Parcel No. 12-55-15-00447-204.
3. The Owner has divided his parent parcel for use of immediate family members for their primary residence and the parcel divided and the remaining parent parcel are at least 1/2 acre in size. Immediate family is defined as grandparent, parent, step-parent, adopted parent, sibling, child, step-child, adopted child or grandchild.
4. The Family Member is a member of the Owner's immediate family, as set forth above, and holds fee simple title to certain real property divided from the Owner's parcel situated in Columbia County and more particularly described by reference to the Columbia County Property Appraiser Tax Parcel No. 12-55-15-00447-215.
5. No person or entity other than the Owner and Family Member claims or is presently entitled to the right of possession or is in possession of the property, and there are no tenancies, leases or other occupancies that affect the Property.
6. This Affidavit is made for the specific purpose of inducing Columbia County to recognize a family division for a family member on the parcel divided in accordance with Section 14.9 of the Columbia County Land Development Regulations.

DEC-21-2007 12:14 AM

12/20/2007 10:28 FAX 312 785 1208

HARRIS N.A.

P.03

003/003

DEC-20-2007 10:10 PM

P.03

DEC-20-2007 01:12 AM

P.03

"The undersigned is a Notary Public in and for the State of Florida, and with full knowledge that the penalties under Florida law for perjury include conviction of a felony of the third degree."

We Herby Certify that the information contained in this Affidavit is true and correct.

John M. Pichler
Owner

Margaret A. Pichler
Family Member (Spouse)

Carmen Mitulic-Pichler
Typed or Printed Name


Typed or Printed Name

Subscribed and sworn to (or affirmed) before me this 20 day of December, 2007, by _____ (Owner) who is personally known to me or has produced _____ DRIVERS LICENSE as identification.

Paula K. Ionescu-Adams
Notary Public

Subscribed and sworn to (or affirmed) before me this 20 day of December, 2007, by _____ (Family Member) who is personally known to me or has produced _____ DRIVERS LICENSE as identification.

Paula K. Ionescu-Adams
Notary Public



Dec 19 07 10:54a

Linda Newcomb

386-752-1477

p.1

LYNCH WELL DRILLING, INC.

173 SW Tustenuggee Ave

Lake City, FL 32025

Phone 386-752-6677

Fax 386-752-1477

Building Permit # _____ Owner's Name William Torres

Well Depth _____ Ft. Casing Depth _____ Ft. Water Level _____ Ft.

Casing Size 4 inch Steel Pump Installation: Deep Well SubmersiblePump Make Aermotor Pump Model 520-100 HP 1System Pressure (PSI) _____ On 30 Off 50 Average Pressure 50Pumping System GPM at average pressure and pumping level 20 (GPM)Tank Installation: Bladder/Galvanized Make Challenger
Model PC 244 Size 81Tank Draw-down per cycle at system pressure 25.1 gallons**I HEREBY VERIFY THAT THIS WATER WELL SYSTEM HAS BEEN
INSTALLED AS PER THE ABOVE INFORMATION.**Linda Newcomb
Signature2609

License Number

Linda Newcomb

Print Name

12-19-07


Date

William Torres

**Application for Onsite Sewage Disposal System
Construction Permit. Part II Site Plan**
Permit Application Number: 07-0994

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT

TORRES/CR 07-4203



1 inch = 40 feet

Site Plan Submitted By Paul Lopez Date 12/18/07
Plan Approved ☒ Not Approved ☐ Date 12-19-07

By mm oh Columbia CPHU

Notes: _____

**COLUMBIA COUNTY
FLORIDA
DEPARTMENT OF BUILDING AND ZONING**

M/H OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 12-5S-15-00447-215

Building permit No. 000026555

Permit Holder TERRY THRIFT

Owner of Building WILLIAM TORRES

Location: 462 SW PINE RIDGE CT., LAKE CITY, FL



Date: 03/10/2008

Terry Thrift

Building Inspector

**POST IN A CONSPICUOUS PLACE
(Business Places Only)**