

Outside measurement of foundation  
Equals Basic Building Dimension  
plus Seven (7) inches

35'7"

Basic Building  
Dimension  
to outside of Base Rail

35'

BUILDING SLAB

See Corner  
Detail Sheet 3

Building  
Base Rail

3-1/2" wide x 1-1/2" high Notch  
in Concrete outside  
of basic building  
dimensions

22'  
Basic Building  
Dimension  
to outside of Base Rail

22'7"


Outside measurement of foundation  
Equals Basic Building Dimension  
plus Seven (7) inches

## IMPORTANT - NOTES

Record Measurements  
in these spaces provided

All basic building dimensions  
are to the outside of the  
frame Base Rail and DO NOT  
INCLUDE the 3-1/2" x 1-1/2"  
notch in the concrete footing


See Sheet 3 of 3  
for Detail of Building  
corner configuration



TYPICAL WALL SECTION

## TYPICAL BUILDING

## FOUNDATION MEASUREMENTS




## IMPORTANT - NOTES

Record Measurements  
in these spaces provided

All basic building diagonal dimensions  
are to the outside corner of the  
frame Base Rail and DO NOT  
INCLUDE the 3-1/2" x 1-1/2"  
notch in the concrete footing

See Sheet 3 of 3  
for Detail of Building  
corner configuration




Building  
Base Rail


3-1/2" wide x 1-1/2" high Notch  
in Concrete outside  
of basic building  
dimensions



## TYPICAL BUILDING

### FOUNDATION MEASUREMENTS DIAGONALS



TYPICAL WALL SECTION





Basic Building Size  
is measured to the  
outside of the

Base Rail

Siding rests on  
concrete notch

FOUNDATION

BASE RAIL

BASE RAIL

3-1/2" wide x 1-1/2" high  
Notch in Concrete outside  
of basic building  
dimensions

## TYPICAL BUILDING

CORNER DETAIL