

2025/JAN/21/TUE 14:18

FAX No.

F. 003

PERMIT WORKSHEET

page 1 of 2

PERMIT NUMBER

Trailer Ruby L. K. 2024 License # 1H103024
 Trailer Mobile Phone # 396 377 2036

Address of home being installed


Manufacturer LUNDA Length x width 32 x 69

NOTE: If home is a single-wide set out one foot of the sleeping plus if home is a double or triple set out one foot of the sleeping plus

Understand Lateral Air Systems cannot be used on any home (new or used) where the distance (see annex 3) is 4 in.

Installer's Initials RLK

Typical side sections



Name Home ☒ Used Home ☐
 Home installed to the Manufacturer's Installation Manual ☒
 Home is installed in accordance with Rule 15-C ☐

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐

Double wide ☒ Installation Detail 6 Self

Triple/Quad ☐ Detail 4 Detail

Roof System: Typical ☒ Flipped ☐

FEET SPACING TABLE FOR USED HOMES

Load bearing capacity (psf)	10' x 10' (sq ft)	10' x 12' (sq ft)	12' x 12' (sq ft)	12' x 14' (sq ft)	14' x 14' (sq ft)	14' x 16' (sq ft)	16' x 16' (sq ft)
1000	1	1	1	1	1	1	1
1200	1	1	1	1	1	1	1
1400	1	1	1	1	1	1	1
1600	1	1	1	1	1	1	1
1800	1	1	1	1	1	1	1
2000	1	1	1	1	1	1	1
2200	1	1	1	1	1	1	1
2400	1	1	1	1	1	1	1
2600	1	1	1	1	1	1	1
2800	1	1	1	1	1	1	1
3000	1	1	1	1	1	1	1
3200	1	1	1	1	1	1	1
3400	1	1	1	1	1	1	1
3600	1	1	1	1	1	1	1
3800	1	1	1	1	1	1	1
4000	1	1	1	1	1	1	1
4200	1	1	1	1	1	1	1
4400	1	1	1	1	1	1	1
4600	1	1	1	1	1	1	1
4800	1	1	1	1	1	1	1
5000	1	1	1	1	1	1	1
5200	1	1	1	1	1	1	1
5400	1	1	1	1	1	1	1
5600	1	1	1	1	1	1	1
5800	1	1	1	1	1	1	1
6000	1	1	1	1	1	1	1
6200	1	1	1	1	1	1	1
6400	1	1	1	1	1	1	1
6600	1	1	1	1	1	1	1
6800	1	1	1	1	1	1	1
7000	1	1	1	1	1	1	1
7200	1	1	1	1	1	1	1
7400	1	1	1	1	1	1	1
7600	1	1	1	1	1	1	1
7800	1	1	1	1	1	1	1
8000	1	1	1	1	1	1	1
8200	1	1	1	1	1	1	1
8400	1	1	1	1	1	1	1
8600	1	1	1	1	1	1	1
8800	1	1	1	1	1	1	1
9000	1	1	1	1	1	1	1
9200	1	1	1	1	1	1	1
9400	1	1	1	1	1	1	1
9600	1	1	1	1	1	1	1
9800	1	1	1	1	1	1	1
10000	1	1	1	1	1	1	1

FEET PAD SIZES

Beam per pad size	Pad size	Beam per pad size	Pad size
12' x 12'	12' x 12'	12' x 12'	12' x 12'
12' x 14'	12' x 14'	12' x 14'	12' x 14'
12' x 16'	12' x 16'	12' x 16'	12' x 16'
12' x 18'	12' x 18'	12' x 18'	12' x 18'
12' x 20'	12' x 20'	12' x 20'	12' x 20'
12' x 22'	12' x 22'	12' x 22'	12' x 22'
12' x 24'	12' x 24'	12' x 24'	12' x 24'
12' x 26'	12' x 26'	12' x 26'	12' x 26'
12' x 28'	12' x 28'	12' x 28'	12' x 28'
12' x 30'	12' x 30'	12' x 30'	12' x 30'
12' x 32'	12' x 32'	12' x 32'	12' x 32'
12' x 34'	12' x 34'	12' x 34'	12' x 34'
12' x 36'	12' x 36'	12' x 36'	12' x 36'
12' x 38'	12' x 38'	12' x 38'	12' x 38'
12' x 40'	12' x 40'	12' x 40'	12' x 40'
12' x 42'	12' x 42'	12' x 42'	12' x 42'
12' x 44'	12' x 44'	12' x 44'	12' x 44'
12' x 46'	12' x 46'	12' x 46'	12' x 46'
12' x 48'	12' x 48'	12' x 48'	12' x 48'
12' x 50'	12' x 50'	12' x 50'	12' x 50'
12' x 52'	12' x 52'	12' x 52'	12' x 52'
12' x 54'	12' x 54'	12' x 54'	12' x 54'
12' x 56'	12' x 56'	12' x 56'	12' x 56'
12' x 58'	12' x 58'	12' x 58'	12' x 58'
12' x 60'	12' x 60'	12' x 60'	12' x 60'
12' x 62'	12' x 62'	12' x 62'	12' x 62'
12' x 64'	12' x 64'	12' x 64'	12' x 64'
12' x 66'	12' x 66'	12' x 66'	12' x 66'
12' x 68'	12' x 68'	12' x 68'	12' x 68'
12' x 70'	12' x 70'	12' x 70'	12' x 70'
12' x 72'	12' x 72'	12' x 72'	12' x 72'
12' x 74'	12' x 74'	12' x 74'	12' x 74'
12' x 76'	12' x 76'	12' x 76'	12' x 76'
12' x 78'	12' x 78'	12' x 78'	12' x 78'
12' x 80'	12' x 80'	12' x 80'	12' x 80'
12' x 82'	12' x 82'	12' x 82'	12' x 82'
12' x 84'	12' x 84'	12' x 84'	12' x 84'
12' x 86'	12' x 86'	12' x 86'	12' x 86'
12' x 88'	12' x 88'	12' x 88'	12' x 88'
12' x 90'	12' x 90'	12' x 90'	12' x 90'
12' x 92'	12' x 92'	12' x 92'	12' x 92'
12' x 94'	12' x 94'	12' x 94'	12' x 94'
12' x 96'	12' x 96'	12' x 96'	12' x 96'
12' x 98'	12' x 98'	12' x 98'	12' x 98'
12' x 100'	12' x 100'	12' x 100'	12' x 100'

Check the structural location of windows and doors 4 feet or greater. Use this symbol to show the floor.

List all windows and openings greater than 4 feet and their pad sizes below.

Opening 22' Pad size 23'4'x5'6"

Frame type ANCHORS

within 2' of end of home spaced at 6'4" on

ANCHORS

OTHER TIE

Number

Staircase

Longitudinal

Marriage wall

Staircase

Staircase

Staircase

Staircase

Staircase

Staircase

PERMIT NUMBER

PERMIT WORKSHEET

Page 2 of 2

POCKET PENETRATOR TEST

The pocket penetrometer tests are requested down to 1000 psi or check them by checking FDD 2, left without testing.

X X X

POCKET PENETRATOR TESTING METHOD

1. Test the perimeter of the home at 8 foot intervals.
2. Take five readings at the depth of this footer.
3. Using 500 lb. increments, take five readings and record down to third thousandth.

X X X

TORQUE PICOE TEST

The results of the torque picoe tests are VALUABLE records of drive base if you are checking 6' sections without testing. A level showing 275 inch pounds or less will require 8 foot sections.

Note: A value registered larger than 275 inch pounds and 4 ft. sections are allowed at the additional locations. 1 section of 5 ft. sections are required at all corners of the footer section. The longer the reading is 275 or less and the footer is not a section of footer may require sections with 4000 lb. loading capacity.

Footer's loading

ALL TESTS MUST BE PERFORMED BY A LICENSED TECHNICIAN

Inspector Name

Paul Baker

Date Tested

1-28-25

Footer

Connect electrical conductors between walls with wire, but not to the main power source. This includes the bonding wire between walls with wire. Pg. 100

Foundation

Connect all sewer drains to an existing sewer line or septic tank. Pg. 100

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 100

Site Preparation

Double and triple inspect, remove water traps, Nippon

Grade ☒ Pad ☒ Other ☐

Foundation wall and grade

Photo: 1-25 Location: 1-25 Quantity: 1-25
 Model: 1-25 Type: 1-25 Length: 1-25 Quantity: 1-25
 Note: 1-25 Type: 1-25 Length: 1-25 Quantity: 1-25
 For use of testing at 20' or more, the footer must be tested at 20' or more on both sides of the connection.

Footer's loading

I understand a properly finished footer is a requirement of all new and used homes and that construction, width, location and finished condition will be a result of a properly finished or no properly finished footer. I understand a tip of tape will not serve as a guide.

Inspector's initials

PL

Type tested: Footer

Inspected:

Pg. 1-25

Between Footer: Yes

Between Walls: Yes

Bottom of Footer: Yes

Inspection

The footerboard will be inspected under the footer. Yes 1-25
 Sliding on wall is finished to manufacturer's specifications. Yes 1-25
 Footers otherwise installed using not to allow invasion of rain water. Yes 1-25

Inspection

Sliding on footer: Yes

Yes

Dryer vent finished outside of siding. Yes 1-25

Yes

Range hood vent finished outside of siding. Yes 1-25

Yes

Drain lines supported and fast finished. Yes 1-25

Yes

Electrical inspection passed. Yes 1-25


Yes

Other:

Inspector verifies all information given with this permit worksheet is accurate and true based on the manufacturer's instructions and or Florida USC 4 & 2

Inspector Signature

Date 1-23-25



Live Oak Homes
MODEL: D-3684G - 32 X 68 (BOX)
4-BEDROOM / 2-BATH

LEGEND:
SUPPORT POST
SUPPORT BEAM

NOTES:
1. ALL DIMENSIONS ARE IN FEET AND INCHES.
2. ALL DIMENSIONS ARE TO THE CENTERLINE OF THE MEMBER.
3. ALL DIMENSIONS ARE TO THE CENTERLINE OF THE MEMBER.
4. ALL DIMENSIONS ARE TO THE CENTERLINE OF THE MEMBER.
5. ALL DIMENSIONS ARE TO THE CENTERLINE OF THE MEMBER.

D-3684G

License Number: IH / 1038219 / 1 Name: RUSTY L. KNOWLES

Order #: 6147	Label #: 108541	Manufacturer:	(Check Size of Home)
Homeowner:	Year Model:		Single _____
Address:	Length & Width:		Double _____
City/State/Zip:	Type Longitudinal System:		Triple _____
Phone #:	Type Lateral Arm System:		HUD Label #:
Date Installed:	New Home: _____ Used Home: _____		Soil Bearing / PSF:
Installed Wind Zone:	Data Plate Wind Zone:		Torque Probe / in-lbs:
Note:			Permit #:

STATE OF FLORIDA
INSTALLATION CERTIFICATION LABEL

108541	
LABEL #	DATE OF INSTALLATION
RUSTY L. KNOWLES	
NAME	
IH / 1038219 / 1	6147
LICENSE #	ORDER #
CERTIFIES THAT THE INSTALLATION OF THIS MOBILE HOME IS IN ACCORDANCE WITH FLORIDA STATUTES 320.8249, 320.8325 AND RULES OF THE HIGHWAY SAFETY AND MOTOR VEHICLES.	

INSTRUCTIONS

PLEASE WRITE DATE OF
INSTALLATION AND AFFIX
LABEL NEXT TO HUD LABEL.
USE PERMANENT INK PEN
OR MARKER ONLY.
COMPLETE INFORMATION
ABOVE AND KEEP ON FILE
FOR A MINIMUM OF 2 YEARS.
YOU ARE REQUIRED TO
PROVIDE COPIES WHEN
REQUESTED.