

DATE06/21/2007

Columbia County Building Permit

PERMIT000025943

This Permit Expires One Year From the Date of Issue

APPLICANTCLARENCE S. TATEPHONE904.338.7972

ADDRESSPOB 1632GREEN COVE SPRINGSFL32043

OWNERENOCH & LILLIE HARRISPHONE386.752.0644

ADDRESS123SW NEIGHBORS GLENLAKE CITYFL32024

CONTRACTORJONATHAN P. LANGPHONE904.338.7972

LOCATION OF PROPERTY90-W TO THOMAS TERRACE,TL TO NEIGHBORS GLN,TL AND IT'S
THE 1ST. HOME ON THE LEFT CORNER.

TYPE DEVELOPMENTSHED/UTILITYESTIMATED COST OF CONSTRUCTION4099.00

HEATED FLOOR AREATOTAL AREAHHEIGHT10.00STORIES1

FOUNDATIONCONCWALLSWOOD/FRAME ROOF PITCH3'12FLOORCONC

LAND USE & ZONINGA-3MAX. HEIGHT35

Minimum Set Back Requirments:STREET-FRONT30.00REAR25.00SIDE25.00

NO. EX.D.U.1FLOOD ZONEXPSDEVELOPMENT PERMIT NO.

PARCEL ID32-3S-16-02430-005SUBDIVISIONKAL-WAY

LOT5BLOCKPHASEUNIT1TOTAL ACRES0.88

CBC1251776

Culvert Permit No.Culvert WaiverContractor's License NumberApplicant/Owner/Contractor

EXISTINGX-07-243BLKJTHN

Driveway ConnectionSeptic Tank NumberLU & Zoning checked byApproved for IssuanceNew Resident

COMMENTS: ACCESSORY USE.

Check # or Cash1159

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary PowerFoundationMonolithic

date/app. bydate/app. bydate/app. by

Under slab rough-in plumbingSlabSheathing/Nailing

date/app. bydate/app. bydate/app. by

FramingRough-in plumbing above slab and below wood floor

date/app. bydate/app. bydate/app. by

Electrical rough-inHeat & Air DuctPeri. beam (Lintel)

date/app. bydate/app. bydate/app. by

Permanent powerC.O. FinalCulvert

date/app. bydate/app. bydate/app. by

M/H tie downs, blocking, electricity and plumbingPool

date/app. bydate/app. bydate/app. by

ReconnectionPump poleUtility Pole

date/app. bydate/app. bydate/app. by

M/H PoleTravel TrailerRe-roof

date/app. bydate/app. bydate/app. by

BUILDING PERMIT FEE \$25.00CERTIFICATION FEE \$0.00SURCHARGE FEE \$0.00

MISC. FEES \$0.00ZONING CERT. FEE \$50.00FIRE FEE \$0.00WASTE FEE \$

FLOOD DEVELOPMENT FEE \$FLOOD ZONE FEE \$25.00CULVERT FEE \$TOTAL FEE 100.00

INSPECTORS OFFICECLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

JW ADVISED 6.20.07

Columbia County Building Permit Application

For Office Use Only Application # 0706-53 Date Received 6/15 By JW Permit # 25943
Application Approved by - Zoning Official BLK Date 20.06.07 Plans Examiner OK JTH Date 6-18-07
Flood Zone X PSurveys Development Permit N/A Zoning A-3 Land Use Plan Map Category A-3
Comments Accession Use
☐ NOC ☐ EH ☐ Deed or PA ☒ Site Plan ☐ State Road Info ☐ Parent Parcel # ☐ Development Permit

Name Authorized Person Signing Permit CLARENCE S. TATE Fax 904.338.7972
Address PO BOX 1632 GREEN COVE SPRINGS 32043 Phone 386-752-0644
Owners Name ENOCH HARRIS Jr. OR LILLIE P. HARRIS Phone 386-752-0644
911 Address 123 SW NEIGHBORS GLEN LAKE CITY FL. 32024
Contractors Name JONATHAN P. LANG CLASSIC MANOR BLDRS. Phone (904)338-7972
Address PO BOX 1632 GREEN COVE SPRINGS, FL. 32043
Fee Simple Owner Name & Address N/A
Bonding Co. Name & Address N/A
Architect/Engineer Name & Address DAVID L. NARRAMORE P.O. BOX 8438 GREENVILLE, SC 29604
Mortgage Lenders Name & Address N/A
Circle the correct power company - FL Power & Light - Clay Elec. - Suwannee Valley Elec. - Progressive Energy
Property ID Number 32-3S-16-02430-005 Estimated Cost of Construction \$4,099.00
Subdivision Name KAL-WAY Lot 5 Block 1 Phase 1
Driving Directions HWY 90 W. TO LEFT ON THOMAS TERRACE TO LEFT ON NEIGHBORS GLEN
FIRST HOUSE ON CORNER on left

Type of Construction 12'x12'x10'H Wood FrmsHEED Number of Existing Dwellings on Property 1
Total Acreage 0.88 Lot Size 43,560 Do you need a - Culvert Permit or Culvert Waiver or Have an Existing Drive
Actual Distance of Structure from Property Lines - Front 152' Side 35' sk Side 137' Rear 100'
Total Building Height 10' Number of Stories ONE Heated Floor Area NO UTILITIES Roof Pitch 3/12 GAMBRE

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Ernest H. Jones, Jr. & Lillian P. Jones
Owner, Builder or Authorized Person by Notarized Letter

STATE OF FLORIDA
COUNTY OF COLUMBIA

Sworn to (or affirmed) and subscribed before me
this 13th day of June 2007
Personally known ☒ or Produced Identification ☐

Contractor Signature _____
Contractors License Number GC1251776
Competency Card Num _____
NOTARY STAMP/SEAL _____



 Notary Signature _____

CK #1159

RONNIE BRANNON
COLUMBIA COUNTY TAX COLLECTOR

NOTICE OF AD VALOREM TAXES AND NON-AD VALOREM ASSESSMENTS
REAL ESTATE 2006 107615.0000

ACCOUNT NUMBER	ESCROW CD	ASSESSED VALUE	EXEMPTIONS	TAXABLE VALUE	MILLAGE CODE
R02430-005		39,149	25,000	14,149	003

HARRIS LILLIE C & ENOCH JR
123 SW NEIGHBORS GLN
LAKE CITY FL 32024

32-3S-16 0100/0100
COMM 12 FT E OF NW COR OF SEC
WHICH IS E R/W OF A CO RD,
RUN S 754.14 FT TO POB, RUN E
165 FT, S 264 FT, W 165 FT TO
See Tax Roll For Extra Legal

AD VALOREM TAXES					
TAXING AUTHORITY	MILLAGE RATE	EXEMPTION AMOUNT	TAXABLE VALUE	TAXES LEVIED	
C001 S002	BOARD OF COUNTY COMMISS COLUMBIA COUNTY SCHOOL DISCRETIONARY	8.7260	25,000	14,149	123.46
	LOCAL	0.7600	25,000	14,149	10.75
	CAPITAL OUTLAY	4.9750	25,000	14,149	70.39
WSR	SUWANNEE RIVER WATER M	2.0000	25,000	14,149	28.30
HLSH	SHANDS AT LAKE SHORE	0.4914	25,000	14,149	6.95
IIDA	COLUMBIA COUNTY INDUS	2.2500	25,000	14,149	31.84
		0.1380	25,000	14,149	1.95
TOTAL MILLAGE		19.3404	AD VALOREM TAXES		273.64

NON-AD VALOREM ASSESSMENTS		
LEVYING AUTHORITY	RATE	AMOUNT
FFIR	FIRE ASSESSMENTS	67.00
GGAR	SOLID WASTE - ANNUAL	201.00
NON-AD VALOREM ASSESSMENTS		268.00

Please
Retain
this
Portion
for your
Records

COMBINED TAXES AND ASSESSMENTS		541.64	See reverse side for important information		
If Paid By Please Pay	Nov 30 2006 519.97	Dec 31 2006 525.39	Jan 31 2007 530.81	Feb 28 2007 536.22	Mar 31 2007 541.64

RONNIE BRANNON

NOTICE OF AD VALOREM TAXES AND NON-AD VALOREM ASSESSMENTS

COLUMBIA COUNTY TAX COLLECTOR

REAL ESTATE 2006 107615.0000

ACCOUNT NUMBER	ESCROW CD	ASSESSED VALUE	EXEMPTIONS	TAXABLE VALUE	MILLAGE CODE
R02430-005		39,149	25,000	14,149	003

RETURN WITH
PAYMENT

HARRIS LILLIE C & ENOCH JR
123 SW NEIGHBORS GLN
LAKE CITY FL 32024

32-3S-16 0100/0100
COMM 12 FT E OF NW COR OF SEC
WHICH IS E R/W OF A CO RD,
RUN S 754.14 FT TO POB, RUN E
165 FT, S 264 FT, W 165 FT TO
See Tax Roll For Extra Legal

PAY IN U.S. FUNDS (NO POST DATED CHECKS) TO RONNIE BRANNON TAX COLLECTOR - 135 NE HERNANDO AVE. - SUITE 125, LAKE CITY, FL 32055-4006


If Paid By Please Pay	Nov 30 2006 519.97	Dec 31 2006 525.39	Jan 31 2007 530.81	Feb 28 2007 536.22	Mar 31 2007 541.64
--------------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

Paid 11/07/2006 D/I 11/07/2006 Rcpt # 2201333.0001 \$519.97

FROM : COLUMBIA CO BUILDING + ZONING FAX NO. : 386-758-2160

Jun. 20 2007 11:41AM P1

Revised Site Plan



Enoch Harris


PURSUANT TO 2004 FBC, CHAPTER 16

- A. BASIC WIND SPEED = 130 MPH
- B. WIND IMPORTANCE FACTOR = 0.77
- C. BUILDING CATEGORY = I
- D. WIND EXPOSURE CATEGORY = B
- E. INTERNAL PRESSURE COEFFICIENT = ±0.18
- F. MAXIMUM WIND DESIGN PRESSURE FOR DESIGN OF EXTERIOR COMPONENT AND CLADDING = 40 PSF (0.28 PS)

THIS BUILDING AND ITS COMPONENTS HAVE BEEN DESIGNED TO BE IN GENERAL COMPLIANCE WITH THE 2004 EDITION OF THE FLORIDA BUILDING CODE: RESIDENTIAL VOLUME.

GENERAL NOTES:

1. MINIMUM FB FOR EXTERIOR LOAD BEARING STUDS @ 16" O.C. = 1800
2. MINIMUM FB FOR EXTERIOR NON-LOAD BEARING STUDS @ 16" O.C. = 1800
3. UPLIFT @ GABLE END WALLS @ 6" O.C. 120#/STUD
4. UPLIFT LOADS @ SIDEWALLS MIN 100 LBS @ 10 PSF MIN TABLE 305 F = 320#/STUD
5. NAILING OF EXTERIOR SHEATHING (WALL AND ROOF) - 8d RING SHANK NAIL - 3" O.C. FOR TOP & BOTTOM, 6" O.C. SIDES, 12" O.C. INTERNAL
6. NAILING OF FLOOR - 8d COMMON NAIL @ 6" O.C. AT EDGES AND 12" O.C. INTERNAL
7. ANCHORS @ BLOCKS ARE 48" L, 5/8" DIA. W/40#
8. HOLDING CAPACITY - 40#
9. TIE DOWN ENGINEERING
10. SKU NO. 59065 (3 ANCHORS ON LEFT & RIGHT SIDE OF BUILDING)
11. NAILING OF CS16 STRAPS - USE (6) 1 1/2" #10 STRAP NAILS ON EVERY 14" OF CS16
12. USED - TYPICAL ON ALL CS16 STRAP CONNECTIONS
13. FASTENING OF SIMPSON STRONGTIE H1 = (6) 8d x 1 1/2" NAILS
14. DESIGN CRITERIA: 2003 INTERNATIONAL RESIDENTIAL CODE FOR ONE AND TWO
15. FAMILY DWELLING FOR STRUCTURES OVER 200 SQ FT.
16. IN COASTAL REGIONS, 2004 FLORIDA BUILDING CODE, RESIDENTIAL VOLUME.
17. INTERNATIONAL BUILDING CODE 2003 ED.
18. ASCE 7-02 MINIMUM DESIGN LOADS FOR BUILDINGS AND OTHER STRUCTURES.
19. THIS BUILDING IS DESIGNED TO RESIST HURRICANE FORCE WINDS OF 130 MPH.
20. THIS STRUCTURE IS DESIGNED ACCORDING TO SECTION R202 OF THE INTERNATIONAL RESIDENTIAL BUILDING CODE, 2003 ED AS AN ACCESSORY STRUCTURE. ITS USE IS AS A NON-DWELLING BUILDING WITH A CONTAINED LIVE LOAD AND DEAD LOAD OF 40 PSF.



AXONOMETRIC ELEVATION

N.T.S.

FILE COPY

David L. Naramore



DAVID L. NARAMORE
AIA ARCHITECT

Architects & Planners

ARCHITECTS & PLANNERS

P.O. Box 8438 Greenville, SC 29604
310 Mills Ave. Greenville, SC 29605

Phone: 864.242.8881
Fax: 864.232.5202

dlm@dnarchitects.com

©2004 NARAMORE ASSOCIATES, INC.
COPYRIGHT PROTECTED BY FEDERAL LAW



CLASSIC MANOR
BUILDERS, INC

12 X 12
STARBRIGHT
FLORIDA
COASTAL

DOCUMENT DATA
ENOCH HARRIS
PROJECT NUMBER
05984

ISSUE DATE
05.18.07

A1



DAVID L. NARAMORE
AIA, ARCHITECT

Architects & Planners

ARCHITECTS & PLANNERS

P.O. Box 8438 Greenville, SC 29604
310 Mills Ave. Greenville, SC 29605

Phone: 864.242.8881
Fax: 864.232.5202

Plans@NARAMORE-ARCHITECTS.com

© 2004, NARAMORE ASSOCIATES, INC.
COPYRIGHT PROTECTED BY FEDERAL LAW




CLASSIC MANOR
BUILDERS, INC.

12 X 12
STARBRIGHT

FLORIDA
COASTAL


FLOOR PLAN

1/4" = 1'-0"



FLOOR FRAMING PLAN

1/4" = 1'-0"



David L. Naramore
Supt.

A2



DAVID L. NARAMORE
AIA, ARCHITECT

Architects & Planners

AMERICAN INSTITUTE
OF ARCHITECTS

P.O. Box 9438 Greenville, SC 29604
310 Mills Ave. Greenville, SC 29605

Phone: 864.242.9881
Fax: 864.232.5202

info@naramorearchitects.com
www.naramorearchitects.com

©2004 NARAMORE ASSOCIATES, INC.
COPYRIGHT PROTECTED BY FEDERAL LAW





CLASSIC MANOR
BUILDERS, INC

12 X 12
STARBRIGHT

FLORIDA
COASTAL

DOCUMENT DATA
ENOCH HARRIS
PROJECT NUMBER
05984
ISSUE DATE
05.18.07

A3



Handwritten signature: David L. Naramore



DAVID L. NARAMORE
AIA, ARCHITECT

Architects & Planners



P.O. Box 8438 Greenville, SC 29604
310 Main Ave. Greenville, SC 29605

Phone: 864.242.8881
Fax: 864.232.5202
dln@naramore-architect.com

© 2004, NARAMORE ASSOCIATES, INC.
COPYRIGHT PROTECTED BY FEDERAL LAW




CLASSIC MANOR
BUILDERS, INC

12 X 12
STARBRIGHT

FLORIDA
COASTAL

DOCUMENT DATA	
PROJECT NUMBER	05984
ISSUE DATE	05.18.07

A4



SIDE FRAMING ELEVATION

1/4" = 1'-0"

Handwritten signature: David L. Naramore
Date: 5/11/07



DAVID L. NARAMORE
AIA ARCHITECT

Architects & Planners

ARCHITECTS & PLANNERS

P.O. Box 6438 Greenville, SC 29604
310 Main Ave. Greenville, SC 29605

Phone: 864.242.8881
Fax: 864.232.5202
Plans@naramorearchitects.com

© 2004, NARAMORE ASSOCIATES, INC.
Copyright protected by Federal Law




CLASSIC MANOR
BUILDERS, INC


12 X 12
STARBRIGHT

FLORIDA
COASTAL

SIMPSON H2.5 CONNECTOR
(TYP. @ EACH RAFTER)




SIMPSON H1 CONNECTOR
(TYP. @ EACH RAFTER)



50" MAXIMUM (IF ANGLE EXCEEDS
50" ATTACH ADDITIONAL STRAP
TIE TO OPPOSITE FRAME)

AUGER ANCHORS AND 1/6 GA. MTL
STRAP FEED THROUGH (TYP.)

ANCHOR DETAIL



James J. Naramore


A5

DOCUMENT DATA
PROJECT NUMBER
05984
ISSUE DATE
05.18.07


RR CONNECTOR, SEE GENERAL NOTES FOR NAIL SIZES, (TYP. @ EACH RAFTER, BOTH SIDES OF RIDGE BEAM)

2x6 ROOF RAFTERS @ 24" O.C. TYP.


2x6 RIDGE BEAM



RIDGE BEAM DETAIL



SIMPSON "RR" CONNECTOR



GUSSET PLATE DETAIL

GENERAL NOTES:

1. THE MAXIMUM SHEAR LOAD ON RAFTER JOINT IS 305.6 lbs. A 6d NAIL HAS A SHEAR CAPACITY OF 47 lbs. WITH A TOTAL OF (12) NAILS INTO THE GUSSET PLATE AND RAFTER, THE SHEAR CAPACITY OF THIS CONNECTION IS 564 lbs.
2. PLYWOOD HAS SHEAR STRENGTH THROUGH THICKNESS OF 600 - 1000 LBS./IN - SEE ACCOMPANYING ATTACHMENT. (TABLE 10-6 GENERAL PROPERTY VALUES FOR SHEATHING PLYWOOD)
3. RIDGE RAFTER (RR) - (4) 10d x 1 1/2" NAILS INTO THE RAFTER & (4) 10d x 1 1/2" NAILS INTO RIDGE BEAM
4. ON SMALLER BUILDING A RIDGE BEAM MAY NOT BE REQUIRED. IN THOSE CASES REPLACE THE RIDGE BEAM DETAIL WITH A GUSSET PLATE DETAIL AS INDICATED.

David Naramore
5/11/07



DAVID NARAMORE
A.A. ARCHITECT

Architects & Planners

ARCHITECTS & PLANNERS

P.O. Box 8438 Greenville, SC 29604
310 Mills Ave. Greenville, SC 29605

Phone: 864.242.8881
Fax: 864.232.5202
Email: dnm@naramore-architect.com

© 2006 NARAMORE ASSOCIATES, INC.
COPYRIGHT PROTECTED BY FEDERAL LAW



CLASSIC MANOR
BUILDERS, INC

12 X 12
STARBRIGHT

FLORIDA
COASTAL

DOCUMENT DATA
ENOCH HARRIS

PROJECT NUMBER
05984

ISSUE DATE
05.18.07

A6



**NABRA MANOR
ASSOCIATES, INC.**

Architects & Planners

AMERICAN INSTITUTE
OF ARCHITECTS

P.O. Box 8408 Greenville, SC 29604
310 Main Ave. Greenville, SC 29603

Phone: 864.242.8881
Fax: 864.232.5202




© 2006 NABRA MANOR ASSOCIATES, INC.
COPYRIGHT PROTECTED BY FEDERAL LAW



12 X 12
STARBRIGHT
FLORIDA
COASTAL

DOCUMENT DATA
PROJECT NUMBER
05984
ISSUE DATE
05.18.07




A7



DOUBLE DOOR OPENING
1/4" = 1'-0"

DOUBLE DOOR OPENING
1/4" = 1'-0"



WINDOW OPENING
1/4" = 1'-0"



SINGLE DOOR OPENING
1/4" = 1'-0"

SINGLE DOOR OPENING
1/4" = 1'-0"


WINDOW OPENING
1/4" = 1'-0"



ROOF PANEL NAIL PATTERN
1/4" = 1'-0"

WALL PANEL NAIL PATTERN
1/4" = 1'-0"

NAIL PATTERN
1 1/2" = 1'-0"



Handwritten signature and date: 5/11/07

STATE OF FLORIDA WIND ANALYSIS

CLASSIC MANOR BUILDERS

BUILDING NAME:	Starbright	16' x 16'
-----------------------	------------	-----------

BUILDING STATS:			
	FEET	INCHES	
1. Short Wall:	16'		192
2. Long Wall:	16'		192
3. Block Height		4.00	4
4. Wall Height 1	4'	8.50	56.5
5. Wall Height 2	2'	7.50	31.5
6. Slope Height	1'	7.50	19.5

DESIGN CRITERIA:

- Florida Building Code 2004 Ed., IBC 2003 Ed., ASCE 7-02 Method 1.
- Wind speed = **130 MPH**
- Wind Importance Factor = 0.77 (FBC 2004 TBL 1604.5)
- Wind Exposure "B" (FBC 2004 1609.4)

Mean Roof Height (MRH):	
Block Ht. + Wall Ht. 1 + Wall Ht. 2 + 1/2(Slope Ht.) =	8.48'

Edge Strip:			
0.1 x (longest horiz. dimension) =	0.1 x 192 =	19.2 =	1.60'
0.4 x (eave height) =	0.4 x 101.76 =	40.704 =	3.39'
0.04 x (longest horiz. dimension) =	0.04 x 192 =	7.68 =	0.64'

USE 3' PER FBC 2004 1609.6.3


End Zone:			
2 x (edge strip length) =	2 x 36 in. =	72 in. =	6.00'

Roof Slope:			
	RISE	RUN	slope
	5	12	23°

Adjustment coefficient for building height and exposure = 1.0 (FBC 2004 TBL 1609.6D)
Importance Factor = .77 (FBC 2004 TBL 1604.5)

Design Load:			
(Load) x (Height & Exposure Coefficient) x (Importance Factor)			
(Load) x (1) x (.77)			
Design for Main Wind Force Resisting System (MWFRS):			
Horizontal Loads (FBC 2004 TBL 1609.6A)			
Wall: End Zone	37.1	x (.77) =	29 psf
Interior Zone	24.7	x (.77) =	19 psf
Roof: End Zone	-9.8	x (.77) =	-8 psf
Interior Zone	-5.4	x (.77) =	-4 psf
Vertical Loads (FBC 2004 TBL 1609.6A)			
Roof Windward: End Zone	-32.2	x (.77) =	-25 psf
Interior Zone	-22.4	x (.77) =	-17 psf
Roof Leeward: End Zone	-22.4	x (.77) =	-17 psf
Interior Zone	-17	x (.77) =	-13 psf

MWFRS:



$$H2 = MRH [(H. \text{ End Load})(12) + (H. \text{ Int. Load})(\text{Long Wall Length} - 12)]$$

$$H2 = 3552.10$$

$$H1 = MRH [(H. \text{ End Load})(6) + (H. \text{ Int. Load})(\text{Short Wall Length} - 6)] + (\text{Slope Ht.})(1/2)(\text{Short Wall Length})(H. \text{ Int. Load})$$

$$H1 = 3313.55$$

Load to Shear Walls:

Wall B:	Shear	=	(H1)/2	=	1,657 #
	Shear/Ft.	=	Shear/Short Wall Length	=	104 plf
Wall A:	Shear	=	(H2)/4	=	0,888 #
	Shear/Ft.	=	Shear/Long Wall Length	=	56 plf


Note: Per APA, shearwall capacities for T1-11 and 3/8" smartsiding are identical to those of 19/32" plywood.

Edge nailing: Use 8d ring shank @ 3" O.C. Top & Bottom and 6" O.C. for the sides = 336 plf

Design Loads for Components and Cladding (FBC 2004 TBL 1609.6B)

Effective Wind Area for Wall = (MRH ²)/3				=	23.97 sf
Effective Wind Area for Roof = (Slope Ht. ²)/3				=	0.88 sf
Roof:	Zone 1:	17.5	x (.77)	=	13.5 psf
		-27.8	x (.77)	=	-21.4 psf
	Zone 2:	17.5	x (.77)	=	13.5 psf
		-58.7	x (.77)	=	-45.2 psf
	Zone 4:	27.2	x (.77)	=	20.9 psf
		-29.8	x (.77)	=	-22.9 psf
Wall:	Zone 5:	27.2	x (.77)	=	20.9 psf
		-34.3	x (.77)	=	-26.4 psf

Design Loads for Typical Job-built Door



Maximum Wind Load		=	38 psf
Area of Door		=	3' x 6'-8" = 20.25 sf
Load		=	38 psf x 18.75 sf = 712.5 #
Load/Bolt		=	712.5#/2 = 356.25#
Bolt Tolerance		=	3/8" Φ bolt = πr ²
		=	π(3/16") ² = 0.4417865 in ²
Fy		=	36,000 psi x 0.4417865 in ²
		=	15,904.3 # per bolt
3/8" Φ bolt OK			

nai2005cmb

Letters to: (enclose self-addressed stamped envelope)


Name: CLASSIC MANOR BUILDERS INC.
Address: PO BOX 1632
GREEN COVE SPRINGS, FL. 32043
This Instrument Prepared by:

Name: C. SIMON TATE
Address: PO BOX 1632
GREEN COVE SPRINGS, FL. 32043
Property Appraiser's Parcel Identification

STATE OF FLORIDA, COUNTY OF COLUMBIA
I HEREBY CERTIFY, that the above and foregoing
is a true copy of the original filed in this office.
P. DEWITT CASON, CLERK OF COURTS

By: Sharon Seagle
Deputy Clerk

Date: 06-21-2007



Inst: 200712013771 Date: 6/21/2007 Time: 2:59 PM

14 DC, P. DeWitt Cason, Columbia County Page 1 of 1

SPACE ABOVE THIS LINE FOR PROCESSING DATA

SPACE ABOVE THIS LINE FOR RECORDING DATA

NOTICE OF COMMENCEMENT

Permit No. _____

Tax Folio No. _____

State of Florida _____
County of: COLUMBIA }

The undersigned hereby gives notice that improvements will be made to certain real property, and in accordance with chapter 713 of the Florida Statutes, the following information is provided in this NOTICE OF COMMENCEMENT.

Legal description of property (include Street Address, if available) 123 SW NEIGHBORS GLEN LAKE CITY, FLORIDA 32024 SECTION 32, TOWNSHIP 3 SOUTH, RANGE 16 EAST

General description of improvements CONSTRUCT A 12'x12'x10' High Wood Framed SHED

Owner's Name ENOCH HARRIS Jr OR Lillie P. HARRIS

Address 123 SW NEIGHBOR GLEN, LAKE CITY, FLORIDA 32024

Owner's interest in site of the improvement 100%

Fee Simple Title holder (if other than owner) N/A

Address _____ Phone: _____ Fax: _____

Contractor JONATHAN P. LANG CLASSIC MANOR BUILDERS INC.

Address P.O. BOX GREEN COVE SPRINGS FL Phone: 904-338-7972 Fax: 904-529-7609

Surety N/A Phone: _____ Fax: _____

Address _____ Amount of bond \$ _____

Lender's Name N/A

Address: _____ Phone: _____ Fax: _____

Persons within the State of Florida designated by owner upon whom notices or other documents may be served as provided by Section 713.13(1)(a)7, Florida Statutes.

Name N/A

Address _____ Phone: _____ Fax: _____

In addition to himself, owner designates N/A


Of _____ Phone: _____ Fax: _____

to receive a copy of the Lessor's Notice as provided in Section 713.13(1)(b), Florida Statutes.

Expiration date of Notice of Commencement (the expiration date is 1 year from the date of recording unless a different date is specified)

Enoch Harris Jr
Signature of Owner

Enoch Harris Jr, Lillie P. Harris
Printed Name of Owner



I have relied upon the following identification of the Affiant

Enoch Harris Jr + Lillie P. Harris

Sworn to and subscribed before me this 13th day of June 2007

Notary Signature Chevelle A. Reed Young

Printed Name _____

