

DATE 09/15/2005

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000023616

APPLICANT WENDY GRENNELL PHONE 386.288.2428

ADDRESS 3104 SW OLD WIRE ROAD FT. WHITE FL 32038

OWNER TERRI L. DAVIS-PHILLIPS PHONE 386.752.6824

ADDRESS 415 NE EVANSTON LANE LAKE CITY FL 32055

CONTRACTOR JESSIE C. KNOWLES PHONE 386.755.6441

LOCATION OF PROPERTY 441-N TO CEMETERY LOOP,TR GO TO EVANSTON LANE,TR GO STRAIGHT
TO CEMETERY,DRIVEWAY IS STAIGHT AHEAD.

TYPE DEVELOPMENT M/H & UTILITY ESTIMATED COST OF CONSTRUCTION .00

HEATED FLOOR AREA TOTAL AREA HEIGHT .00 STORIES

FOUNDATION WALLS ROOF PITCH FLOOR

LAND USE & ZONING A-3 MAX. HEIGHT

Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00

NO. EX.D.U. 1 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 34-1S-17-04645-001 SUBDIVISION

LOT BLOCK PHASE UNIT TOTAL ACRES 9.31

IH0000509

Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor Wendy Grennell

EXISTING 05-0903-E BLK HD N

Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: 1 FOOT ABOVE ROAD

REPLACEMENT ONLY. 1 UNIT CHARGED.

Check # or Cash 323

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic

 date/app. by date/app. by date/app. by

Under slab rough-in plumbing Slab Sheathing/Nailing

 date/app. by date/app. by date/app. by

Framing Rough-in plumbing above slab and below wood floor

 date/app. by date/app. by date/app. by

Electrical rough-in Heat & Air Duct Peri. beam (Lintel)

 date/app. by date/app. by date/app. by

Permanent power C.O. Final Culvert

 date/app. by date/app. by date/app. by

M/H tie downs, blocking, electricity and plumbing Pool

 date/app. by date/app. by date/app. by

Reconnection Pump pole Utility Pole

 date/app. by date/app. by date/app. by

M/H Pole Travel Trailer Re-roof

 date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$.00 CERTIFICATION FEE \$.00 SURCHARGE FEE \$.00

MISC. FEES \$ 200.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ WASTE FEE \$

FLOOD ZONE DEVELOPMENT FEE \$ CULVERT FEE \$ TOTAL FEE 250.00

INSPECTORS OFFICE CLERKS OFFICE CH

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only

(Revised 6-23-05)

Zoning Official BLK 15.09.05

Building Official HD 9-14-05

AP# 0508-106

Date Received 8/30/05

By JW

Permit # 23616

Flood Zone X

Development Permit N/A

Zoning A-2

Land Use Plan Map Category A-2

Comments

323

FEMA Map# _____ Elevation _____ Finished Floor _____ River _____ In Floodway _____

- ☒ Site Plan with Setbacks Shown ☒ EHS Signed Site Plan ☒ EHS Release ☒ Well letter ☒ Existing well
- ☒ Copy of Recorded Deed or Affidavit from land owner ☒ Letter of Authorization from installer

Property ID # 34-15-17-04645-001HX Must have a copy of the property deed

New Mobile Home ☒ Used Mobile Home _____ Year 2006

Applicant WENDY GREENELL Phone # 386-288-2428

Address 3104 SW OLD WIRE ROAD FT. WHITE, FL 32038

Name of Property Owner DAVIS TERRI LEE Phone # 752-6824

911 Address 415 NE EVANSTON LANE, LAKE CITY, FL 32055

Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric Progress Energy

Name of Owner of Mobile Home TERRI DAVIS Phillips Phone # 386-752-6824

Address 415 NE EVANSTON LANE, LAKE CITY, FL 32055

Relationship to Property Owner SAME

Current Number of Dwellings on Property 1

Lot Size 340 x 1283 Total Acreage 9.310

Do you : Have an Existing Drive or need a Culvert Permit or a Culvert Waiver (Circle one)

Is this Mobile Home Replacing an Existing Mobile Home Yes

Driving Directions to the Property 441 N go under I-10 OVERPASS
go 7.8 M TO CEMETARY LOOP TURN (R) go TO
EVANSTON LANE TURN (R) go STRAIGHT TO
CEMETARY - DRIVE WAY IS STRAIGHT AHEAD

Name of Licensed Dealer/Installer Jessie L. CHESTER KNOWLES Phone # 386-755-6441

Installers Address 5801 SW SR47 LAKE CITY, FL 32056

License Number FH0000509 Installation Decal # 256128

called 9-15-05

PERMIT NUMBER

Installer Jessie L. Chester-Krawles License # 1H0000509

Address of home being installed 415 NE EVANSTON LANE
LAKE CITY FL 32055

Manufacturer Fleetwood Length x width 32x64 Box

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home


I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials JLK

Typical pier spacing



Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations)



New Home ☒ Used Home ☐

Home installed to the Manufacturer's Installation Manual ☒

Home is installed in accordance with Rule 15-C. ☐

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐

Double wide ☒ Installation Decal # 256128

Triple/Quad ☐ Serial # ordered

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	3'	4'	5'	6'	7'	8'
1500 psf	4' 6"	4' 6"	6'	7'	8'	8'	8'
2000 psf	6'	6'	8'	8'	8'	8'	8'
2500 psf	7' 6"	7' 6"	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 23 1/2 x 31 1/2

Perimeter pier pad size NA

Other pier pad sizes (required by the mfg.) 16x16

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening

Pier pad size

18'

23 1/2 x 31 1/2

ANCHORS

4 ft ☒ 5 ft ☐

FRAME TIES

within 2' of end of home spaced at 5' 4" oc ☒

OTHER TIES

Number

Sidewall 6
Longitudinal 2 min
Marriage wall 2 min
Shearwall

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer

Longitudinal Stabilizing Device w/ Lateral Arms

Manufacturer Oliver Technology

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to _____ psf or check here to declare 1000 lb. soil ☒ without testing.

x 1.0 x 1.0 x 1.0

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 1.0 x 1.0 x 1.0

TORQUE PROBE TEST

The results of the torque probe test is NA used inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name Jessie L. Chester "knowles"
Date Tested 8-26-05

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 15C-1

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 15C-1
Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 15C-1

Site Preparation

Debris and organic material removed ☒
Water drainage: Natural ☒ Swale ☐ Pad ☐ Other ☐

Fastening multi wide units

Floor: Type Fastener: Lags Length: 6" Spacing: 24"
Walls: Type Fastener: screws Length: 4" Spacing: 24"
Roof: Type Fastener: screws Length: 1 1/4" x 1/4" Spacing: 48"
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Type gasket Roll Foam Installed: ☒
Pg. 15C-1 Between Floors Yes ☒
Factory Installed Between Walls Yes ☒
Bottom of ridgebeam Yes ☒

Weatherproofing

The bottomboard will be repaired and/or taped. Yes ☒ Pg. 15C-1
Siding on units is installed to manufacturer's specifications. Yes ☒
Fireplace chimney installed so as not to allow intrusion of rain water. Yes ☒

Miscellaneous

Skirting to be installed. Yes ☒ No ☐
Dryer vent installed outside of skirting. Yes ☒ N/A ☒
Range downflow vent installed outside of skirting. Yes ☒ N/A ☒
Drain lines supported at 4 foot intervals. Yes ☒
Electrical crossovers protected. Yes ☒
Other: 15C-1 may or may not have page # in setup

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature

Date 8-26-05


WFTNL ENLBN UNLBN 0116 0117

[illegible]


STAMP NAME	
CUSTOMER (F/R):	9 / 9
WIND SPEED: 2	
LOCATIONS	CH17 STAFF
	MS 0-1
	11-5 1/4
	MS 0-2
	11-1 1/4
	MS 0-3
	11-1 1/4
	MS 0-2
	11-1 1/4
	MS 0-1

POST CODE	LINE	LAND	72 LBS.	LAND	UNCL	DATE	LAND
	A					2100	
	A						
	B	11-1	7/0			2100	
	B	11-1	7/0				
	C	11-1	7/0			2100	
	C	11-1	7/0				
	D	11-1	7/0			2100	
	D	11-1	7/0				
	E	11-1	7/0			2100	
	E	11-1	7/0				
	F	11-1	7/0			2100	
	F	11-1	7/0				
	G	11-1	7/0			2100	
	G	11-1	7/0				
	H	11-1	7/0			2100	
	H	11-1	7/0				
	I	11-1	7/0			2100	
	I	11-1	7/0				
	J	11-1	7/0			2100	
	J	11-1	7/0				
	K	11-1	7/0			2100	
	K	11-1	7/0				
	L	11-1	7/0			2100	
	L	11-1	7/0				
	M	11-1	7/0			2100	
	M	11-1	7/0				
	N	11-1	7/0			2100	
	N	11-1	7/0				
	O	11-1	7/0			2100	
	O	11-1	7/0				
	P	11-1	7/0			2100	
	P	11-1	7/0				
	Q	11-1	7/0			2100	
	Q	11-1	7/0				
	R	11-1	7/0			2100	
	R	11-1	7/0				
	S	11-1	7/0			2100	
	S	11-1	7/0				
	T	11-1	7/0			2100	
	T	11-1	7/0				
	U	11-1	7/0			2100	
	U	11-1	7/0				
	V	11-1	7/0			2100	
	V	11-1	7/0				
	W	11-1	7/0			2100	
	W	11-1	7/0				
	X	11-1	7/0			2100	
	X	11-1	7/0				
	Y	11-1	7/0			2100	
	Y	11-1	7/0				
	Z	11-1	7/0			2100	
	Z	11-1	7/0				

SITE PLAN EXAMPLE / WORKSHEET



Use this example to draw your own site plan. Show all existing buildings and any other homes on this property and show the distances between them, Also show where the roads or roads are around the property. This site plan can also be used for the 911 Addressing department if you include the distance from the driveway to the nearest property line.



LIMITED POWER OF ATTORNEY

I, Tessie L. Chester Knudsen license # TH0000509 hereby
authorize Wendy Grennell to be my representative and act
on my behalf in all aspects of applying for a mobile home permit
to be placed on the following described property located in
Columbia County, Florida.

Property Owner: Temi Davis-Phillips

911 Address: 415 NE Evanson Lane

Parcel ID#: 04645-001

Sect: 34 Twp: 15 Rge: 17

Tessie L. Chester Knudsen
Mobile Home Installer Signature

8.26.05
Date

Sworn to and subscribed before me this 26th day of August,
20 05.

Susan Todd
Notary Public



Susan Todd
Commission # DD449132
Expires July 10, 2009
Bonded Troy Fain - Insurance, Inc. 800-385-7019

My Commission expires: July 10, 2009

Commission Number: DD 449132

Personally known: _____

Produced ID (type): _____

Consents for Permit Application

I TERRI DAVIS Phillips authorize WENDY GREENELL to act on my behalf while applying for the permits required to move a Mobile Home on the property described below. I further grant permission to JESSIE CHESTER KNOWE Mobile Home Installer license # TH0000509 to place the described Mobile Home on the property located in COLUMBIA County.

Property Owner TERRI DAVIS Phillips

Sec 34 Twp. 1S Rge. 17 Tax Parcel# 04645 0014X

Lot: _____ Block: _____ Subdivision: _____

Model TIMBERWOOD Year 2006 Manufacturer FLEETWOOD

Length 68 Width 32 SN# _____ Model# 0643T

I understand that this could result in an assessment for solid waste and fire protection services levied on this property.

Dated this 29 day of August, 2005

Witness Wendy Greenell Owner Terri P. Davis Phillips

Witness _____ Owner _____

Sworn to and described before me this 29 day of August, 2005

By Terri Davis Phillips
Property Owner's Name

Susan Todd
Notary's name



Susan Todd
Commission # DD449132
Expires July 10, 2009
Bonded Troy Fain - Insurance, Inc. 407-186-7019

95-04131

1995 APR -3 AM 10:31

FILED IN PUBLIC
RECORDS
COLUMBIA COUNTY, FLA.
CLERK OF COURTS
BY *Manal Kanda*

CORRECTIVE WARRANTY DEED

THIS IDENTURE, made this 20 day of December, 1994, BETWEEN
JOBIE DAVIS, a single person, whose Post Office address is Post Office Box 1403, Lake City,
Florida 32056, of the County of Columbia, State of Florida, grantor*, and CHARLES GLENN
CARTER III and his wife, TERRI LEE CARTER, whose address is Route 13 Box 1028, Lake City,
Florida 32055, of the County of Columbia, State of Florida, grantee*.

WITNESSETH: that said grantor, for and in consideration of the sum of Ten Dollars
(\$10.00), and other good and valuable considerations to said grantor in hand paid by said grantee,
the receipt whereof is hereby acknowledged, has granted, bargained and sold to the said grantee,
and grantee's heirs and assigns forever, the following described land, situate, lying and being in
Columbia County, Florida, to-wit:

TOWNSHIP 1 SOUTH - RANGE 17 EAST

SECTION 34: The South 340.33 feet of the NW 1/4 of the SW 1/4, LESS
AND EXCEPT one acre on the West side for cemetery.

SUBJECT TO: Restrictions, easements and outstanding mineral rights of
record, if any, and taxes for the current year.

N.B. The purpose of this deed is to correct the name of the Grantee in
the Warranty Deed recorded in Official Records Book 787, Pages 162-163
of the public records of Columbia County, Florida.

and said grantor does hereby fully warrant the title to said land, and will defend the same against the
lawful claims of all persons whomsoever.

*"Grantor" and "grantee" are used for singular or plural, as context requires.

IN WITNESS WHEREOF, the parties have set their hands and Seals, the day and year first
above written.

Signed, sealed and delivered
in the presence of.

M. Virginia Diner
(First Witness)

M. Virginia Diner
Printed Name

Manal Kanda
(Second Witness)

Manal Kanda
Printed Name

Charles Glenn Carter III (SEAL)
Charles Glenn Carter III

Terri Lee Carter (SEAL)
Terri Lee Carter

Jobie Davis (SEAL)
Jobie Davis

Notary is for Mr. Davis
Signature Only.

F.D.I.# D120-420-30-441

Sworn to and Subscribed Before me, This 20th day of December, 1994

NOTARY: *Sherrie B Thomas*

Expiration Date: _____



SHERRIE B THOMAS
My Commission: CC330390
Expires Nov. 15, 1997
Bonded by ANB
800-852-5678

M. Virginia Diner
NOTARY PUBLIC - FLORIDA
BY COMMISSION EXPIRES SEPTEMBER 19, 1998
BONDED WITH AGENTS' SIGNATURE RECORDS

CE 144629

DOCUMENTARY STAMP: 20
INTANGIBLE TAX: 6
P. DEWITT CASON, CLERK OF
COURTS, COLUMBIA COUNTY
BY *Manal Kanda*



APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT


Permit Application Number

05-0903E

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.

Terri DAVIS Phillips




Notes: 1 acre shown out of 9.310
1 acre of cemetery land not included in 9.31 acres
97' from well to septic

Site Plan submitted by: Wendy Gurnell Signature
Not Approved _____
Date 9-8-05

Approved Mark S. Lander County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT



COLUMBIA COUNTY INSPECTION SHEET

Per K-
Just put in fileDATE 12/29/2005

TAKEN BY

G

INSPECTION DATE:

12/30/05BUILDING PERMIT # 000023616

CULVERT / WAIVER PERMIT # _____

WAIVER _____

PARCEL ID # 34-1S-17-04645-001ZONING A-3TYPE OF DEVELOPMENT M/H & UTILITYSETBACKS: FRONT 30.00 REAR 25.00 SIDE 25.00 HEIGHT .00FLOOD ZONE X SEPTIC 05-0903-E NO. EXISTING D.U. 1

SUBDIVISION _____ Lot _____ Block _____ Unit _____ Phase _____

OWNER TERRI L. DAVIS-PHILLIPSPHONE 386.752.6824ADDRESS 415 NE EVANSTON LANE LAKE CITY FL 32055CONTRACTOR JESSIE C. KNOWLES PHONE 386.755.6441LOCATION 441-N TO CEMETERY LOOP, TR GO TO EVANSTON LANE, TR GO STRAIGHT TO CEMETERY, DRIVEWAY IS STRAIGHT AHEAD.COMMENTS: 1 FOOT ABOVE ROAD

REPLACEMENT ONLY. 1 UNIT CHARGED.

INSPECTION(S) REQUESTED:

☐ Temp Power ☐ Foundation ☐ Set backs

☐ Mono Slab ☐ Under Slab Rough-in ☐ Slab

☐ Sheathing/Nailing ☐ Framing ☐ Other

☐ Above slab Rough-in ☐ Electrical Rough-in

☐ Heat & A/C ☐ Beam (Lintel) ☐ Perm Power

☐ CO Final ☐ Culvert ☐ Reconnection

☐ Pool ☒ MH Perm Power ☐ Utility Pole

☐ RV Power ☐ Re-Roof ☐ MH Pole



INSPECTORS:

APPROVED _____ NOT APPROVED _____ BY _____ POWER CO. SVE

INSPECTORS COMMENTS:

Cross-over wires not hooked up

Handwritten: 2/28/99
M. J. ...



FLORIDA ONLY PIER POINT LAYOUT (PIERS @ I-BEAM & CENTERLINE WITHOUT PERIMETER FOUNDATION)

20-PSF ROOF ZONE

- X COLUMN SUPPORTS - SEE ABOVE DIAGRAM FOR LOCATIONS & LOAD REQUIREMENTS @ 20 PSF ZONE. SEE TABLE 4 OF INSTALLATION MANUAL FOR FLOORING SIZES.
- I-BEAM PIER SUPPORTS - 8" MAX. SPACING - SEE INSTALLATION MANUAL, TABLE 2 FOR SPACING AND TABLE 4 FOR FLOORING SIZES.

DIVISIONS		BOX LENGTH		DESCRIPTION		DRAWING NUMBER	
111	341	552					
112	344	582					
115	346	571					
120	365	501					
121	522	812					
143	X 521						
161	536						
171	538						

SKYLINE

5778-C11

PERMIT WUKKSHIEE!

PERMIT NUMBER

Installer

License #

Address of home being installed

Manufacturer


Length x width

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home


I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials


Typical pier spacing



Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations)



Marriage wall piers within 2' of end of home pier due 15C



New Home ☒ Used Home ☐
Home installed to the Manufacturer's Installation Manual

Home is installed in accordance with Rule 15-C

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐
Double wide ☒ Installation Decal # 03259411
Triple/Quad ☐ Serial # 03220

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	4'	5'	6'	7'	8'
1500 psf	4' 5"	6'	6'	7'	8'	9'	10'
2000 psf	6'	8'	8'	9'	10'	11'	12'
2500 psf	7' 6"	9'	9'	10'	11'	12'	13'
3000 psf	8'	10'	10'	11'	12'	13'	14'
3500 psf	8'	10'	10'	11'	12'	13'	14'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size

Perimeter pier pad size

Other pier pad sizes (required by the mfg.)

17X22
16X16
16X16

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.



List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening

Pier pad size

5 ft

4 ft

8 17X22
7 16X16
4 16X16

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer

Longitudinal Stabilizing Device w/ Lateral Arms

Manufacturer

OTHER TIES

Number

Sidewall

Longitudinal

Marriage wall

Shearwall

2
2
4
1

PERMIT WORKSHEET

FROM : COLUMBIA CO BUILDING + ZONING

FOR NO. : 386-758-2160

Dec. 02 2005 11:18AM P6

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 500 psf or check here to declare 1000 lb. soil without testing. 1500 x 1500

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

1500 x 1500 1500

TORQUE PROBE TEST

The results of the torque probe test is 285 inch pounds or check here if you are declaring 5' anchors without testing 4. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb. bonding capacity.

Installer's initials JS

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name 11-28-05

Date Tested 12-8-05

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg.

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg.

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems Pg.

Site Preparation

Debris and organic material removed ☒ Swale ☐ Pad ☐ Other ☐

Fastening multi wide units

Floor: Type Fastener: Long Length: 6 Spacing: 24" on center
Walls: Type Fastener: Long Length: 6 Spacing: 24" on center
Roof: Type Fastener: Long Length: 6 Spacing: 24" on center
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials JS

Type gasket Pg.

Installed: Between Floors Yes ☒
Between Walls Yes ☒
Bottom of ridgebeam Yes ☒

Weatherproofing

The bottomboard will be repaired and/or taped. Yes Pg.
Siding on units is installed to manufacturer's specifications. Yes
Fireplace chimney installed so as not to allow intrusion of rain water. Yes

Miscellaneous

Skirting to be installed. Yes ☐ No ☒
Dryer vent installed outside of skirting. Yes ☒ N/A
Range downflow vent installed outside of skirting. Yes
Drain lines supported at 4 foot intervals. Yes
Electrical crossovers protected. Yes
Other:

Installer verifies all information given with this permit worksheet is accurate and true based on the

manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature Donna J. [Signature]

Date 12-8-05

PERMITS DIVISION
OFFICE
COLUMBIA COUNTY, FLORIDA

PAID
1/13/06
G

OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 34-1S-17-04645-001

Building permit No. 000023616

Use Classification M/H & UTILITY

Fire: 0.00

Permit Holder RONNIE NORRIS

Waste:

Owner of Building TERRI L. DAVIS-PHILLIPS

Total: 0.00

Location: 415 NE EVANSTON LANE, LAKE CITY

Date: 01/13/2006



Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)