

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 6-23-05) Zoning Official OKS Building Official OK SH 7-27-06
 API 0607-66 Date Received 7-25-06 By LH Permit # 1162-24797
 Flood Zone X Development Permit N/A Zoning A-3 Land Use Plan Map Category A-3
 Comments Shallow Flooding First floor elev. min. 86'
Elevation letter req'd.
 FEMA Map# 105 Elevation _____ Finished Floor _____ River _____ In Floodway _____
☒ Site Plan with Setbacks Shown ☒ EH Signed Site Plan ☐ EH Release ☒ Well letter ☐ Existing well
☒ Copy of Recorded Deed or Affidavit from land owner ☐ Letter of Authorization from Installer

- Property ID # 24-02-15-00089-007 Must have a copy of the property deed
- New Mobile Home ☒ Used Mobile Home ☐ Year 06
- Applicant Linda H. Maxwell Cell 828-421-5466 Phone # 828-369-5933
- Address 382 Lakeshore Dr Franklin NC 28734
- Name of Property Owner Robert C Maxwell Phone # 828-369-7596
- 911 Address 478 NW White Springs Rd Whitesprings FLA 32096
- Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy
- Name of Owner of Mobile Home Linda H Maxwell Cell 828-421-5466
Address 478 NW White Springs Ave Whitesprings FLA 32096 Phone # 828-369-5933
- Relationship to Property Owner Father in Law
- Current Number of Dwellings on Property 0
- Lot Size 12 ac Total Acreage 12 ac
- Do you : Have an Existing Drive or need a Culvert Permit or a Culvert Waiver (Circle one)
- Is this Mobile Home Replacing an Existing Mobile Home NA (own)
- Driving Directions to the Property 41 North 3 miles past I 10 Make left onto Suwannee Valley Rd go approx 4 miles turn Right onto NW White Springs Rd 1/2 mile first driveway on left
- Name of Licensed Dealer/Installer Jessie L. Chester Kwades Phone # (386) 755-6441
- Installers Address 5801 SW SR 47 Lake City FL 32024
- License Number TH0000509 Installation Decal # 271244

^ JW ~~talked~~ with Robert 7.27.06



Columbia County Property Appraiser

J. Doyle Crews, CFA - Lake City, Florida - 386-758-1083

PARCEL: 24-2S-15-00089-007 - NO AG ACRE (009900)

THE S 12 AC OF THE N 33 AC OF NE1/4 OF SE1/4 ALSO DESC AS: COMM NE
COR OF SE1/4, RUN S


Name:	MAXWELL ROBERT CHARLES TRUSTEE	LandVal	\$30,888.00
Site:		BldgVal	\$0.00
Mail:	187 MEADOW MOUNTAIN ESTATES RD	ApprVal	\$30,888.00
	FRANKLIN, NC 28734	JustVal	\$30,888.00
Sales	8/29/2005 \$50,000.00 V / Q	Assd	\$2,640.00
Info	8/15/1997 \$100.00 V / U	Exmpt	\$0.00
		Taxable	\$2,640.00

0 0.05 0.1 0.15 mi



This information, GIS Map Updated: 12/8/2005, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, its use, or its interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

PAC's Mr Maxwell
828 421 1292



PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to psf or check here to declare 1000 lb. soil ☒ without testing.

X 1.0 X 1.0 X 1.0

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 8 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X 1.0 X 1.0 X 1.0

TORQUE PROBE TEST

The results of the torque probe test is NA ^{not} inch pounds or check here if you are declaring 5' anchors without testing . A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name Eric L. Chester
Date Tested 6-27-06

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 15C.1

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 15C.1
Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 15C.1

Site Preparation

Debris and organic material removed ☒
Water drainage: Natural ☒ Swale ☐ Pad ☐ Other ☐

Fastening multi wide units

Floor: Type Fastener: LAGS Length: 6" Spacing: 24"
Walls: Type Fastener: SCREWS Length: 4" Spacing: 24"
Roof: Type Fastener: SCREWS Length: 1 1/4" Spacing: 24"
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Type gasket Factory Installed
Pg. 15C.1
Installed: Between Floors Yes ☒
Between Walls Yes ☒
Bottom of ridgebeam Yes ☒

Weatherproofing

The bottomboard will be repaired and/or taped. Yes ☒ Pg. 15C.1
Siding on units is installed to manufacturer's specifications. Yes ☒
Fireplace chimney installed so as not to allow intrusion of rain water. Yes ☒

Miscellaneous

Skirting to be installed. Yes ☒ No ☐
Dryer vent installed outside of skirting. Yes ☒ N/A ☐
Range downflow vent installed outside of skirting. Yes ☒ N/A ☐
Drain lines supported at 4 foot intervals. Yes ☒
Electrical crossovers protected. Yes ☒
Other: 15C.1 may or may not have page # in set up manual

Installer verifies all information given with this permit worksheet

is accurate and true based on the

manufacturer's installation instructions and per Rule 15C-1 & 2

Installer Signature

Eric L. Chester

Date 6-27-06

PERMIT NUMBER

Installer Jessie L. 'Clayton' Kneale License # 14000501



Address of home being installed _____

Manufacturer Fleetwood Length x width 28 x 76

NOTE: if home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's Initials [Signature]



New Home ☒ Used Home ☐
 Home Installed to the Manufacturer's Installation Manual ☒
 Home is Installed in accordance with Rule 15-C. ☐
 Single wide ☐ Wind Zone II ☒ Wind Zone III ☐
 Double wide ☒ Installation Decal # 271244
 Triple/Quad ☐ Serial # 90871

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	3'	4'	5'	6'	7'	8'
1500 psf	4'6"	4'6"	6'	7'	8'	8'	8'
2000 psf	6'	6'	8'	8'	8'	8'	8'
2500 psf	7'8"	7'8"	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 23 1/2 x 3 1/2
 Perimeter pier pad size N/A
 Other pier pad sizes (required by the mfg.) 16 x 16

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
18 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.



List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening 20' Pier pad size 23 1/2 x 3 1/2

ANCHORS

4 ft ☒ 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
 Manufacturer Oliver Technology
 Longitudinal Stabilizing Device w/ Lateral Arms

OTHER TIES

Number 28
 Sidewall 26
 Longitudinal 24
 Marriage wall 24
 Shearwall

COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787

PHONE: (386) 758-1125 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED: 1/5/2006 DATE ISSUED: 1/17/2006

ENHANCED 9-1-1 ADDRESS:

478 NW WHITE SPRINGS AVE

WHITE SPRINGS FL 32096

PROPERTY APPRAISER PARCEL NUMBER:

24-2S-15-00089-007

Remarks:

Address Issued By: 

Columbia County 9-1-1 Addressing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.

FAMILY RELATIONSHIP AFFIDAVIT

STATE OF FLORIDA
COUNTY OF COLUMBIA

Before me this day personally appeared ROBERT CHARLES MAXWELL, TRUSTEE
(Name of property owner) Robert Charles Maxwell,
who being duly sworn, deposes and says: TRUSTEE

I hereby certify that the dwelling unit MANUFACTURED HOUSE
(Type of dwelling)


resided in by LINDA S. MAXWELL to be placed on the property deeded to my
(Name of person living in dwelling)

FATHER IN LAW. and said dwelling unit shall be used for no other purpose.
(Relationship)

Parcel Number of property 24-02-15-00089-007

Size of property 12 ACRES

Sworn to and subscribed before me this 25TH day of JULY 2006.


Notary Public Signature
State of Florida

Personally known or ID presented

My commission expires: 12 Dec 2007

This Instrument Prepared by & return to:

Name: Chris Travis, an employee of
TITLE OFFICES, LLC
Address: 1089 SW MAIN BLVD.
LAKE CITY, FLORIDA 32025
File No. 05Y-08167CT

Inst: 2005024771 Date: 10/05/2005 Time: 14:50
Doc Stamp-Deed : 350.00
mk DC.P. DeWitt Cason, Columbia County B: 060 P: 2460

Parcel I.D. #: 00089-007

SPACE ABOVE THIS LINE FOR PROCESSING DATA

SPACE ABOVE THIS LINE FOR RECORDING DATA

THIS WARRANTY DEED Made the 29th day of August, A.D. 2005, by

GERALDINE SCOTT BUSH, ~~married~~, hereinafter called the grantor, to

ROBERT CHARLES MAXWELL AS TRUSTEE OF THE ROBERT CHARLES MAXWELL AND MARY HELEN MAXWELL LIVING TRUST DATED JULY 23, 1998, WITH FULL POWER AND AUTHORITY TO PROTECT, CONSERVE, SELL, LEASE, ENCUMBER, OR OTHERWISE MANAGE AND DISPOSE OF THE REAL PROPERTY whose post office address is

187 MEADOW MOUNTAIN ESTATES RD, FRANKLIN, NC 28734, hereinafter called the grantee;

(Wherever used herein the terms "grantor" and "grantee" include all the parties to this instrument, singular and plural, the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations, wherever the context so admits or requires.)

Witnesseth: That the grantor, for and in consideration of the sum of \$10.00 and other valuable consideration, receipt whereof is hereby acknowledged, does hereby grant, bargain, sell, alien, remise, release, convey and confirm unto the grantee all that certain land situate in **Columbia County, State of FLORIDA**, viz:

TOWNSHIP 2 SOUTH - RANGE 15 EAST

SECTION 24: THE SOUTH 12 ACRES OF THE NORTH 33 ACRES OF THE NE ¼ OF THE SE ¼ OF SECTION 24, TOWNSHIP 2 SOUTH, RANGE 15 EAST, MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCE AT THE NE CORNER OF SAID SE ¼ AND RUN THENCE S 00°18'57" W, 691.69 FEET TO THE POINT OF BEGINNING; THENCE S 89°43'38" W, 1322.67 FEET TO THE WEST LINE OF SAID NE ¼ OF SE ¼; THENCE S 00°19'56" W, ALONG THE WEST LINE THEREOF, 395.20 FEET; THENCE N 89°43'39" E, 1322.78 FEET TO THE EAST LINE OF SAID NE ¼ OF SE ¼; THENCE N 00°18'57" E, 395.21 FEET TO THE POINT OF BEGINNING. COLUMBIA COUNTY, FLORIDA.

SUBJECT TO EXISTING MAINTAINED ROAD RIGHT-OF-WAY OFF THE EAST SIDE THEREOF.

THE ABOVE DESCRIBED PROPERTY IS NOT THE HOMESTEAD OF THE GRANTOR.

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold the same in fee simple forever.

And the grantor hereby covenants with said grantee that she is lawfully seized of said land in fee simple; that she has good right and lawful authority to sell and convey said land, and hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever, and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2004.

In Witness Whereof, the said grantor has signed and sealed these presents, the day and year first above written.

Signed, sealed and delivered in the presence of:

Brenda Styons
Witness Signature
Brenda Styons
Printed Name


Lori France
Witness Signature
Lori France
Printed Name

Geraldine Bush I.S.
GERALDINE SCOTT BUSH
Address:
PO BOX 819, DADE CITY, FL 33526

STATE OF FLORIDA
COUNTY OF Columbia

The foregoing instrument was acknowledged before me this 29th day of August, 2005, by GERALDINE SCOTT BUSH, who is known to me or who has produced Driver's License as identification.


Brenda Styons
Notary Public
My commission expires _____




Inst:2005024771 Date:10/05/2005 Time:14:50
Doc Stamp-Deed : 350.00
____DC,P.Dewitt Cason,Columbia County B:1060 P:2461

1. A PLAT, PLAN, OR DRAWING SHOWING THE PROPERTY LINES OF THE PARCEL.
2. LOCATION OF PLANNED RESIDENT OR BUSINESS STRUCTURE ON THE PROPERTY WITH DISTANCES FROM AT LEAST TWO OF THE PROPERTY LINES TO THE STRUCTURE (SEE SAMPLE BELOW).
3. LOCATION OF THE ACCESS POINT (DRIVEWAY, ETC.) ON THE ROADWAY FROM WHICH LOCATION IS TO BE ADDRESSED WITH A DISTANCE FROM A PARALLEL PROPERTY LINE AND/OR PROPERTY CORNER (SEE SAMPLE BELOW).
4. TRAVEL OF THE DRIVEWAY FROM THE ACCESS POINT TO THE STRUCTURE (SEE SAMPLE BELOW).

SAMPLE:



SITE PLAN BOX:



HUGHES WELL DRILLING & PUMP SERVICE

12367 N US HWY 441
LAKE CITY, FLORIDA 32055

OFFICE: (386)752-1840
FAX: (386)755-2934

E-MAIL:HUGWELL1840@AOL.COM

Columbia County Building and Zoning
P.O. Box 1529
Lake City, Fl. 32056-1529

Attn: Gale Tedder/Janis

Subject: Requested Info: Linda Maxwell 24-02-15-00089-007

- 1- 4" Deep Well
- 2- 1-hp Pump-20gpm
- 3- 82 Gallon Eqv. Bladder Tank
- 4- 1-Cycle Stop Valve
- 5- 1&1/4" Drop Pipe

If you have any further questions, please feel free to phone me at the above number.

Sincerely,

Ronnie Hughes

WE DRILL THE BEST AND SERVICE THE REST

MOBILE HOME INSTALLER AFFIDAVIT

As per Florida Statutes Section 320.8249 Mobile Home Installers License:

Any person who engages in mobile home installation shall obtain a mobile home installer's license from the Bureau of Mobile Home and Recreational Vehicle Construction of the Department of Highway Safety and Motor Vehicles pursuant to this section. Said license shall be renewed annually, and each licensee shall pay a fee of \$150.

I, Tessie L. "Chesta" Knowles, license number IH 0000509
Please Print

do hereby state that the installation of the manufactured home for Linda H Maxwell
Applicant

_____ at _____
911 Address

will be done under my supervision.

Tessie L. "Chesta" Knowles
Signature

Sworn to and subscribed before me this 27 day of June,
2006.

Notary Public: Susan N. Villegas
Signature

My Commission Expires: 12/15/07
Date



Susan Nettles Villegas
My Commission DD267004
Expires December 15, 2007

LIMITED POWER OF ATTORNEY

I, Jessie Chester Knowles license # IH0000509 hereby authorize
Linda Maxwell to be my representative and act on my
behalf in all aspects of applying for a mobile home permit to be
placed on the following described property located in

Columbia County, Florida

Property Owner: Robert C Maxwell

911 Address: 478 W White Springs Ave

Parcel ID#: 24-25-15-00089-007


Sect: 24 Twp: 2 South Rge: 15 East

Jessie L Chester Knowles
Mobile Home Installer Signature

6-27-06
Date

Sworn to and subscribed before me this 27th day of June,
20 06.

Sonya Wyman
Notary Public



My Commission expires: 9.16.07

Commission Number: DD 250401

Personally known: ✓

Produced ID (type): _____



STATE OF FLORIDA
DEPARTMENT OF HEALTH


APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number

06-0646N
06-0646

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.



Notes:

100' SOLID PIPE TANK to DE.

Site Plan submitted by:

Rita Camille Mayfield

Signature

7/17/06

Title

Plan Approved ☒

Not Approved ☐

Date

7-24-06

By

Sallie Gaddy, ESII

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

7 July 2005

Geraldine Bush
P.O. Box 819
Dade City, FL 33526

RE: Buildable Property

Dear Ms. Bush:

The County uses the Flood Insurance Rate Maps (FIRM) developed by the Federal Emergency Management Agency (FEMA) for determining property located within the one hundred (100) year flood zones. According to those maps, the property owned by Geraldine Bush, tax parcel ID # 24-2S-15-00089-007 has two different flood zones indicated within the 12 acres. These two flood zones are Zone A, where the flood elevation is undetermined and Other Flood Areas Zone X, where it is in an area of the 500 year; areas of 100 year flood with average depth of less than one (1) foot or with drainage areas of less than one (1) square mile; and areas protected by levees from 100 year flood. These two flood zones comprise approximately fifty (50) percent of the site. There is ample area to place a residence outside of the flood zone areas. A building permit can be issued if a residence were to be placed within one of those flood zones. If the residence were to be placed in the Zone A, the first flood of the residence would have to be one (1) foot above the adjacent road. If the residence were to be placed in the Other Flood Areas Zone X, the first floor elevation would have to be at 86 feet average mean sea level. I have attached a copy of the FEMA map outlining your property.

If you believe that the maps are incorrect, there is a process in which you would be able to petition to the Federal Emergency Management Agency for an amendment to the existing maps. Those forms and instructions for an amendment are available from this office.

Century 21 Jackie Taylor & Assoc.
Geraldine Bush Property
Page 2

If you have any questions concerning this matter, please do not hesitate to contact me at 386.758.1007.

Sincerely,


Brian L. Kepner
Land Development Regulation Administrator,
County Planner

Enclosure

xc: Lori France, Century 21 Jackie Taylor & Assoc.
Dale Williams, County Manager

Robert

Oct 5th
Tina office



Columbia County Building Department Culvert Permit

Culvert Permit No.
000001162

DATE 07/28/2006 PARCEL ID # 24-2S-15-00089-007

APPLICANT LINDA MAXWELL PHONE 828.421.5466

ADDRESS 382 LAKESHORE DRIVE FRANKLIN NC 28734

OWNER ROBERT C. MAXWELL PHONE 828.369.7596

ADDRESS 478 NW WHITE SPRINGS AVENUE WHITE SPRINGS FL 32096

CONTRACTOR JESSIE C. KNOWLES PHONE 386.755.6441

LOCATION OF PROPERTY 41-N TO SUWANNEE VALLEY, RDTL TO WHITE SPRINGS RD, TR AND IT'S

1/8 OF A MILE TO 1ST. DRIEWAY ON L.

SUBDIVISION/LOT/BLOCK/PHASE/UNIT _____

SIGNATURE *Linda Maxwell*

INSTALLATION REQUIREMENTS



Culvert size will be 18 inches in diameter with a total length of 32 feet, leaving 24 feet of driving surface. Both ends will be mitered 4 foot with a 4 : 1 slope and poured with a 4 inch thick reinforced concrete slab.

INSTALLATION NOTE: Turnouts will be required as follows:

- a) a majority of the current and existing driveway turnouts are paved, or;
- b) the driveway to be served will be paved or formed with concrete.

Turnouts shall be concrete or paved a minimum of 12 feet wide or the width of the concrete or paved driveway, whichever is greater. The width shall conform to the current and existing paved or concreted turnouts.



Culvert installation shall conform to the approved site plan standards.



Department of Transportation Permit installation approved standards.



Other _____

ALL PROPER SAFETY REQUIREMENTS SHOULD BE FOLLOWED
DURING THE INSTALATION OF THE CULVERT.

135 NE Hernando Ave., Suite B-21
Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160

Amount Paid 25.00



240797



BRITT SURVEYING

830 West Duval Street • Lake City, FL 32055
Phone (386) 752-7163 • Fax (386) 752-5573

*Land Surveyors
and Mappers*

08/11/06

L-17639

To Whom It May Concern:

C/o: Bob Maxwell

Re: 478 NW White Springs Avenue (24-2S-15-00089-007)

The elevation of the mobile home floor is found to be 95.24 feet. The highest adjacent grade is 92.3 feet and the lowest adjacent grade is 92.2 feet. The elevations shown hereon are based on NGVD 29 datum. The parcel falls in a Shaded Zone X and Zone X. The adjacent 100 year flood elevation is found to be 86.00 feet as per Flood Insurance Rate Map.

L. Scott Britt
PLS #5757