THOMSON RESIDENCE

BUILDING CODE SUMMARY-CODE ENFORCEMENT JURISDICTION: COLUMBIA COUNTY

Florida Building Code 6th Edition (2017) Building
Florida Building Code 6th Edition (2017) Residential
Florida Building Code 6th Edition (2017) Plumbing
National Electric Code 2014 - NFPA 70-2011
Florida Building Code 6th Edition (2017)
Energy Conservation
Florida Building Code 6th Edition (2017) Mechanical
Florida Fire Prevention Code 6th Edition

OCCUPANCY CLASSIFICATION: RESIDENTIAL (R-3)

CONSTRUCTION TYPE: V-B (WOOD FRAME) SPRINKLED: NO

FIRE DISTRICT: NO


WORK AREAFIRST FLOOR A/C: 2,156 SQ. FT.
GARAGE: 632 SQ. FT.
FRONT PORCH: 133 SQ. FT.
REAR PORCH: 142 SQ. FT.

TOTAL UNDER ROOF AREA - 3,063 SQ. FT.

GENERAL NOTES:

1. ALL WORK TO BE DONE IN ACCORDANCE TO THE MOST RECENT EDITION OF FLORIDA BUILDING CODES AND ALL OTHER APPLICABLE NATIONAL, STATE AND LOCAL CODES AND ORDINANCES.

- 2. VERIFY ALL EXISTING CONDITIONS AND MEASUREMENTS IN FIELD PRIOR TO CONSTRUCTION. VERIFY LAYOUT WITH REFERENCE TO EXISTING CONDITIONS. ANY DISCREPANCIES SHALL BE COMMUNICATED IN WRITING TO THE ARCHITECT BEFORE CONSTRUCTION PROCEEDS.
- 3. IT IS THE BUILDER'S RESPONSIBILITY TO ASSURE THAT ALL WORK IS IN STRICT ACCORDANCE WITH THE LATEST EDITION OF ALL APPLICABLE CONSTRUCTION STANDARDS.
- 4. ALL DIMENSIONS ARE TO FACE OF STUD OR CENTERLINE OF STRUCTURE UNLESS OTHERWISE NOTED.
- 5. FLOOR PENETRATIONS TO BE WATERPROOFED.
- 6. ALL INTERIOR WALLS TO BE WOOD STUDS UNLESS OTHERWISE NOTED.
- 7. WHERE G.C. IS TO PROVIDE TYPE 'X' GYP. BD. FOR A RATED ASSEMBLY, THE TYPE 'X' GYP. BD. IS REQUIRED TO GO BENEATH THE SHEATHING AND FINISHES.
- 8. INTERIOR DOORS ARE TO BE 3" OFF PERPENDICULAR WALLS UNLESS OTHERWISE NOTED.
- 9. IT IS THE BUILDER'S RESPONSIBILITY TO ASSURE THAT ALL MANUFACTURED ARTICLES, MATERIAL AND EQUIPMENT ARE APPLIED, INSTALLED, CONNECTED, ERECTED, USED, CLEANED, ADJUSTED, OPERATED AND CONDITIONED AS DIRECTED BY THE MANUFACTURERS, UNLESS HEREIN SPECIFIED TO THE CONTRARY. BUILDER SHALL FOLLOW ALL INSTRUCTIONS TO SUSTAIN AND PRESERVE ALL EXPRESSED OR IMPLIED WARRANTIES AND GUARANTEES.
- 10. IT IS THE BUILDER'S RESPONSIBILITY TO CHECK ALL PLAN DIMENSIONS & DETAILS FOR OVERALL ACCURACY APPROPRIATE TO THE SITE & FINAL SELECTION OF MASONRY, FLOOR JOISTS, LUMBER, STRUCTURAL MEMBERS, VENEER, ROOFING, ETC.
- 11. SUBSTITUTES FOR SPECIFIC MATERIALS & MANUFACTURERS SHOWN ON THESE PLANS MAY BE OFFERED, BUT MUST BE APPROVED IN WRITING BY THE ARCHITECT AND OWNER PRIOR TO PROCURING OR INSTALLING.
- 12. RESPONSIBILITY OF THE GC INCLUDES, BUT IS NOT LIMITED TO, PROPER INSTALLATION OF MATERIALS, NAILING, GLUING, CAULKING, INSULATING, FLASHING, ROOFING, WEATHERPROOFING & ANY OTHER SMALL ITEMS OR DETAILS NOT NECESSARILY INDICATED ON THE PLANS.
- 13. THESE PLANS ARE NOT INTENDED TO BE COMPLETE IN ALL DETAILS OF WEATHERPROOFING. USE OF A VARIETY OF DIFFERENT MATERIALS CAN CHANGE DETAILS. ADDITIONALLY, VARYING CODES & REGULATIONS, FOUNDATION REQUIREMENTS, ELECTRICAL
- 14. ALL KITCHEN APPLIANCES INSTALLED TO BE COORDINATED AND SCHEDULED BY G.C.



JNOverby, LLC

Architectural and Interior Design

Julianne N. Overby, R.A. 2452 Pullian Street Jacksonville Beach, Florida 32250 904-704-8628 Email: jnoverby@att.net FL. AR-0017060 • FL. ID-4621

HOMSON RESIDENCE


DATE ISSUED: NOVEMBER 11, 2020

NOTE: DO NOT SCALE DRAWINGS. IF PRINTED ON 11"X17" MEDIA, DRAWING SCALE IS HALF-SIZED.


FLOOR PLAN


A1

PERMIT SET





AND INSTALLED PER MANUFACTURER'S RECOMMENDATIONS.





4" MIN OVERLAP © END UNDERLAYMENT & TO EACH OTHER IN A 4"
WIDTH OF ASPHALT PLASTIC ROOF CEMENT ROOF CEMENT -







ROOF PLAN NOTES:

CONSTRUCTION

INSTRUCTIONS.

1. DO NOT SCALE DRAWINGS.

REQUIRED BY LOCAL CODES.

11. ALL EXHAUST FAN, VENT, FLUE & STACK OPENINGS ARE TO BE CUT & 12. ROOF VENT TERMINALS SHALL BE 12' AWAY FROM AND 2' ABOVE ANY AIR INTAKE, DOOR OR WINDOW, 18" AWAY FROM ANY VERTICAL WALL

EXTENDING ABOVE ROOF VENT, AND NOT BELOW ANY ROOF EAVE, OR AS

2. IF DIMENSIONS ARE IN QUESTION, THE ROOFER SHALL BE RESPONSIBLE

3. BUILDER SHALL VERIFY ALL DIMENSIONS & CONDITIONS AT JOBSITE.

5. ALL ROOFING AND ROOFING DETAILS SHALL BE INSTALLED IN STRICT

6. ROOFING SUBCONTRACTOR SHALL HAVE APPROPRIATE LICENSE(S) AS

7. NO WORK SHALL CONFLICT WITH THE MANUFACTURER'S GUARANTEE

9. PROVIDE FLASHING AS PER DETAILS OR AS PER SMACNA IF NO DETAILS

ACCORDANCE WITH INDUSTRY STANDARDS AND MANUFACTURER'S

FOR OBTAINING CLARIFICATION BEFORE CONTINUING WITH

4. SEE FLOOR PLAN FOR BUILDING DIMENSIONS.

REQUIRED IN JURISDICTION OF CONSTRUCTION.

JNOverby, LLC

Architectural and Interior Design

Julianne N. Overby, R.A. 2452 Pullian Street Jacksonville Beach, Florida 32250 904-704-8628 Email: inoverby@att.net FL. AR-0017060 • FL. ID-4621

SIDENC

DATE ISSUED: NOVEMBER 11, 2020

DO NOT SCALE DRAWINGS. IF PRINTED ON 11"X17" MEDIA, DRAWING SCALE IS HALF-SIZED.

> ROOF PLAN AND **DETAILS**


> > **A2**

PERMIT SET

ROOF CONTRACTOR TO CONFIRM VENTILATION TO MEET FBC R 806. REQUIREMENTS PER THIS CODE & CALCULATION.

CONTRACTOR USE RIDGE VENTS OR OFF-RIDGE VENTS IN ORDER TO MEET THE VENTILATION


ROOF VENTS/PENETRATIONS: ALL RIDGE VENTS AND PENETRATIONS TO BE INSTALLED PER THE MANUFACTURER'S RECOMMENDATIONS-APPLY ROOFING CEMENT OR SELF ADHERING FLASHING OVER VENT FLANGE AT THE HEAD INSTALL SHINGLE OVER THE VENT FLANGE HEAD





NEW WALL SECTION

AT BRICK EXTERIOR

SCALE: 3/4" = 1'-0"








SCALE: 3/4" = 1'-0"

AT SIDING EXTERIOR



JNOverby, LLC Architectural and Interior Design Julianne N. Overby, R.A. 2452 Pullian Street Jacksonville Beach, Florida 32250 904-704-8628 Email: jnoverby@att.net FL. AR-0017060 • FL. ID-4621 A FRONT ELEVATION SCALE: 1/4" = 1'-0" DATE ISSUED: NOVEMBER 11, 2020 NOTE: DO NOT SCALE DRAWINGS. IF PRINTED ON 11"X17" MEDIA, DRAWING SCALE IS HALF-SIZED. EXTERIOR ELEVATIONS **A3** REAR ELEVATION PERMIT SET A3 SCALE:1/4" = 1'-0"


JNOverby, LLC Architectural and Interior Design Julianne N. Overby, R.A. 2452 Pullian Street Jacksonville Beach, Florida 32250 904-704-8628 Email: jnoverby@att.net FL. AR-0017060 • FL. ID-4621 SIDE ELEVATION SCALE: 1/4" = 1'-0" DATE ISSUED: NOVEMBER 11, 2020 NOTE: DO NOT SCALE DRAWINGS. IF PRINTED ON 11"X17" MEDIA, DRAWING SCALE IS HALF-SIZED. EXTERIOR ELEVATIONS A4 SIDE ELEVATION SCALE: 1/4" = 1'-0" PERMIT SET

ELECTRICAL LAYOUT PLAN NOTES:

1. VERIFY ALL EXISTING CONDITIONS.

WHERE THERE MAY BE CONFLICTS.

- 2. COORDINATE LIGHT FIXTURE LOCATIONS CONTRACTOR ANY DISCREPANCIES SHALL BE COMMUNICATED TO THE ARCHITECT BEFORE CONSTRUCTION PROCEEDS FOR COORDINATION.
- 3. LIGHT FIXTURES SHALL BE LOCATED AS CLOSELY AS POSSIBLE TO LOCATIONS SHOWN ON THIS PLAN.
- 4. FIXTURES SHALL ALIGN WITH OR CENTER ON EACH OTHER OR WITH ADJACENT ARCHITECTURAL ELEMENTS.
- 5. COORDINATE LOCATION OF LIGHT FIXTURES WITH HVAC GRILLS SO THAT THEY ALIGN WITH OR ARE SYMMETRICAL WITH EACH OTHER
- 6. GRILLS & REGISTERS SHALL BE BLOCKED AS REQUIRED SO THAT THEY CAN ALIGN WITH LIGHT FIXTURES.
- 7. LIGHT FIXTURE & SWITCH LOCATIONS SHALL BE REVIEWED & APPROVED BY OWNER OR DESIGNER BEFORE INSTALLATION OF SHEET ROCK OR OTHER WALL & CEILING FINISHES.
- 8. SWITCHES SHALL BE LOCATED ADJACENT TO, BUT NOT INTERSECTING DOOR CASING OR TRIM.
- 9. GROUPED SWITCHES SHALL BE GANGED TIGHT TOGETHER & SHALL BE COVERED WITH A SINGLE PLATE DESIGNED FOR THAT PURPOSE.
- 10. SWITCHES SHALL BE MOUNTED 36" or 42" A.F.F. TO CENTER OF THE SWITCH (U.O.N.). OUTLETS TO BE MOUNTED 12" A.F.F.
- 11. SUPPORT ALL FIXTURES FROM STRUCTURE OF BUILDING. REFER TO STRUCTURAL SHEETS FOR SPECIFIC DETAILS AS REQUIRED FOR SPECIALTY FIXTURES.
- 12. VERIFY DEVICE & PLATE COLORS WITH OWNER OR DESIGNER.
- 13. VERIFY LIGHTING TYPE & SWITCHING.
- 14. FLUORESCENT LAMPS SHALL BE "WARM WHITE DELUXE" UNLESS OTHERWISE NOTED OR SPECIFIED ON THE SCHEDULE.
- 15. ALL LIGHT BULBS SHALL BE DIMMABLE COMPACT FLUORESCENT OR LED BULBS UNLESS OTHERWISE NOTED.
- 16. COORDINATE THERMOSTAT AND DOORBELL LOCATIONS WITH OWNER.



NOTES:

1. TELEPHONE OUTLETS TO BE 'CAT 5E' WIRE.

2. SMOKE DETECTION PER FIRE CODE.


3. SERVICE PANEL AND ELECTRIC METER
LOCATION TO BE DETERMINED W/ INPUT FROM THE
OWNER AND LOCAL UTILITY COMPANY.

4. ALL RECEPTACLE TO HAVE ARC-FAULT CIRCUIT
INTERRUPTERS PER ARTICLE 210-12.

5. HVAC DISCONNECT TO BE PROVIDED BY
MECHANICAL SUBCONTRACTOR.

6. ALL ELECTRICAL WIRING TO BE IN ACCORDANCE
WITH LATEST EDITION OF NEC AND FBC.

7. 100% OF ALL INTERIOR AND EXTERIOR
PERMANENT LIGHT FIXTURES TO USE CFL/LED
LAMPS.



JNOverby, LLC

Architectural and Interior Design

Julianne N. Overby, R.A.
2452 Pullian Street
Jacksonville Beach, Florida 32250
904-704-8628
Email: jnoverby@att.net
FL. AR-0017060 • FL. ID-4621

HOMSON RESIDENCE

DATE ISSUED: NOVEMBER 11, 2020

NOTE: DO NOT SCALE DRAWINGS. IF PRINTED ON 11"X17" MEDIA, DRAWING SCALE IS HALF-SIZED.

> ELECTRICAL LAYOUT PLANS

> > A4

PERMIT SET

ELECTRICAL LAYOUT PLAN

SCALE: 1/4" = 1'-0"