

DATE 01/30/2009

Columbia County Building Permit

PERMIT

This Permit Must Be Prominently Posted on Premises During Construction

000027605

APPLICANT KEVIN MAY PHONE 904.237.8450
ADDRESS 58 CORIANDER TERRACE MIDDLEBURG FL 32068
OWNER STAFFORD & ANNE SCAFF PHONE 386.752.7344
ADDRESS 4046 SW SR 47 LAKE CITY FL 32024
CONTRACTOR SCOTT LAMBERSON.KC PETROLEUM PHONE 904.693.3200
LOCATION OF PROPERTY SR. 47-S TO C-242 @ INTERSECTION STORE ON R.
S&S STORE # 41

TYPE DEVELOPMENT REPL.DISPENSER SUMPS ESTIMATED COST OF CONSTRUCTION 31095.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING CI MAX. HEIGHT
Minimum Set Back Requirments: STREET-FRONT REAR SIDE
NO. EX.D.U. 1 FLOOD ZONE DEVELOPMENT PERMIT NO.

PARCEL ID 30-4S-17-08894-001 SUBDIVISION
LOT BLOCK PHASE UNIT TOTAL ACRES

PCC1256768
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
FDOT-EXISTNG P-026 BLK RTJ N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: NOC ON FILE. IMPACT FEE EXEMPT. NO ADDITIONAL SQ. FOOTAGE.

Check # or Cash 1016

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by
Under slab rough-in plumbing date/app. by Slab date/app. by Sheathing/Nailing date/app. by
Framing date/app. by Rough-in plumbing above slab and below wood floor date/app. by
Electrical rough-in date/app. by Heat & Air Duct date/app. by Peri. beam (Lintel) date/app. by
Permanent power date/app. by C.O. Final date/app. by Culvert date/app. by
M/H tie downs, blocking, electricity and plumbing date/app. by Pool date/app. by
Reconnection date/app. by Pump pole date/app. by Utility Pole date/app. by
M/H Pole date/app. by Travel Trailer date/app. by Re-roof date/app. by

BUILDING PERMIT FEE \$ 160.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 0.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 0.00 WASTE FEE \$
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ CULVERT FEE \$ TOTAL FEE 210.00
INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED TO BE IN ACTIVE PROGRESS WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

Columbia County Building Permit Application

For Office Use Only Application # 0901-38 Date Received 1/27 By JW Permit # 27605
 Zoning Official BHK Date 27.01.09 Flood Zone N/A FEMA Map # N/A Zoning CX
 Land Use Comm. Elevation N/A MFE N/A River N/A Plans Examiner [Signature] Date 1/25/09
 Comments Impact Fee Exempt - No addition sq. ft.
☒ NOC ☐ EH ☒ Deed or PA ☒ Site Plan ☐ State Road Info ☐ Parent Parcel # _____
☐ Dev Permit # _____ ☐ In Floodway ☐ Letter of Authorization from Contractor _____
☐ Unincorporated area ☐ Incorporated area ☐ Town of Fort White ☐ Town of Fort White Compliance letter

Septic Permit No. P-026 - IN BOX Fax 904-786-8441

Name Authorized Person Signing Permit Kevin May Phone 904-237-8450

Address 58 CORIANDER TERRACE, Middleburg, FL 32068

Owners Name SCAFF STAFFORD L. N+S Store #41 Phone 396-752-7344

911 Address 4046 SR 47, Lake City, FL 32025

Contractors Name K.C. Petroleum, Inc. Phone 904-693-3200

Address 650 Talleyrand Ave. Jacksonville, FL 32202

Fee Simple Owner Name & Address _____

Bonding Co. Name & Address _____

Architect/Engineer Name & Address _____

Mortgage Lenders Name & Address _____

Circle the correct power company - FL Power & Light - Clay Elec. - Suwannee Valley Elec. - Progress Energy

Property ID Number 30-45-17-08894-001 Estimated Cost of Construction 31095.00

Subdivision Name _____ Lot _____ Block _____ Unit _____ Phase _____

Driving Directions South US 41, TURN RIGHT ON SR 47, stay on SR 47 to 4046 SR 47, Lake City, FL 32025

Number of Existing Dwellings on Property 1

Construction of Replace existing dispenser sumps. Total Acreage _____ Lot Size _____

Do you need a - Culvert Permit or Culvert Waiver or Have an Existing Drive Total Building Height _____

Actual Distance of Structure from Property Lines - Front _____ Side _____ Side _____ Rear _____

Number of Stories _____ Heated Floor Area _____ Total Floor Area _____ Roof Pitch _____

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

Columbia County Building Permit Application

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

FLORIDA'S CONSTRUCTION LIEN LAW: Protect Yourself and Your Investment

According to Florida Law, those who work on your property or provide materials, and are not paid-in-full, have a right to enforce their claim for payment against your property. This claim is known as a construction lien. If your contractor fails to pay subcontractors or material suppliers or neglects to make other legally required payments, the people who are owed money may look to your property for payment, even if you have paid your contractor in full. This means if a lien is filed against your property, it could be sold against your will to pay for labor, materials or other services which your contractor may have failed to pay.

NOTICE OF RESPONSIBILITY TO BUILDING PERMITEE:

YOU ARE HEREBY NOTIFIED as the recipient of a building permit from Columbia County, Florida, you will be held responsible to the County for any damage to sidewalks and/or road curbs and gutters, concrete features and structures, together with damage to drainage facilities, removal of sod, major changes to lot grades that result in ponding of water, or other damage to roadway and other public infrastructure facilities caused by you or your contractor, subcontractors, agents or representatives in the construction and/or improvement of the building and lot for which this permit is issued. No certificate of occupancy will be issued until all corrective work to these public infrastructures and facilities has been corrected.

OWNERS CERTIFICATION: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning. I further understand the above written responsibilities in Columbia County for obtaining this Building Permit.


Owners Signature

CONTRACTORS AFFIDAVIT: By my signature I understand and agree that I have informed and provided this written statement to the owner of all the above written responsibilities in Columbia County for obtaining this Building Permit.



Contractor's Signature (Permitee)

Contractor's License Number PCC1256768
Columbia County
Competency Card Number _____

Affirmed under penalty of perjury to by the Contractor and subscribed before me this 27th day of January 2009.
Personally known ☒ or Produced Identification _____


State of Florida Notary Signature (For the Contractor)

SEAL:



NOTICE OF COMMENCEMENT

Inst: 200912001209 Date: 1/27/2009 Time: 9:41 AM
P. DeWitt Cason, Columbia County Page 1 of 2 B: 1166 P: 25

Tax Parcel Identification Number 30-45-17-08894-001

THE UNDERSIGNED hereby gives notice that improvements will be made to certain real property, and in accordance with Section 713.13 of the Florida Statutes, the following information is provided in this NOTICE OF COMMENCEMENT.

1. Description of property (legal description): see attached
a) Street (job) Address: 4046 SR 47, Lake City, FL 32025
2. General description of improvements: Replace existing dispenser sumps and repipe existing piping.
3. Owner Information
a) Name and address: SCAFF STAFFORD L., 134 SE Colburn Ave., Lake City, FL 32025
b) Name and address of fee simple titleholder (if other than owner) _____
c) Interest in property OWNER
4. Contractor Information
a) Name and address: H.C. Petroleum, Inc., 650 Talleyrand Av., Jax, FL 32202
b) Telephone No.: 904-693-3200 Fax No. (Opt.) 904-786-8441
5. Surety Information
a) Name and address: N/A
b) Amount of Bond: _____
c) Telephone No.: _____ Fax No. (Opt.) _____
6. Lender
a) Name and address: N/A
b) Phone No. _____
7. Identity of person within the State of Florida designated by owner upon whom notices or other documents may be served:
a) Name and address: KEVIN L. CORMIER, P.O. Box 60742, Jacksonville, FL 32236
b) Telephone No.: 904-693-3200 Fax No. (Opt.) 904-786-8441
8. In addition to himself, owner designates the following person to receive a copy of the Lienor's Notice as provided in Section 713.13(l)(b), Florida Statutes:
a) Name and address: _____
b) Telephone No.: _____ Fax No. (Opt.) _____
9. Expiration date of Notice of Commencement (the expiration date is one year from the date of recording unless a different date is specified): _____

WARNING TO OWNER: ANY PAYMENTS MADE BY THE OWNER AFTER THE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED IMPROPER PAYMENTS UNDER CHAPTER 713, PART I, SECTION 713.13, FLORIDA STATUTES, AND CAN RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY; A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT YOUR LENDER OR AN ATTORNEY BEFORE COMMENCING WORK OR RECORDING YOUR NOTICE OF COMMENCEMENT.


STATE OF FLORIDA
COUNTY OF COLUMBIA

10. [Signature]
Signature of Owner or Owner's Authorized Officer/Director/Partner/Manager
LESTER SCAFF
Print Name

The foregoing instrument was acknowledged before me, a Florida Notary, this 27 day of January, 20 09, by:
Lester Scaff as President (type of authority, e.g. officer, trustee, attorney fact) for _____ (name of party on behalf of whom instrument was executed).

Personally Known ☒ OR Produced Identification _____ Type _____

Notary Signature [Signature] Notary Stamp or Seal



11. Verification pursuant to Section 92.525, Florida Statutes. Under penalties of perjury, I declare that I have read the foregoing and that the facts stated in it are true to the best of my knowledge and belief.

[Signature]
Signature of Natural Person Signing (in line #10 above.)

COMM NW COR OF SW1/4 OF NW1/4, SCAFF STAFFORD L JR & ANNE C 30-4S-17-08894-001
RUN S45.58 FT TO S R/W CR-242 134 SE COLBURN AVE
FOR POB, RUN E 424.54 FT, S S/S # 41
148 FT, E 365 FT, N 148 FT TO LAKE CITY, FL 32025
PRINTED 1/09/2009 10:01 Columbia County 2009 R
APPR 4/24/2004 TW CARD 001 of 001
BY JEFF

BUSE 004300 NBHD CONVE AEP N 3690 HTD AREA 87.924 INDEX 30417.00 DIST 2
MOD 4 COMMERCIAL BATH 5429 EFF AREA 43.522 E-RATE 100.000 INDX
EXW 17 CB STUCCO FIXT 7 236281 RCN 1992 AYB
RSTR 09 RIDGE FRAME RMS 84.00 %GOOD 198,476 B BLDG VAL 1992 EYB
RCVR 04 BUILT-UP UNITS 3
INTW 05 DRYWALL C-W% 10
FLO 07 CORK/VITILE PMTR 1.0
HTTP 09 ENG F AIR ECON 1 1 1
A/C 06 ENG CENTRL SPCD 4 4 4
QUAL 05 05 DEPR 06 BAS1993 6
FNDN N/A UD-1 N/A +---32---+ +---32---+ I
SIZE N/A UD-2 N/A +---32---+ +---32---+ I
CELL 01 FIN.SUSPD UD-3 N/A I I I
ARCH N/A UD-4 N/A I I I
FRME 03 MASONARY UD-5 N/A I I I
KTCH N/A UD-6 N/A I I I
WINDO N/A UD-7 N/A I I I
CLAS N/A UD-8 N/A I I I
OCC N/A UD-9 N/A I I I
COND 03 03 SUB VALUE +---33---+ +---33---+ I
SUB A-AREA % E-AREA 134900 3
BAS93 3690 100 63576 0
CAN93 5798 30 1739 1

FIELD CK:
LOC: 4046 STATE ROAD 47 SW
BAS1993
+---53---+ +---14---+ +---16---+
I BAS1993 1 1 1
I 9 9 4
+---14---+ BAS1993 6
I I I

NTCD 4.463
APPR CD
CNDO 691,704 JUST
SUBD 0 CLAS
BLK 0 MKAG
LOT 0 AG
MAP# 0 EXPT
TXDT 002 0 COTXBL

BLDG TRAVERSE
BAS1993=W16 BAS1993=W14 S19 E14 N19 S19
W14 N19 W53 S46 E32 CAN1993=S60 W33 S30
E125 N30 W60N64 W32 S4 S4 E32 S4 E19 N4
6 S.

TOTAL 9488 5429 198476
---EXTRA FEATURES---
AE BN CODE DESC LEN WID HGT QTY QL YR ADJ FIELD CK: UNITS UT PRICE
Y 0166 CONC,PAVMT 12 160 1 1 0000 1.00 1920.000 UT 1.700
Y 0166 CONC,PAVMT 69 40 1 1 0000 1.00 2760.000 UT 1.700
Y 0260 PAVEMENT-ASP 60 370 1 1 0000 1.60 22200.000 UT .900
N 0253 LIGHTING 1 1 0000 1.00 10.000 UT 300.000
ADJ UT PR SPCD % %GOOD XFOB VALUE
1.700 AP 50.00 50.00 1.632
1.700 AP 50.00 50.00 2,346
.540 AP 50.00 50.00 5,994
300.000 100.00 3,000

LAND DESC ZONE ROAD {UD1 {UD3 FRONT DEPTH FIELD CK: UNITS UT PRICE
AE CODE CONV STORE CI 0002 0003
N 001410 1.00 1.00 1.25 1.00 83828.280 SF 3.000
N 001000 VACANT COM CI 1.00 1.00 .50 1.00 110600.000 SF 3.000
2009 1.50 165,900

BOOK PAGE DATE SALE AMT ISSUED
705 353 12/20/1989 Q V 142000
GRANTOR REYNOLDS
GRANTEE SCAFF LESTER
627 389 7/07/1987 Q V 132000
GRANTOR SNEED LEROY W
GRANTEE REYNOLDS JAMES M

LIMITED POWER OF ATTORNEY

To: Columbia County Building Dept.
P. O. Box 1529
Lake City, FL 32056-1529

Date: 1/27/09

I hereby name and appoint: Kevin May
An agent of: K.C. Petroleum, Inc.
(name of company)

To be my lawful attorney-in-fact to act for me to apply for, receipt for, and sign for and do all things necessary to this appointment for a building permit for work to be performed at:

Parcel No.: 30-4S-17-08894-001

Lot No.:

Block No.:

Subdivision:

Job Site Address: 4046 S R 47, Lake City, FL 32025

Owner Name: Scaff Stafford L.

Owner Address: 134 Colburn Ave., Lake City, FL 32025

Name of Contractor: Scott Lamberson

State License Number: CBC 058001 , PCC1256768


Signature of Contractor: Scott M. Lamberson

STATE OF FLORIDA

COUNTY OF: Duval

The foregoing instrument was acknowledged before me this 27th day of January, 2009 by SCOTT Lamberson;
(name of person acknowledging)

who is ☒ personally known to me or ☐ who produced _____
as identification.



LIMITED POWER OF ATTORNEY.doc

Joyce Collison
(Signature of Notary Public)

Joyce Collison
(Typed or Printed Name of Notary)



2008-2009 BUSINESS TAX RECEIPT

CITY OF JACKSONVILLE/DUVAL COUNTY

MIKE HOGAN, TAX COLLECTOR

231 E FORSYTH STREET ROOM 130 JACKSONVILLE, FL 32202-3370

PHONE: (904) 630-2080 FAX: (904) 630-1432

WEBSITE: www.coj.net/tc

Note – A penalty is imposed for failure to keep this receipt exhibited conspicuously at your place of business.

This receipt is furnished pursuant of chapter 770-772 City ordinance codes.

LAMBERSON, SCOTT M
LAMBERSON, SCOTT M
533 N 17TH AV
JACKSONVILLE, FL 32250-4815

ACCOUNT NUMBER: 1222080000
LOCATION ADDRESS: 650 TALLEYRAND AV
JACKSONVILLE FL 32202

DESCRIPTION: QUALIFYING AGENT, CONTRACTORS

COUNTY RECEIPT DESC: QUALIFYING AGENT, CONTRACTORS
MUNICIPAL RECEIPT DESC: MC 772.325

COUNTY TAX: 0.00
MUNICIPAL TAX: 100.00
TOTAL TAX PAID: 100.00

VALID FROM September 1, 2008 TO September 30, 2009

ATTENTION

THIS RECEIPT IS FOR BUSINESS TAX RECEIPT ONLY.
CERTAIN BUSINESS MAY REQUIRE ADDITIONAL STATE LICENSING.

This is a business tax receipt only. It does not permit the receipt holder to violate any existing regulatory or zoning laws of the County or City. Nor does it exempt the receipt holder from any other license or permit required by law. This is not a certification of the licensee's qualifications.

TAX COLLECTOR

THIS BECOMES A RECEIPT AFTER VALIDATION.

PAID-3307490.0001-0001 M01 07/24/2008 100.00

AC# 3850995

STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONSTRUCTION INDUSTRY LICENSING BOARD

SEQ# L08071100584

DATE	BATCH NUMBER	LICENSE NBR
07/11/2008	080032040	CBC058001

The BUILDING CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2010

LAMBERSON, SCOTT M
K C PETROLEUM INC
533 17TH AVE N
JACKSONVILLE BEACH FL 32250

CHARLIE CRIST
GOVERNOR

DISPLAY AS REQUIRED BY LAW

CHUCK DRAGO
INTERIM SECRETARY

AC# 3851515

STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONSTRUCTION INDUSTRY LICENSING BOARD

SEQ# L08071101104

DATE	BATCH NUMBER	LICENSE NBR
07/11/2008	080032041	PCG1256768

The POLLUTANT STORAGE SYSTEMS CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2010

LAMBERSON, SCOTT M
K C PETROLEUM INC
533 17TH AVE N
JACKSONVILLE BEACH FL 32250

CHARLIE CRIST
GOVERNOR

DISPLAY AS REQUIRED BY LAW

CHUCK DRAGO
INTERIM SECRETARY



2008-2009 BUSINESS TAX RECEIPT

CITY OF JACKSONVILLE/DUVAL COUNTY

MIKE HOGAN, TAX COLLECTOR

231 E FORSYTH STREET ROOM 130 JACKSONVILLE, FL 32202-3370

PHONE: (904) 630-2080 FAX: (904) 630-1432

WEBSITE: www.coj.net/tc

Note - A penalty is imposed for failure to keep this receipt exhibited conspicuously at your place of business.
This receipt is furnished pursuant to chapter 770-772 City ordinance codes.

K C PETROLEUM INC
KEVIN & LAURA CORMIER
PO BOX 60742
JACKSONVILLE, FL 32236

ACCOUNT NUMBER: 1089950000
LOCATION ADDRESS: 650 TALLEYRAND AV
JACKSONVILLE FL 32202

DESCRIPTION: CONTRACTOR- ALL TYPES

COUNTY RECEIPT DESC: CONTRACTOR- ALL TYPES
MUNICIPAL RECEIPT DESC: MC 772.309

COUNTY TAX: 56.25
MUNICIPAL TAX: 266.25
TOTAL TAX PAID: 322.50

VALID FROM September 1, 2008 TO September 30, 2009

ATTENTION

THIS RECEIPT IS FOR BUSINESS TAX RECEIPT ONLY.
CERTAIN BUSINESS MAY REQUIRE ADDITIONAL STATE LICENSING.

This is a business tax receipt only. It does not permit the receipt holder to violate any existing regulatory or zoning laws of the County or City. Nor does it exempt the receipt holder from any other license or permit required by law. This is not a certification of the licensee's qualifications.

TAX COLLECTOR

THIS BECOMES A RECEIPT AFTER VALIDATION.

PAID-3310667.0001-0001 M01 07/30/2008 322.50

Ar# 3270047

STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONSTRUCTION INDUSTRY LICENSING BOARD

SEQ# L0706220

DATE	BATCHNUMBER	LICENSE NBR
06/22/2007	068197905	QB50294

The BUSINESS ORGANIZATION

Named below IS QUALIFIED

Under the provisions of Chapter 489 FS.

Expiration date: AUG 31, 2009

(THIS IS NOT A LICENSE TO PERFORM WORK. THIS ALLOWS
COMPANY TO DO BUSINESS ONLY IF IT HAS A QUALIFIER.)

K C PETROLEUM INC

FINIAL BUILDERS INC

550 TALLEYRAND AVENUE

JACKSONVILLE

FL 32202

CHARLIE CRIST
GOVERNOR

HOLLY BENSON
SECRETARY

DISPLAY AS REQUIRED BY LAW

ACORD™ CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

09/10/2008

PRODUCER (904)353-3181

FAX (904)353-5722

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

Cecil W. Powell & Co.

P.O. Drawer 41490

219 Newnan St.

Jacksonville, FL 32203-1490

INSURED KC Petroleum Inc

P O Box 60742

Jacksonville, FL 32236

INSURERS AFFORDING COVERAGE

NAIC #

INSURER A: AM SAFETY RISK RETENTION GRP

INSURER B: Auto Owners Insurance Co

INSURER C: American Safety Indemnity Co

INSURER D: FCCI Insurance Company

10178

INSURER E:

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR ADD'L LTR INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
A	GENERAL LIABILITY	ENV0106680804	09/11/2008	09/11/2009	EACH OCCURRENCE \$ 1,000,000
	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 50,000
	<input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR				MED EXP (Any one person) \$ 5,000
	GEN'L AGGREGATE LIMIT APPLIES PER:				PERSONAL & ADV INJURY \$ 1,000,000
	<input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC				GENERAL AGGREGATE \$ 2,000,000
B	AUTOMOBILE LIABILITY	4203213900	09/11/2008	09/11/2009	PRODUCTS - COMP/OP AGG \$ 2,000,000
	<input checked="" type="checkbox"/> ANY AUTO				COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000
	<input type="checkbox"/> ALL OWNED AUTOS				BODILY INJURY (Per person) \$
	<input type="checkbox"/> SCHEDULED AUTOS				BODILY INJURY (Per accident) \$
	<input type="checkbox"/> HIRED AUTOS			PROPERTY DAMAGE (Per accident) \$	
	<input type="checkbox"/> NON-OWNED AUTOS				
C	GARAGE LIABILITY	ENU0090580805	09/11/2008	09/11/2009	AUTO ONLY - EA ACCIDENT \$
	<input type="checkbox"/> ANY AUTO				OTHER THAN EA ACC \$
	EXCESS/UMBRELLA LIABILITY				AUTO ONLY: AGG \$
	<input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE				EACH OCCURRENCE \$ 2,000,000
	DEDUCTIBLE			AGGREGATE \$ 2,000,000	
	<input checked="" type="checkbox"/> RETENTION \$ 10,000				
D	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	001WC08A42788	05/06/2008	05/06/2009	<input checked="" type="checkbox"/> WC STATU-TORY LIMITS <input type="checkbox"/> OTH-ER
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED?				E.L. EACH ACCIDENT \$ 1,000,000
	If yes, describe under SPECIAL PROVISIONS below				E.L. DISEASE - EA EMPLOYEE \$ 1,000,000
					E.L. DISEASE - POLICY LIMIT \$ 1,000,000
A	OTHER Contractor's Pollution - Claims Made Basis	ENV0106680804	09/11/2008	09/11/2009	Limits of Liability included in Per Occurrence Limit and General Aggregate shown above

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

CERTIFICATE HOLDER

Columbia County
Building & Zoning
Attention: Janice Williams
P O Drawer 1529
Lake City, FL 32056-1529

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE


Susan Jordan/HJS

S&S 41


4046 SR 47

SR 47

Break out concrete at each dispenser. Replace existing dispenser sump. Repipe existing lines to new dispenser sums.




Existing Islands & Dispensers
Existing canopy



S&S # 41

STORE

CR 242



SUMP SECTION AT GASOLINE DISPENSER

N.T.S.



K.C. Petroleum, Inc.

P.O. Box 60742
Jacksonville, FL 32236
(904) 693-3200
(904) 786-8441



CBC-058001 PCC-1256768

Date: 01/20/09

RICHARD SCAFF
S&S FOOD STORES
134 S.E. COLBURN AVE
LAKE CITY, FL
32025

Job #: 560120

S&S #41 Dispen. Sump Replace

4046 SR 47

LAKE CITY, FL

K.C Petroleum is pleased to provide the following proposal on the above referenced project:

COMBINED MATERIALS & EQUIPMENT

Manufacturer	Description	Quantity	Unit	Unit Price	Total Price
EQ 276	PetroFiberglass DPF-1A W - Advantage Disp. Sump	4.00	EA		
	PetroFiberglass DPF-1E STD - Encore Dispen. Sump	2.00	EA		
	PetroFiberglass DPF-SB- Stabilizer Bar	10.00	EA		
FIBERGLASS PIPING & FITTINGS					
EQ 252	AO SMITH 3" RED THREAD IIA PIPE	50.00	FT		
	AO SMITH 2" RED THREAD IIA PIPE	50.00	FT		
	AO SMITH 2" RED THREAD IIA FITTINGS (90 ELBOW)	10.00	EA		
	AO SMITH 2" RED THREAD IIA FITTINGS (45 ELBOW)	20.00	EA		
	AO SMITH 2" RED THREAD IIA FITTINGS (SLEEVE)	10.00	EA		
	AO SMITH 2x1.5 Female NPT Reducer Bushing	10.00	EA.		
	AO SMITH 3" 45 Elbow Secondary Cont. Fittings	20.00	EA.		
	AO SMITH 3" Sleeve Coupling Secondary Cont. Fittings	10.00	EA.		
	AO SMITH DS-8000 Series Adhesive	30.00	EA		
FLEXIBLE PIPING & FITTINGS					
EQ 285	OPW Pisces EBF-0300 - 3" FRP Pipe Entry Fitting	10.00	EA.		
	OPW Pisces TBA-3020- 3" to 2" Test Boot	10.00	EA.		
	OPW Pisces EBF-0751 - Electrical Pipe Entry Fitting	12.00	EA.		
FLEX CONNECTORS & SHEAR VALVES					
OPW	FCW15-SWM18 - 1.5" x 18" Flex Hose	10.00	EA		
OPW	10BF-5725 - 1.5 Shear Valve	10.00	EA		
	Freight	1.00	LS		

Equipment Sub.

SCOPE OF WORK

Obtain permits for our scope of work.

Disconnect, remove and set aside six existing dispensers and blow back the product piping to each tank.

DRESSER

Wayne

Job #: 560120 S&S #41 Dispen. Sump Replace

Proposal, Page #: 2

Date: 01/20/09

Saw-cut islands, demo, cut back the existing product piping and electrical, remove the existing dispenser pans and dispose of.

Furnish and install (4) dispenser sumps for Gilbarco Advantage B05 and (2) dispenser sumps for Gilbarco Encore with flex hoses, shear valves, pipe entry boots.

Connect back dispensers using double-walled fiberglass product piping tying onto the existing.

Furnish, place and finish the demolished island areas as needed.

Re-install the (4) Advantage and (2) Encore dispensers.

Purge and calibrate dispensers on start-up.

Precision test lines only.

Clean-up and dispose of any uncontaminated construction debris due to this scope of work.

Proposal Recap:

Equipment Sub-Total:

Installation Sub-Total:

PROJECT TOTAL:

All applicable sales tax is paid by K.C. Petroleum, Inc. and included in the proposal total above.

Payment is due upon completion of the work and should be made to the address shown above. Past due or unpaid balances shall accrue interest at the rate of 1.5% per month.

Purchaser further agrees to pay K. C. Petroleum, Inc. reasonable attorneys fees and cost if this account is placed in the hands of an attorney or outside agency for collection.

If payment is not made in a timely manner, a lien will be filed on the property and will not be released until the balance is paid in full, including interest, attorney fees and recording fees.

NOTES:

1.) Exhibits A&B attached and made apart of this proposal. 2.) Environmental screening by others. 3.) Electrical by others. 4.) Diesel islands may need to be SHIFTED to clear canopy footings and will be extra on a T & M bases if required. 5.) Payment terms: Net 10 Days.



Authorized Signature

1/20/09
Date


KC Petroleum, Inc.
PO Box 60742
Jacksonville, FL 32236

Acceptance Signature:


Date

Company Name/Billing Address

PETRO FIBERGLASS INC.



Fiberglass Tank Sump



Fiberglass Dispenser Sump



The Fiberglass Advantage

Petro

FIBERGLASS SUMPS

PRODUCT & INSTALLATION DATA

Fiberglass Tank & Dispenser Sumps


Petro Fiberglass Sumps offers fiberglass reinforced dispenser sumps and tank sumps which are designed to provide secondary containment for underground fuel systems. The sumps are manufactured for compatibility with piping systems. Both dispenser sumps and tank sumps are constructed of Isophthalic Polyester resin and 100% fiberglass reinforcement. These materials provide excellent chemical resistance to oxygenated fuels, alcohol blended fuels, and petroleum products. Stiffer than polyethylene, these stronger materials also resist soil and hydraulic forces in the buried environment resulting in fewer ecological clean-ups.

DISPENSER SUMPS

Dispenser sumps are available in a wide range of sizes to accommodate single, dual, and multi-product dispensers (MPD's).

- Dispenser sumps protect primary piping connections and the environment.
- Stabilizer bar kits with mounting plates are ordered with all Petro Fiberglass dispenser sumps.
- Both fiberglass and flexible entry fittings are available, from third party suppliers, for pipe entries.
- Mounting frame is independently tested for corrosion and impact.

STABILIZER BAR KIT



1-501-568-4010
Fax 1-501-568-4465 :62

Fiber Glass Systems™

Bulletin No. B2193
November 1, 2006

PIPING



PETROLEUM MARKETING Suggested Price Schedule

RED THREAD® IIA Primary Piping - All pipe is supplied spigot x spigot ends in 15-ft., 22-25 ft. or 26-30 ft. random lengths. RED THREAD IIA primary pipe is UL/ULC Listed.

ALL PRICES - U.S. DOLLARS

Nominal PIPE SIZE	PART NUMBER	PIPE LENGTH	PRICE PER FOOT	WEIGHT	LENGTHS PER BUNDLE
2"	011020-069-1	15'	3.90	0.4	8
2"	011020-069-2	22-25'	3.90	0.4	8
2"	011020-069-3	26-30'	3.90	0.4	8
3"	011030-069-1	15'	5.90	0.8	6
3"	011030-069-2	22-25'	5.90	0.8	6
3"	011030-069-3	26-30'	5.90	0.8	6
4"	011040-071-1	15'	7.50	1.0	4
4"	011040-069-2	22-25'	7.50	1.0	4
4"	011040-071-3	26-30'	7.50	1.0	4

RED THREAD® IIA Secondary Containment Piping - All pipe is supplied plain end in 15-ft., 22-25 ft., or 26-30 ft. random lengths. Secondary Containment piping & fittings in 3" and 4" sizes are UL/ULC Listed. Note: 6" pipe and fittings are not UL/ULC Listed.

NON PIPE SIZE	PART NUMBER	PIPE LENGTH	PRICE PER FOOT	WEIGHT	LENGTHS PER BUNDLE
3"	011030-069-4	15'	5.90	0.8	6
3"	011030-069-5	22-25'	5.90	0.8	6
3"	011030-069-6	26-30'	5.90	0.8	6
4"	011040-077-5	15'	7.50	1.0	4
4"	011040-069-5	22-25'	7.50	1.0	4
4"	011040-077-6	26-30'	7.50	1.0	4
6"	011060-120-5	15'	13.50	2.4	2
6"	011060-120-4	22-25'	13.50	2.4	2
6"	011060-120-6	26-30'	13.50	2.4	2

PRIMARY FITTINGS




90° PRIMARY ELBOW, belled ends				
SIZE	PART NUMBER	PRICE	WEIGHT	PARTS PER BOX
2"	012020-360-4	34.30	1.2	20
3"	012030-360-4	46.80	2.3	12
4"	012040-360-4	65.80	3.3	6

FLANGE, belled end				
SIZE	PART NUMBER	PRICE	WEIGHT	PARTS PER BOX
2"	012020-170-4	28.20	1.3	16
3"	012030-170-4	33.30	2.6	8
4"	012040-170-4	38.40	3.6	6



45° PRIMARY ELBOW, belled ends				
SIZE	PART NUMBER	PRICE	WEIGHT	PARTS PER BOX
2"	012020-310-4	34.30	0.9	20
3"	012030-310-4	46.80	1.6	15
4"	012040-310-4	59.00	2.4	6


SLEEVE COUPLING, belled ends				
SIZE	PART NUMBER	PRICE	WEIGHT	PARTS PER BOX
2"	012020-101-8	10.20	1.2	25
3"	012030-101-8	15.30	2.3	12
4"	012040-101-4	21.20	3.3	5




TEE, belled ends				
SIZE	PART NUMBER	PRICE	WEIGHT	PARTS PER BOX
2"	012020-410-4	49.70	1.9	12
3"	012030-410-4	54.80	3.6	6
4"	012040-410-4	71.90	4.9	4

END CAP				
SIZE	PART NUMBER	PRICE	WEIGHT	PARTS PER BOX
2"	012020-180-4	42.00	1.4	16






NIPPLE, tapered both ends			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
2" x 4"	012020-004-5	5.90	25
2" x 6"	012020-006-5	6.60	25
2" x 8"	012020-008-5	7.20	25
2" x 10"	012020-010-5	8.50	12
2" x 12"	012020-012-5	9.40	12
3" x 6"	012030-006-5	7.20	12
3" x 8"	012030-008-5	7.30	9
3" x 10"	012030-010-5	9.40	5
3" x 12"	012030-012-5	10.80	5
4" x 6"	012040-006-4	9.20	9
4" x 8"	012040-008-4	9.40	6
4" x 10"	012040-010-4	10.70	4
4" x 12"	012040-012-4	12.60	4




THREADED ADAPTER				
SIZE	PART NUMBER	PRICE	WEIGHT	PARTS PER BOX
Bell x Male				
2"	012020-191-4	15.00	0.3	25
3"	012030-191-4	28.20	0.6	12
4"	012040-191-4	31.80	1.0	9
Bell x Female				
2"	012020-194-4	15.00	0.3	25
3"	012030-194-4	28.20	0.5	12
4"	012040-194-4	31.80	0.5	8
Spigot x Male				
2"	012020-192-4	15.00	0.3	25
3"	012030-192-4	28.20	0.6	12
4"	012040-192-4	31.80	1.0	8
Spigot x Female				
2"	012020-195-4	15.00	0.3	25
3"	012030-195-4	28.20	0.5	12
4"	012040-195-4	31.80	0.6	8




REDUCER BUSHING				
SIZE	PART NUMBER	PRICE	WEIGHT	PARTS PER BOX
2" x 1"	012020-233-4	22.40	0.4	20
2" x 1 1/4"	012020-232-4	22.40	0.1	20
2" x 1 1/2"	012020-231-4	22.40	0.1	20
3" x 2"	012030-231-4	23.30	0.8	24
4" x 3"	012040-231-4	29.90	1.0	9

* Reduced opening has female NPT threads.




SADDLE, female NPT				
SIZE	PART NUMBER	PRICE	WEIGHT	PARTS PER BOX
2" x 1 1/2"	012020-516-4	35.10	0.5	1

SUMP FITTINGS




SUMP ENTRY/TERMINATION FITTING			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
Bonded(1 Port, 3 Tapered Rings)			
3"	012030-626-0	157.70	1
4"	012040-626-0	194.00	1
Gasketed(1 Port)			
3"	012030-620-0	212.30	N/A
4"	012040-620-0	303.20	N/A



CONCENTRIC REDUCER			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
4" x 3"	012040-238-3	34.90	15
5" x 4"	012050-238-3	72.80	10

4" x 3" Concentric Reducer must be ordered when using 3" sump entry/termination fitting.

5" x 4" Concentric Reducer must be ordered when using 4" sump entry/termination fitting.




SUMP ADAPTER			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
3"	012030-610-1	92.40	N/A


Note: 3" x 2" Termination Fitting may be used with 3" sump adapter:

TAP	PART NUMBER	PRICE	PARTS PER BOX
With 3/4" NPT Tap	012030-236-3	103.00	12
Without Tap	012030-235-3	55.60	10

SECONDARY CONTAINMENT FITTINGS



90° ELBOW			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
3"	012030-360-3	49.20	10
4"	012040-360-3	95.20	5
6"	012060-360-9	289.20	N/A



45° ELBOW			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
3"	012030-310-3	49.20	10
4"	012040-310-3	95.20	5
6"	012060-310-9	279.90	N/A



TEE			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
3"	012030-410-3	72.20	10
4"	012040-410-3	118.80	5
6"	012060-410-9	332.10	N/A



SLEEVE COUPLING			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
3"	012030-101-3	42.20	10
4"	012040-101-3	92.00	5
6"	012060-101-9	251.80	N/A




SLEEVE COUPLING, one-piece, Scarfed O.D.			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
2"	012020-101-9	20.80	25
3"	012030-101-9	22.80	12
4"	012040-101-9	28.80	5



THREADED ADAPTER, Bell x Male, Scarfed O.D.			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
2"	002020-191-7	18.00	25
3"	002030-191-7	31.40	12
4"	002040-191-7	36.40	9



CROSSOVER 45° ELBOW			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
3"	012030-311-3	57.50	10
4"	012040-311-3	97.80	5




CROSSOVER TEE			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
3"	012030-411-3	74.40	10
4"	012040-411-3	120.30	5



CROSSOVER NIPPLE			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
3" x 6"	012030-006-7	8.00	12
4" x 6"	012040-006-7	9.30	9
6" x 8"	012060-008-7	14.20	N/A


TERMINATION FITTING			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
<i>With 3/4" NPT Tap</i>			
3" x 2"	012030-236-3	103.00	12
4" x 3"	012040-236-3	134.80	8
6" x 4"	012060-234-7	285.40	N/A
<i>Without Tap</i>			
3" x 2"	012030-235-3	55.60	10
4" x 3"	012040-235-3	103.00	15
6" x 4"	012060-235-7	251.80	N/A



SADDLE			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
<i>Belled Outlet</i>			
3" x 2"	012030-521-4	47.00	1
4" x 2"	012040-521-4	53.10	1
4" x 3"	012040-531-4	63.90	1
<i>Female NPT Outlet</i>			
3" x 1"	012030-511-4	34.80	1
3" x 1 1/4"	012030-512-4	34.80	1
3" x 1 1/2"	012030-516-4	34.80	1
4" x 1"	012040-511-4	35.10	1
4" x 1 1/4"	012040-512-4	35.10	1
4" x 1 1/2"	012040-516-4	35.10	1




REDUCER BUSHING, Scarfed O.D.			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
3" x 2"	012030-231-7	18.80	24
4" x 3"	012040-231-7	26.30	9




CENTRALIZER			
SIZE	PART NUMBER	PRICE	PARTS PER BOX
2" x 3"	013020-650-3	12.70	N/A
3" x 4"	013030-651-4	13.80	N/A
4" x 6"	013040-650-6	16.00	N/A



TOOLS & ACCESSORIES




POWER TOOLS			
DESCRIPTION	PART NUMBER	PRICE	SIZE
Model 2100 Taper/Scarf	005990-795-0	1,771.70	110V
Model 2100-I Taper/Scarf	005990-797-0	2,039.60	220/240V 50 cycle
Model 2102 Taper/Scarf	005990-790-0	2,063.90	110V
Model 2102-I Taper/Scarf	005990-780-0	2,160.90	220/240V 50 cycle



T.A.B JOINT WRENCH SETS			
SIZE	PART NUMBER	PRICE	PRICE (TWO WRENCH SET)
2"	005990-712-0	193.50	387.00
3"	005990-713-0	205.60	411.20
4"	005990-714-0	217.80	435.60
6"	005990-716-0	269.60	539.20

MANUAL TOOLS & ACCESSORIES



MANUAL TOOLS		
DESCRIPTION	PART NUMBER	PRICE
2" - 4" Manual Tapering Tool	005990-800-0	569.65
Cutting Head Kit	005990-810-0	336.00
Power Adapter for Cutting Head	005990-813-0	58.80
Adapter Block for 1" & 1 1/2"	005990-812-0	74.55
Adapter Kit for 1" & 1 1/2"	005990-811-0	211.05
Scarfing Adapter Kit for 3" & 4" Secondary Containment Pipe	005990-915-0	109.75
Scarfing Adapter Kit for 6" Secondary Containment Pipe	005990-922-1	148.60
1" Mandrel	005990-820-0	57.75
1 1/2" Mandrel	005990-821-0	70.90
2" Mandrel	005990-822-0	85.60
3" Mandrel	005990-823-0	122.35
4" Mandrel	005990-824-0	138.60
6" Mandrel	005990-825-0	212.65
Tapering Blade for 1" - 6" Tool	005990-814-0	3835
Scarfing Blade for Secondary Containment	005990-916-0	71.40
Blade Holder for Secondary Containment Blade	005990-917-0	73.50

SECONDARY CONTAINMENT GAUGE NIPPLES

SIZE	PART NUMBER	PRICE
3"	012030-050-0	6.10
4"	012040-050-0	7.30
6"	012060-120-0	18.80

ELECTRIC HEATING COLLARS

SIZE	PART NUMBER	PRICE	SIZE
2"	005990-502-0	106.00	110V
3"	005990-503-0	122.25	110V
4"	005990-504-0	136.00	110V
6"	005990-505-0	168.00	110V
2"	005990-502-1	149.85	240V
3"	005990-503-1	184.10	240V
4"	005990-504-1	215.05	240V
6"	005990-505-1	264.85	240V

SMITH HEAT PACK

SIZE	PART NUMBER	PRICE	PACKAGING
2"	005990-400-1	6.40	20/case
3"	005990-401-1	8.70	18/case
4"	005990-402-1	11.00	16/case
6"	005990-403-1	14.60	12/case

ADHESIVES

DESCRIPTION	PART NUMBER	PRICE	SIZE	PACKAGING
7014	002990-000-0	16.50	6.8 oz.	10/Box
7024	002990-040-0	22.10	2.5 oz. Twin Pack	10/Box
7069	002990-030-0	22.10	9.95 oz.	10/Box
8014	022990-000-0	16.50	6.4 oz.	10/Box
8024	022990-050-0	22.10	2.7 oz. Twin Pack	10/Box
8055	022990-020-0	11.70	1.6 oz. Small Pack	20/Case
8069	022990-033-0	22.10	9.3 oz.	10/Box
FILLER				
7014-8014	002990-004-0	2.80	For Secondary Containment	50/Case
7069-8069	002990-033-0	2.80	For Secondary Containment	50/Case
SOLVENT				
Trichloroethylene	002990-008-0	10.50	12 oz.	12/Case

UL TRAINING KIT	PART NUMBER	PRICE
4-Person Training Kit	012030-000-2	330.80

1 Each - 8024 Kit
 2 Each - 2" 90° Elbows, 3" S.C. Couplings, 8014 Kit, 8014 Filler Kits
 4 Each - 2" x 12" Plain End Pipe & 3" x 12" Plain End Pipe, B2160


MINIMUM ORDER - Total Quantity \$250.00

NOTE: MINIMUM ORDER TO RECEIVE DISCOUNT IS \$500.00

TERMS - F.O.B. Origin. A maximum of one pipe per bundle factory coupled lengths (joiners) may be shipped. All shipments will be to the nearest random length and billings will be made to the nearest foot shipped. Prices subject to change without notice. All sales subject to Fiber Glass Systems General Terms and Conditions of Sale.

FIBER GLASS SYSTEMS • A NATIONAL OILWELL VARCO COMPANY
 2700 W. 65th ST., LITTLE ROCK, AR 72209 • 501-568-4010 • FAX 501-568-4465
 25 S. MAIN ST., SAND SPRINGS, OK 74063 • 918-245-6651 • FAX 918-245-7566

PISCES™ INSTALLATION TOOLS



Ordering Specifications



Model No.	Description	Weight	
		lbs.	kg.
HS-275	Hole Saw, 2 1/4" c/w Arbor	0.5	0.2
HS-300	Hole Saw, 3" c/w Arbor	0.5	0.2
HS-350	Hole Saw, 3 1/2" c/w Arbor	0.5	0.2
HS-375	Hole Saw, 3 3/4" c/w Arbor	0.5	0.2
HS-450	Hole Saw, 4 1/2" c/w Arbor	1	0.5
HS-500	Hole Saw, 5" c/w Arbor	1	0.5
HS-550	Hole Saw, 5 1/2" c/w Arbor	1	0.5
HS-600	Hole Saw, 6" c/w Arbor	1	0.5
CHS-275	Carbide Tip Hole Saw, 2 1/4" (for FRP Sumps)	0.5	0.2
CHS-300	Carbide Tip Hole Saw, 3" (for FRP Sumps)	0.5	0.2
CHS-350	Carbide Tip Hole Saw, 3 1/2" (for FRP Sumps)	0.5	0.2
CHS-375	Carbide Tip Hole Saw, 3 3/4" (for FRP Sumps)	0.5	0.2
CHS-450	Carbide Tip Hole Saw, 4 1/2" (for FRP Sumps)	1	0.5
CHS-500	Carbide Tip Hole Saw, 5" (for FRP Sumps)	1	0.5
CHS-550	Carbide Tip Hole Saw, 5 1/2" (for FRP Sumps)	1	0.5
CHS-600	Carbide Tip Hole Saw, 6" (for FRP Sumps)	1	0.5
HSA-600	Hole Saw Arbor for Carbide Tip Hole Saws (CHS)	1	0.5
BFT-300	Bolted Flex-Flange Fitting Installation Template	1	0.5
SL-1100	Urethane Sealant (Packaged 12 Tubes/Case)	1	0.5
CSW-300	Conical Seal Entry Fitting Wrench (for CS-200, 300, 400)	0.5	0.2
CSW-200	Conical Seal Entry Fitting Wrench (for CS-200F, 150)	0.5	0.2
CSW-100	Conical Seal Entry Fitting Wrench (for CS-100, 075)	0.5	0.2
BCW-30	Band Clamp Wrench, 30 in. lbs.	1	0.5
BCW-60	Band Clamp Wrench, 60 in. lbs.	1	0.5
SW-300	Open-Face Entry Fitting Spanner Wrench (for all CS Fittings with pipe installed)	1	0.5

PISCES™ Pipe Reel Handling Equipment

The PISCES™ Pipe Reel Trailer provides a convenient means to both transport and unroll PISCES™ Pipe. The PISCES™ Pipe Reel Carousel provides a convenient means of unrolling PISCES™ Pipe Reels.

Ordering Specifications

Model No.	Description
PRT-1000	PISCES™ Pipe Reel Trailer
PRC-1000	PISCES™ Pipe Reel Carousel





OPW 

Telephone: (513) 870-3219 ♦ (800) 422-2525 ♦ Fax: (513) 870-9186 ♦ Fax: (800) 421-3297
© Copyright 2000, OPW Fueling Components ♦ P.O. Box 405003 ♦ Cincinnati, OH 45240-5003 ♦ Printed in USA ♦ 7/00

PISCES™ BOLTED FLANGE ENTRY FITTINGS

PISCES™ Bolted Flange Entry Fittings are installed in sump walls to seal the entry of fuel pipes, conduits, and vapor pipes. The boots on these fittings are replaceable from inside the sump without excavation.





Ordering Specifications

Model No.	Bolted Flange Entry Fittings	Nominal Boot ID.	Hole Saw Required	Weight		Packaging
				lbs.	kg.	
BFP-400	4" PISCES™ AP40 Access/Containment or 4" FRP Pipe Entry Fitting	4 1/2"	5 1/2"	1.5	0.7	6/box
BFP-300	3" PISCES™ AP30 Access/Containment or 3" FRP Pipe Entry Fitting	3 1/2"	4 1/2"	1.5	0.7	6/box
BFP-200	2" PISCES™ CP20 Double Wall Primary Pipe Entry Fitting	2 1/2"	4 1/2"	1.5	0.7	6/box
BFP-200F	2" FRP Pipe Entry Fitting	2 1/2"	3 1/2"	1.5	0.7	6/box
BFP-150	1 1/2" PISCES™ CP15 Double Wall Primary Pipe Entry Fitting	2"	3 1/2"	1.3	0.6	6/box

Bolted Flange Entry Fittings With Integral Test Boots

Integral Test Boots provided on these fittings isolate the interstitial space between the primary and secondary pipes for air testing. A test port is provided for use with the LTK-36 Secondary Line Test Kit, and an optional air test valve is available.





Ordering Specifications

Model No.	Bolted Flange Entry Fittings	Nominal Boot ID.	Hole Saw Required	Weight		Packaging
				lbs.	kg.	
BFP-420	4" PISCES™ AP40 Access/Containment or 4" FRP Pipe Entry Fitting with Test Boot for 2" PISCES™ or FRP Primary Pipe	2 1/2"	5 1/2"	1.5	0.7	6/box
BFP-420A	4" PISCES™ AP40 Access/Containment or 4" FRP Pipe Entry Fitting with Test Boot with Air Stem for 2" PISCES™ or FRP Primary Pipe	2 1/2"	5 1/2"	1.5	0.7	6/box
BFP-415	4" PISCES™ AP40 Access/Containment Pipe Entry Fitting with Test Boot for 1 1/2" PISCES™ Primary Pipe	2"	5 1/2"	1.5	0.7	6/box
BFP-415A	4" PISCES™ AP40 Access/Containment Pipe Entry Fitting with Test Boot with Air Stem for 1 1/2" PISCES™ Primary Pipe	2"	5 1/2"	1.5	0.7	6/box
BFP-315	3" PISCES™ AP30 Access/Containment Pipe Entry Fitting with Test Boot for 1 1/2" PISCES™ Primary Pipe	2"	4 1/2"	1.5	0.7	6/box
BFP-315A	3" PISCES™ AP30 Access/Containment Pipe Entry Fitting with Test Boot with Air Stem for 1 1/2" PISCES™ Primary Pipe	2"	4 1/2"	1.5	0.7	6/box

One-Piece Bolted Flex-Flange Entry Fittings


PISCES™ Bolted Flex-Flange Entry Fittings are installed in sump walls to seal the entry of fuel pipes, conduits, and vapor pipes. Bolted flange fittings require an entry hole to be cut and a bolt pattern to be drilled in the sump wall for installation.




Ordering Specifications

Model No.	Bolted Flex-Flange Entry Fittings	Nominal Boot ID.	Hole Saw Required	Weight		Packaging
				lbs.	kg.	
BF-300	3" PISCES™ Access/Containment or 3" FRP Pipe Entry Fitting	3 1/2"	HS-500 (5")	1.8	0.8	6/box
BF-200	2" PISCES™ Double Wall Primary Pipe Entry Fitting	2 1/2"	HS-375 (3 1/2")	1.8	0.8	6/box
BF-200F	2" FRP Pipe Entry Fitting	2 1/2"	HS-375 (3 1/2")	1.3	0.6	6/box
BF-150	1 1/2" PISCES™ Double Wall Primary Pipe Entry Fitting	2"	HS-375 (3 1/2")	1.5	0.7	6/box
BF-100	1" Rigid Conduit Entry Fitting	1 1/2"	HS-275 (2 1/2")	1.0	0.5	6/box
BF-075	3/4" Rigid Conduit Entry Fitting	1 1/4"	HS-275 (2 1/2")	1.0	0.5	6/box

MEMBER
PEI
PETROLEUM EQUIPMENT INSTITUTE






TM
FLEX-ING




Facilitates
Compliance of
NFPA 30 & 30A

Flexible Ideas For Flexible Products
For The
Petroleum, Hydraulic and Cryogenic Industries

FLEX-CONNECTOR SYSTEMS



1 1/2" x 18"




800-333-3599 • Fax 800-765-4801
903-892-8983 Fax 903-893-9576
2828 Fallon Drive • Sherman, Texas 75090
e-mail: info@flex-ing.com
www.flex-ing.com



OPW 10 SERIES EMERGENCY SHUT-OFF VALVES

OPW 10 Series Emergency Shut-off Valves are installed on fuel supply lines beneath dispensers at grade level to minimize hazards associated with collision or fire at the dispenser. If the dispenser is pulled over or dislodged by collision, the top of the valve breaks off at the integral shear groove, activating poppets and shutting off the flow of fuel. Single-poppet models shut off supply flow, while double-poppet models shut off supply as well as prevent release of fuel from the dispenser's internal piping. The base of the Emergency Valve is securely anchored to the concrete dispenser island through a stabilizer bar system within the dispenser sump or pan to ensure proper shearing action. The valve base is secured to the stabilizer bar using a three-point boss mount system or with a U-Bolt Kit. Valve inlet (bottom) connections are female pipe threads and outlet (top) connections are available with female threads, male threads, or a union fitting. Other options include suction system models with a normally closed secondary poppet which maintains prime, and models with external threads on the inlet body which connect to secondary containment systems.



Features

- ◆ **High Flow Capacity** – The primary poppet is held out of the flow stream while the secondary poppet is held normally open to minimize head loss across the valve and to protect the poppet seals from damage and erosion. True 1½" and 2" body sizes ensure maximum flow.
- ◆ **Fire Protection** – A fusible link trips the valve closed at 165° F to shut off fuel supply to the dispenser.
- ◆ **Main Poppet Seat Integral to the Top Assembly** – Having the main poppet seat as an integral part of the valve top assures a new, clean seating surface is installed each time the top is replaced. This design also ensures that the integrity of the seal between the valve top and bottom is verified during line testing and allows full inspection of the main poppet when the top is removed.
- ◆ **Reliable Shut-off** – A Stainless Steel Main Spring, a Teflon-Coated Brass Packing Nut, and a Copper-Nickel-Chrome Plated Brass Stem are designed to prevent tar build-up and corrosion from interfering with poppet operation after long periods of normal service without activation.
- ◆ **Integral Test Port** – A ¼" Test Port allows the piping system to be air tested without breaking any piping connections.
- ◆ **Patented Thermal Relief Valve** – Relieves excessive pressure build-up caused by thermal expansion of fuel in the dispenser piping system in the event of fire (double-poppet models only).
- ◆ **Low-Profile Tops** – Female and Union-top double-poppet valves have a low-profile top to allow upgrading from OPW single-poppet valves without changing existing piping.
- ◆ **Multiple Mounting Options** – Valves are boss-mounted to stabilizer bars in sumps and pans or mounted to bars embedded in the island with U-Bolt kits. Versatile Combination Body (boss mount/U-Bolt mount) models are available to accommodate most mounting applications with one valve style.
- ◆ **Underwriters Laboratories** – Listed for use with gasoline and 85% and 100% methanol. All OPW 10 Emergency Shut-Off Valves meet requirements of UL STANDARD 842.
- ◆ **Duragard®-Coat Finish** – Provides superior corrosion resistance.

NOTICE:

As per NFPA 30A, electrical supply to the submersible pump must always be disconnected before servicing meters, dispensers or emergency shut-off valves.

Materials

- Top: cast iron*
- Body: cast iron*
- Disc: M-19
- Carrier: zinc plated steel
- Stem: copper-nickel-chrome plated brass
- Poppet spring: stainless steel
- Seal: M-19 O-ring
- Packing nut: brass, Teflon® coated
- Inlet and outlet thread: 1½" NPT (British threads available)
- *With black Duragard® coating

IMPORTANT NOTICE:

When mounting the OPW 10 Series Emergency Shut-off Valves, the anchoring system employed must withstand a force greater than 650 ft. pounds per valve. NFPA Code 30A, Automotive and Marine Service Station Code, requires that the automatic closing feature of emergency shut-off valves be checked at least once per year by manually tripping the hold-open linkage. OPW recommends the use of PISCES™ Stabilizer Bar Support System for proper mounting of 10 Series Valves.

OPW 10S Stabilizer Bar Assembly

The OPW 10S Stabilizer Bar Assembly is used in installations where no valve mounting system exists. When properly imbedded into the island concrete, 10S holds the OPW 10 Series valves rigidly in place to assure proper shearing action. The 10S assembly includes all necessary installation hardware.

OPW 10RW Wrench

The OPW 10RW Wrench is used to install and remove 1½" OPW 10 Series Emergency Shut-off Valves and is designed to prevent stress to the shear section of the valve during installation.

This wrench is made of ductile iron and has a 1½" diameter boss for use with a pipe wrench and a 1½" diameter hole for use with a pipe wrench.