








0000451871



Permit #
000045784



wear and roof pitch
o clima y la pendiente del techo
température, chaussures utiliser et le toit pente

CEC COMPLIANT
COMPLIANT A122.3

FLORIDA BUILDING
CODE APPROVED

MEETS / SATISFAIT : ASTM D4869 & D226

eavetopeak.com/RhinoRoof | 800-567-9727
Copyright © 2020 Owens Corning. All Rights Reserved.
Copyright © 2020 Owens Corning. Tous droits réservés.

Permit #
000045784

A122.3
PROVED
UILDING
ROVED
A122.3
AR LE CCR
AR LE CCR
DE LA FLORIDE


D226

567-9727

Copyright © 2020 Owens Corning. Tous droits réservés.



Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utiliser et



Permit #
000045784

CODE COMPLIANCE
CONFORME AU CCB



Intertek

MEETS / SATISFAIT : ASTM D4869 & D226
avetopeak.com/RhinoRoof
Copyright © 2020 Owens Corning. All Rights Reserved.
Copyright © 2020 Owens Corning. All Rights Reserved.

MIAMI-DADE COUNTY
APPROVED

MEETS / SATISFAIT : ASTM D4869 & D226
avetopeak.com/RhinoRoof
Copyright © 2020 Owens Corning. All Rights Reserved.
Copyright © 2020 Owens Corning. All Rights Reserved.



MEETS / SATISFAIT : ASTM D4869 & D226
avetopeak.com/RhinoRoof
Copyright © 2020 Owens Corning. All Rights Reserved.
Copyright © 2020 Owens Corning. All Rights Reserved.

Permit #

000045784