






SQUARE FOOTAGES	
AREA	SQ. FT.
CABANA	188 SF
ENTRY	301 SF
GARAGE	140 SF
LANAI	252 SF
LIVING	2643 SF
TOTAL	4174 SF




FLOOR OUTLET NOTE:
RECESSED FLOOR OUTLET (FULLY CONCEAL BELOW FLOOR LEVEL)
160-PIV COVER PLATE BY:
THOMAS & BETTS, INC. OR EQUAL

PROJECT NOTES:



- INTERIOR WALL FINISH TO BE ORANGE PEEL WITH SQUARE CORNER BEAD.
- INTERIOR CEILING FINISH TO BE A SINGLE KNOCKDOWN.
- PEST CONTROL - UNDER SLAB TERMITE PREVENTION TREATMENT.
- WELL TO BE PROVIDED AND INSTALLED BY OWNER.
- SEPTIC TANK AND DRAIN FIELD TO BE SUPPLIED AND INSTALLED BY OWNER.

GENERAL NOTES:

- VERIFY ALL KDW & DR ROUGH OPNNG W/ MFR SPECS. SEE PLAN FOR KDW HDR HTS.
- VERIFY DEPTH AND WIDTH OF SLAB RECESS AT ALL DOORS TO ACCOMMODATE PROPER ALIGNMENT WITH THRESHOLDS AND DOOR TRACKS WITH MFR. REQUIREMENTS IN RELATION TO FINISH FLOOR MATERIALS.
- REC CLG SURFACES, BOTH HORIZONTAL AND VERTICAL, SHALL HAVE SMOOTH FIN.
- PROVIDE SOLID FILLED CONC. BLOCK AT ALL SHOWER SEATS.



02/23/24 301
12X18: 1/8" = 1'-0"
24X36: 1/8" = 1'-0"
24X42: 1/8" = 1'-0"
24X48: 1/8" = 1'-0"
24X54: 1/8" = 1'-0"
24X60: 1/8" = 1'-0"
24X66: 1/8" = 1'-0"
24X72: 1/8" = 1'-0"
24X78: 1/8" = 1'-0"
24X84: 1/8" = 1'-0"
24X90: 1/8" = 1'-0"
24X96: 1/8" = 1'-0"
24X102: 1/8" = 1'-0"
24X108: 1/8" = 1'-0"
24X114: 1/8" = 1'-0"
24X120: 1/8" = 1'-0"
24X126: 1/8" = 1'-0"
24X132: 1/8" = 1'-0"
24X138: 1/8" = 1'-0"
24X144: 1/8" = 1'-0"
24X150: 1/8" = 1'-0"
24X156: 1/8" = 1'-0"
24X162: 1/8" = 1'-0"
24X168: 1/8" = 1'-0"
24X174: 1/8" = 1'-0"
24X180: 1/8" = 1'-0"
24X186: 1/8" = 1'-0"
24X192: 1/8" = 1'-0"
24X198: 1/8" = 1'-0"
24X204: 1/8" = 1'-0"
24X210: 1/8" = 1'-0"
24X216: 1/8" = 1'-0"
24X222: 1/8" = 1'-0"
24X228: 1/8" = 1'-0"
24X234: 1/8" = 1'-0"
24X240: 1/8" = 1'-0"
24X246: 1/8" = 1'-0"
24X252: 1/8" = 1'-0"
24X258: 1/8" = 1'-0"
24X264: 1/8" = 1'-0"
24X270: 1/8" = 1'-0"
24X276: 1/8" = 1'-0"
24X282: 1/8" = 1'-0"
24X288: 1/8" = 1'-0"
24X294: 1/8" = 1'-0"
24X300: 1/8" = 1'-0"
24X306: 1/8" = 1'-0"
24X312: 1/8" = 1'-0"
24X318: 1/8" = 1'-0"
24X324: 1/8" = 1'-0"
24X330: 1/8" = 1'-0"
24X336: 1/8" = 1'-0"
24X342: 1/8" = 1'-0"
24X348: 1/8" = 1'-0"
24X354: 1/8" = 1'-0"
24X360: 1/8" = 1'-0"
24X366: 1/8" = 1'-0"
24X372: 1/8" = 1'-0"
24X378: 1/8" = 1'-0"
24X384: 1/8" = 1'-0"
24X390: 1/8" = 1'-0"
24X396: 1/8" = 1'-0"
24X402: 1/8" = 1'-0"
24X408: 1/8" = 1'-0"
24X414: 1/8" = 1'-0"
24X420: 1/8" = 1'-0"
24X426: 1/8" = 1'-0"
24X432: 1/8" = 1'-0"
24X438: 1/8" = 1'-0"
24X444: 1/8" = 1'-0"
24X450: 1/8" = 1'-0"
24X456: 1/8" = 1'-0"
24X462: 1/8" = 1'-0"
24X468: 1/8" = 1'-0"
24X474: 1/8" = 1'-0"
24X480: 1/8" = 1'-0"
24X486: 1/8" = 1'-0"
24X492: 1/8" = 1'-0"
24X498: 1/8" = 1'-0"
24X504: 1/8" = 1'-0"
24X510: 1/8" = 1'-0"
24X516: 1/8" = 1'-0"
24X522: 1/8" = 1'-0"
24X528: 1/8" = 1'-0"
24X534: 1/8" = 1'-0"
24X540: 1/8" = 1'-0"
24X546: 1/8" = 1'-0"
24X552: 1/8" = 1'-0"
24X558: 1/8" = 1'-0"
24X564: 1/8" = 1'-0"
24X570: 1/8" = 1'-0"
24X576: 1/8" = 1'-0"
24X582: 1/8" = 1'-0"
24X588: 1/8" = 1'-0"
24X594: 1/8" = 1'-0"
24X600: 1/8" = 1'-0"
24X606: 1/8" = 1'-0"
24X612: 1/8" = 1'-0"
24X618: 1/8" = 1'-0"
24X624: 1/8" = 1'-0"
24X630: 1/8" = 1'-0"
24X636: 1/8" = 1'-0"
24X642: 1/8" = 1'-0"
24X648: 1/8" = 1'-0"
24X654: 1/8" = 1'-0"
24X660: 1/8" = 1'-0"
24X666: 1/8" = 1'-0"
24X672: 1/8" = 1'-0"
24X678: 1/8" = 1'-0"
24X684: 1/8" = 1'-0"
24X690: 1/8" = 1'-0"
24X696: 1/8" = 1'-0"
24X702: 1/8" = 1'-0"
24X708: 1/8" = 1'-0"
24X714: 1/8" = 1'-0"
24X720: 1/8" = 1'-0"
24X726: 1/8" = 1'-0"
24X732: 1/8" = 1'-0"
24X738: 1/8" = 1'-0"
24X744: 1/8" = 1'-0"
24X750: 1/8" = 1'-0"
24X756: 1/8" = 1'-0"
24X762: 1/8" = 1'-0"
24X768: 1/8" = 1'-0"
24X774: 1/8" = 1'-0"
24X780: 1/8" = 1'-0"
24X786: 1/8" = 1'-0"
24X792: 1/8" = 1'-0"
24X798: 1/8" = 1'-0"
24X804: 1/8" = 1'-0"
24X810: 1/8" = 1'-0"
24X816: 1/8" = 1'-0"
24X822: 1/8" = 1'-0"
24X828: 1/8" = 1'-0"
24X834: 1/8" = 1'-0"
24X840: 1/8" = 1'-0"
24X846: 1/8" = 1'-0"
24X852: 1/8" = 1'-0"
24X858: 1/8" = 1'-0"
24X864: 1/8" = 1'-0"
24X870: 1/8" = 1'-0"
24X876: 1/8" = 1'-0"
24X882: 1/8" = 1'-0"
24X888: 1/8" = 1'-0"
24X894: 1/8" = 1'-0"
24X900: 1/8" = 1'-0"
24X906: 1/8" = 1'-0"
24X912: 1/8" = 1'-0"
24X918: 1/8" = 1'-0"
24X924: 1/8" = 1'-0"
24X930: 1/8" = 1'-0"
24X936: 1/8" = 1'-0"
24X942: 1/8" = 1'-0"
24X948: 1/8" = 1'-0"
24X954: 1/8" = 1'-0"
24X960: 1/8" = 1'-0"
24X966: 1/8" = 1'-0"
24X972: 1/8" = 1'-0"
24X978: 1/8" = 1'-0"
24X984: 1/8" = 1'-0"
24X990: 1/8" = 1'-0"
24X996: 1/8" = 1'-0"
25X002: 1/8" = 1'-0"
25X008: 1/8" = 1'-0"
25X014: 1/8" = 1'-0"
25X020: 1/8" = 1'-0"
25X026: 1/8" = 1'-0"
25X032: 1/8" = 1'-0"
25X038: 1/8" = 1'-0"
25X044: 1/8" = 1'-0"
25X050: 1/8" = 1'-0"
25X056: 1/8" = 1'-0"
25X062: 1/8" = 1'-0"
25X068: 1/8" = 1'-0"
25X074: 1/8" = 1'-0"
25X080: 1/8" = 1'-0"
25X086: 1/8" = 1'-0"
25X092: 1/8" = 1'-0"
25X098: 1/8" = 1'-0"
25X104: 1/8" = 1'-0"
25X110: 1/8" = 1'-0"
25X116: 1/8" = 1'-0"
25X122: 1/8" = 1'-0"
25X128: 1/8" = 1'-0"
25X134: 1/8" = 1'-0"
25X140: 1/8" = 1'-0"
25X146: 1/8" = 1'-0"
25X152: 1/8" = 1'-0"
25X158: 1/8" = 1'-0"
25X164: 1/8" = 1'-0"
25X170: 1/8" = 1'-0"
25X176: 1/8" = 1'-0"
25X182: 1/8" = 1'-0"
25X188: 1/8" = 1'-0"
25X194: 1/8" = 1'-0"
25X200: 1/8" = 1'-0"
25X206: 1/8" = 1'-0"
25X212: 1/8" = 1'-0"
25X218: 1/8" = 1'-0"
25X224: 1/8" = 1'-0"
25X230: 1/8" = 1'-0"
25X236: 1/8" = 1'-0"
25X242: 1/8" = 1'-0"
25X248: 1/8" = 1'-0"
25X254: 1/8" = 1'-0"
25X260: 1/8" = 1'-0"
25X266: 1/8" = 1'-0"
25X272: 1/8" = 1'-0"
25X278: 1/8" = 1'-0"
25X284: 1/8" = 1'-0"
25X290: 1/8" = 1'-0"
25X296: 1/8" = 1'-0"
25X302: 1/8" = 1'-0"
25X308: 1/8" = 1'-0"
25X314: 1/8" = 1'-0"
25X320: 1/8" = 1'-0"
25X326: 1/8" = 1'-0"
25X332: 1/8" = 1'-0"
25X338: 1/8" = 1'-0"
25X344: 1/8" = 1'-0"
25X350: 1/8" = 1'-0"
25X356: 1/8" = 1'-0"
25X362: 1/8" = 1'-0"
25X368: 1/8" = 1'-0"
25X374: 1/8" = 1'-0"
25X380: 1/8" = 1'-0"
25X386: 1/8" = 1'-0"
25X392: 1/8" = 1'-0"
25X398: 1/8" = 1'-0"
25X404: 1/8" = 1'-0"
25X410: 1/8" = 1'-0"
25X416: 1/8" = 1'-0"
25X422: 1/8" = 1'-0"
25X428: 1/8" = 1'-0"
25X434: 1/8" = 1'-0"
25X440: 1/8" = 1'-0"
25X446: 1/8" = 1'-0"
25X452: 1/8" = 1'-0"
25X458: 1/8" = 1'-0"
25X464: 1/8" = 1'-0"
25X470: 1/8" = 1'-0"
25X476: 1/8" = 1'-0"
25X482: 1/8" = 1'-0"
25X488: 1/8" = 1'-0"
25X494: 1/8" = 1'-0"
25X500: 1/8" = 1'-0"
25X506: 1/8" = 1'-0"
25X512: 1/8" = 1'-0"
25X518: 1/8" = 1'-0"
25X524: 1/8" = 1'-0"
25X530: 1/8" = 1'-0"
25X536: 1/8" = 1'-0"
25X542: 1/8" = 1'-0"
25X548: 1/8" = 1'-0"
25X554: 1/8" = 1'-0"
25X560: 1/8" = 1'-0"
25X566: 1/8" = 1'-0"
25X572: 1/8" = 1'-0"
25X578: 1/8" = 1'-0"
25X584: 1/8" = 1'-0"
25X590: 1/8" = 1'-0"
25X596: 1/8" = 1'-0"
26X002: 1/8" = 1'-0"
26X008: 1/8" = 1'-0"
26X014: 1/8" = 1'-0"
26X020: 1/8" = 1'-0"
26X026: 1/8" = 1'-0"
26X032: 1/8" = 1'-0"
26X038: 1/8" = 1'-0"
26X044: 1/8" = 1'-0"
26X050: 1/8" = 1'-0"
26X056: 1/8" = 1'-0"
26X062: 1/8" = 1'-0"
26X068: 1/8" = 1'-0"
26X074: 1/8" = 1'-0"
26X080: 1/8" = 1'-0"
26X086: 1/8" = 1'-0"
26X092: 1/8" = 1'-0"
26X098: 1/8" = 1'-0"
26X104: 1/8" = 1'-0"
26X110: 1/8" = 1'-0"
26X116: 1/8" = 1'-0"
26X122: 1/8" = 1'-0"
26X128: 1/8" = 1'-0"
26X134: 1/8" = 1'-0"
26X140: 1/8" = 1'-0"
26X146: 1/8" = 1'-0"
26X152: 1/8" = 1'-0"
26X158: 1/8" = 1'-0"
26X164: 1/8" = 1'-0"
26X170: 1/8" = 1'-0"
26X176: 1/8" = 1'-0"
26X182: 1/8" = 1'-0"
26X188: 1/8" = 1'-0"
26X194: 1/8" = 1'-0"
26X200: 1/8" = 1'-0"
26X206: 1/8" = 1'-0"
26X212: 1/8" = 1'-0"
26X218: 1/8" = 1'-0"
26X224: 1/8" = 1'-0"
26X230: 1/8" = 1'-0"
26X236: 1/8" = 1'-0"
26X242: 1/8" = 1'-0"
26X248: 1/8" = 1'-0"
26X254: 1/8" = 1'-0"
26X260: 1/8" = 1'-0"
26X266: 1/8" = 1'-0"
26X272: 1/8" = 1'-0"
26X278: 1/8" = 1'-0"
26X284: 1/8" = 1'-0"
26X290: 1/8" = 1'-0"
26X296: 1/8" = 1'-0"
26X302: 1/8" = 1'-0"
26X308: 1/8" = 1'-0"
26X314: 1/8" = 1'-0"
26X320: 1/8" = 1'-0"
26X326: 1/8" = 1'-0"
26X332: 1/8" = 1'-0"
26X338: 1/8" = 1'-0"
26X344: 1/8" = 1'-0"
26X350: 1/8" = 1'-0"
26X356: 1/8" = 1'-0"
26X362: 1/8" = 1'-0"
26X368: 1/8" = 1'-0"
26X374: 1/8" = 1'-0"
26X380: 1/8" = 1'-0"
26X386: 1/8" = 1'-0"
26X392: 1/8" = 1'-0"
26X398: 1/8" = 1'-0"
26X404: 1/8" = 1'-0"
26X410: 1/8" = 1'-0"
26X416: 1/8" = 1'-0"
26X422: 1/8" = 1'-0"
26X428: 1/8" = 1'-0"
26X434: 1/8" = 1'-0"
26X440: 1/8" = 1'-0"
26X446: 1/8" = 1'-0"
26X452: 1/8" = 1'-0"
26X458: 1/8" = 1'-0"
26X464: 1/8" = 1'-0"
26X470: 1/8" = 1'-0"
26X476: 1/8" = 1'-0"
26X482: 1/8" = 1'-0"
26X488: 1/8" = 1'-0"
26X494: 1/8" = 1'-0"
26X500: 1/8" = 1'-0"
26X506: 1/8" = 1'-0"
26X512: 1/8" = 1'-0"
26X518: 1/8" = 1'-0"
26X524: 1/8" = 1'-0"
26X530: 1/8" = 1'-0"
26X536: 1/8" = 1'-0"
26X542: 1/8" = 1'-0"
26X548: 1/8" = 1'-0"
26X554: 1/8" = 1'-0"
26X560: 1/8" = 1'-0"
26X566: 1/8" = 1'-0"
26X572: 1/8" = 1'-0"
26X578: 1/8" = 1'-0"
26X584: 1/8" = 1'-0"
26X590: 1/8" = 1'-0"
26X596: 1/8" = 1'-0"
27X002: 1/8" = 1'-0"
27X008: 1/8" = 1'-0"
27X014: 1/8" = 1'-0"
27X020: 1/8" = 1'-0"
27X026: 1/8" = 1'-0"
27X032: 1/8" = 1'-0"
27X038: 1/8" = 1'-0"
27X044: 1/8" = 1'-0"
27X050: 1/8" = 1'-0"
27X056: 1/8" = 1'-0"
27X062: 1/8" = 1'-0"
27X068: 1/8" = 1'-0"
27X074: 1/8" = 1'-0"
27X080: 1/8" = 1'-0"
27X086: 1/8" = 1'-0"
27X092: 1/8" = 1'-0"
27X098: 1/8" = 1'-0"
27X104: 1/8" = 1'-0"
27X110: 1/8" = 1'-0"
27X116: 1/8" = 1'-0"
27X122: 1/8" = 1'-0"
27X128: 1/8" = 1'-0"
27X134: 1/8" = 1'-0"
27X140: 1/8" = 1'-0"
27X146: 1/8" = 1'-0"
27X152: 1/8" = 1'-0"
27X158: 1/8" = 1'-0"
27X164: 1/8" = 1'-0"
27X170: 1/8" = 1'-0"
27X176: 1/8" = 1'-0"
27X182: 1/8" = 1'-0"
27X188: 1/8" = 1'-0"
27X194: 1/8" = 1'-0"
27X200: 1/8" = 1'-0"
27X206: 1/8" = 1'-0"
27X212: 1/8" = 1'-0"
27X218: 1/8" = 1'-0"
27X224: 1/8" = 1'-0"
27X230: 1/8" = 1'-0"
27X236: 1/8" = 1'-0"
27X242: 1/8" = 1'-0"
27X248: 1/8" = 1'-0"
27X254: 1/8" = 1'-0"
27X260: 1/8" = 1'-0"
27X266: 1/8" = 1'-0"
27X272: 1/8" = 1'-0"
27X278: 1/8" = 1'-0"
27X284: 1/8" = 1'-0"
27X290: 1/8" = 1'-0"
27X296: 1/8" = 1'-0"
27X302: 1/8" = 1'-0"
27X308: 1/8" = 1'-0"
27X314: 1/8" = 1'-0"
27X320: 1/8" = 1'-0"
27X326: 1/8" = 1'-0"
27X332: 1/8" = 1'-0"
27X338: 1/8" = 1'-0"
27X344: 1/8" = 1'-0"
27X350: 1/8" = 1'-0"
27X356: 1/8" = 1'-0"
27X362: 1/8" = 1'-0"
27X368: 1/8" = 1'-0"
27X374: 1/8" = 1'-0"
27X380: 1/8" = 1'-0"
27X386: 1/8" = 1'-0"
27X392: 1/8" = 1'-0"
27X398: 1/8" = 1'-0"
27X404: 1/8" = 1'-0"
27X410: 1/8" = 1'-0"
27X416: 1/8" = 1'-0"
27X422: 1/8" = 1'-0"
27X428: 1/8" = 1'-0"
27X434: 1/8" = 1'-0"
27X440: 1/8" = 1'-0"
27X446: 1/8" = 1'-0"
27X452: 1/8" = 1'-0"
27X458: 1/8" = 1'-0"
27X464: 1/8" = 1'-0"
27X470: 1/8" = 1'-0"
27X476: 1/8" = 1'-0"
27X482: 1/8" = 1'-0"
27X488: 1/8" = 1'-0"
27X494: 1/8" = 1'-0"
27X500: 1/8" = 1'-0"
27X506: 1/8" = 1'-0"
27X512: 1/8" = 1'-0"
27X518: 1/8" = 1'-0"
27X524: 1/8" = 1'-0"
27X530: 1/8" = 1'-0"
27X536: 1/8" = 1'-0"
27X542: 1/8" = 1'-0"
27X548: 1/8" = 1'-0"
27X554: 1/8" = 1'-0"
27X560: 1/8" = 1'-0"
27X566: 1/8" = 1'-0"
27X572: 1/8" = 1'-0"
27X578: 1/8" = 1'-0"
27X584: 1/8" = 1'-0"
27X590: 1/8" = 1'-0"
27X596: 1/8" = 1'-0"
28X002: 1/8" = 1'-0"
28X008: 1/8" = 1'-0"
28X014: 1/8" = 1'-0"
28X020: 1/8" = 1'-0"
28X026: 1/8" = 1'-0"
28X032: 1/8" = 1'-0"
28X038: 1/8" = 1'-0"
28X044: 1/8" = 1'-0"
28X050: 1/8" = 1'-0"
28X056: 1/8" = 1'-0"
28X062: 1/8" = 1'-0"
28X068: 1/8" = 1'-0"
28X074: 1/8" = 1'-0"
28X080: 1/8" = 1'-0"
28X086: 1/8" = 1'-0"
28X092: 1/8" = 1'-0"
28X098: 1/8" = 1'-0"
28X104: 1/8" = 1'-0"
28X110: 1/8" = 1'-0"
28X116: 1/8" = 1'-0"
28X122: 1/8" = 1'-0"
28X128: 1/8" = 1'-0"
28X134: 1/8" = 1'-0"
28X140: 1/8" = 1'-0"
28X146: 1/8" = 1'-0"
28X152: 1/8" = 1'-0"
28X158: 1/8" = 1'-0"
28X164: 1/8" = 1'-0"
28X170: 1/8" = 1'-0"
28X176: 1/8" = 1'-0"
28X182: 1/8" = 1'-0"
28X188: 1/8" = 1'-0"
28X194: 1/8" = 1'-0"
28X200: 1/8" = 1'-0"
28X206: 1/8" = 1'-0"
28X212: 1/8" = 1'-0"
28X218: 1/8" = 1'-0"
28X224: 1/8" = 1'-0"
28X230: 1/8" = 1'-0"
28X236: 1/8" = 1'-0"
28X242: 1/8" = 1'-0"
28X248: 1/8" = 1'-0"
28X254: 1/8" = 1'-0"
28X260: 1/8" = 1'-0"
28X266: 1/8" = 1'-0"
28X272: 1/8" = 1'-0"
28X278: 1/8" = 1'-0"
28X284: 1/8" = 1'-0"
28X290: 1/8" = 1'-0"
28X296: 1/8" = 1'-0"
28X302: 1/8" = 1'-0"
28X308: 1/8" = 1'-0"
28X314: 1/8" = 1'-0"
28X320: 1/8" = 1'-0"
28X326: 1/8" = 1'-0"
28X332: 1/8" = 1'-0"
28X338: 1/8" = 1'-0"
28X344: 1/8" = 1'-0"
28X350: 1/8" = 1'-0"
28X356: 1/8" = 1'-0"
28X362: 1/8" = 1'-0"
28X368: 1/8" = 1'-0"
28X374: 1/8" = 1'-0"
28X380: 1/8" = 1'-0"
28X386: 1/8" = 1'-0"
28X392: 1/8" = 1'-0"
28X398: 1/8" = 1'-0"
28X404: 1/8" = 1'-0"
28X410: 1/8" = 1'-0"
28X416: 1/8" = 1'-0"
28X422: 1/8" = 1'-0"
28X428: 1/8" = 1'-0"
28X434: 1/8" = 1'-0"
28X440: 1/8" = 1'-0"
28X446: 1/8" = 1'-0"
28X452: 1/8" = 1'-0"
28X458: 1/8" = 1'-0"
28X464: 1/8" = 1'-0"
28X470: 1/8" = 1'-0"
28X476: 1/8" = 1'-0"
28X482: 1/8" = 1'-0"
28X488: 1/8" = 1'-0"
28X494: 1/8" = 1'-0"
28X500: 1/8" = 1'-0"
28X506: 1/8" = 1'-0"
28X512: 1/8" = 1'-0"
28X518: 1/8" = 1'-0"
28X524: 1/8" = 1'-0"
28X530: 1/8" = 1'-0"
28X536: 1/8" = 1'-0"
28X542: 1/8" = 1'-0"
28X548: 1/8" = 1'-0"
28X554: 1/8" = 1'-0"
28X560: 1/8" = 1'-0"
28X566: 1/8" = 1'-0"
28X572: 1/8" = 1'-0"
28X578: 1/8" = 1'-0"
28X584: 1/8" = 1'-0"
28X590: 1/8" = 1'-0"
28X596:




THE FRAMING PLANS REPRESENTED IN THESE DRAWINGS ARE INTENDED TO ESTABLISH PROPOSED FRAMING MEMBER LOCATIONS, FRAMING MEMBER DEPTH, POTENTIAL BEARING LOCATIONS AND ELEVATIONS, AND IS IN NO WAY INTENDED TO BE INTERPRETED AS STRUCTURAL ENGINEERED DRAWINGS. THE CONTRACTOR (BUILDER) SHALL ENSURE THAT THE STRUCTURE CONFORMS TO THOSE STANDARDS THAT ALL RESPECTS INCLUDING STRAIGHT, STRAINS, LOADS, CONNECTIONS AND STABILITY. REFER TO PLAN DISCLAIMER LOCATED ON THIS SHEET FOR ADDITIONAL STIPULATIONS AND REQUIREMENTS.




ANY DUCT ROUTING AND HVAC EQUIPMENT SHOWN ON THESE DRAWINGS ARE DIAGRAMATIC ONLY. THE BUILDER IS SOLELY RESPONSIBLE FOR COORDINATING ALL ASPECTS OF MECHANICAL INSTALLATION WITH ALL TRADES. THE BUILDER SHALL COORDINATE BETWEEN THE PRE-ENGINEERED TRUSS MFR. AND/OR FRAMING REQUIREMENTS WITH THE MECHANICAL CONTRACTOR TO ENSURE ADEQUATE SPACE FOR DUCT ROUTING AND EQUIPMENT PLACEMENT AND SUPPORT. HVAC INSTALLATION SHALL BE INSTALLED ACCORDING TO ALL CURRENT STATE AND LOCAL MECHANICAL CODES.




NOTE: IT IS THE RESPONSIBILITY OF THE BUILDER TO COORDINATE THE INSTALLATION OF ALL WATERPROOFING METHODS NECESSARY TO PROVIDE A WATER TIGHT BUILDING ENVELOPE. REFER TO MFR. INSTALLATION RECOMMENDATION FOR ALL SELECTED WATERPROOFING MATERIALS, FLASHING, SEALERS AND AD-MIX COMPONENTS.





NOTE: IT IS THE RESPONSIBILITY OF THE BUILDER TO COORDINATE THE INSTALLATION OF ALL WATERPROOFING METHODS NECESSARY TO PROVIDE A WATER TIGHT BUILDING ENVELOPE. REFER TO MFR. INSTALLATION RECOMMENDATION FOR ALL SELECTED WATERPROOFING MATERIALS, FLASHING, SEALERS AND AD-MIX COMPONENTS.









PLUMBING, TILE, BASE MLDG, DOOR CASING &
DECORATIVE LIGHTING & DECORATIVE MIRRORS ARE
ILLUSTRATED FOR LOCATION PURPOSES ONLY.
PLEASE REFER TO COMMUNITY STANDARDS FOR
SIZES & SPECS.



WALL "N"
DEN

WALL "X"
DEN







WALL "Y"
POWDER BATH

WALL "X"

WALL "W"

WALL "Z"






WALL "W"
BATH 2

WALL "X"

WALL "Y"


WALL "Z"



WALL "Z"
SECTION

WALL "W"
UTILITY

WALL "Y"
UTILITY



USE
POLYFLEX "FLEXIBLE MLDG"
(904) 880-1253
TO MATCH S&S PROFILES
FOR CURVED APPLICATIONS

*ALL MLDG
PROFILES ARE TO
BE PAINTED UNLESS
OTHERWISE NOTED

GENERAL NOTES:
CABINET ELEVATIONS AND LIGHTING ARE GRAPHIC
REPRESENTATIONS ONLY. REFERENCE SHOULD BE
MADE TO THE ELECTRICAL SHEET, CABINET MFR.
DRAWINGS AND SPECS FOR FURTHER INFORMATION.
REFER TO CABINET SHOP DRAWINGS FOR CABINET &
VANITY TOP DIMENSIONS.
THE TOE KICK IS 4".
PLUMBING, TILE, BASE MLDG, DOOR CASING &
DECORATIVE LIGHTING & DECORATIVE MIRRORS ARE
ILLUSTRATED FOR LOCATION PURPOSES ONLY.
PLEASE REFER TO COMMUNITY STANDARDS FOR
SIZES & SPECS.