



Columbia County BUILDING DEPARTMENT

Revised March 2021

COMMERCIAL MINIMUM PLAN CHECKLIST

MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2020 FLORIDA BUILDING CODE ,FLORIDA PLUMBING CODE,FLORIDA MECHINICAL CODE,FLORIDA FUEL AND GAS CODE 2020 EFFECTIVE 1 JAN 2021 AND 2017 NATIONAL ELECTRICAL

ALL REQUIREMENTS ARE SUBJECT TO CHANGE

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609.3 (1) THROUGH (4) ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

1	GENERAL REQUIREMENTS: All drawings must be clear, concise and drawn to scale, details that are not used shall be	Box s		Marked cable	
1	marked void.	123	NO	IVA	-
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	YES	NO	N/A	-
3	The design professional signature shall be affixed to the plans	YES	NO	N/A]-
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans	YES	NO	N/A	-

Two (2) complete sets of plans containing the following information:

	Building Site Plan Requirements	Each			
4	Parking, including provision Florida Building Code Accessibility Code	Yes	No	N/A	-
5	Fire access, showing all drive way which will be accessible for emergency vehicles	Yes	No	N/A	_
6	Driving/turning radius of parking lots	Yes	No	N/A	-
7	Vehicle loading include truck dock loading or rail site loading	Yes	No	N/A	-
8	Nearest or number of onsite Fire hydrant/water supply/post indicator valve (PIV)	Yes	No	N/A	-
9	Set back of all existing or proposed structures from each structure and property boundaries, Show all separation including assumed property lines	Yes	No	N/A	-
10	Location of specific tanks(above or under grown ,water lines and sewer lines and septic tank and drain fields	Yes	No	N/A	-

11	All struct	ures exterio	r viev	vs include f	nished floo	or eleva	tion						Yes ~	N	6	N/A	
12	Total heig	ght of structi	are(s)) form estab	lished grad	le							Yes	N	0	N/A	-
		Review rea	mire	d by the Co	lumbia Ca	aunty E	ire l	Denartmen	t Itan	ne 13T	'h 42						
									ı iteli	18 13	73						
	Occupan	ev Grou	n	Group	Group	Grou	n	Group	Gro	un	Group	Gro	un Gr	01110		Group]
	group use		/	В	E	F	Ρ	Н	I	μp	M	R	S	oup		U D	
	circle all uses:	/															,
13	S	pecial occup	ancy	requiremen	ts.				-		-		Ye	es	No	NA	-
14						for each	n roc	om of use ar	ea)			***********	Yé	8	No	N/A	-
15				1									Ye	es	No	NUA	-
16					OF OCCUP	ANCIE	S IN	N HOURS F	BC T	ABLI	E 707.3.10			7		N/A	-
	Mi	inimum typ	e of p	ermitted c	onstructio	n by co	de fo	or occupan		e circl	le the cons		ion type	FE			
17																	
																	1
						ments s	hall	be shown,	inclu	de the	following	com	ponents				
18															No	N/A	-
19														/	No	N/A	-
20													Yes	5	No	N/A	-
21										-			Ye	1	No	N/A	-
22		F	ire bl								ndo.		Ye	5	No	N/A	-
23		F	arly v						038	477 1411		ines	Ves	T	No	NYA	-
24					Ale evacua	tion by b		Sellematic	11103	printi	ors Building	трез		\top			-
25		21277 D. C.			stems									\neg		/	-
26											***************************************			\neg			-
					all be show	wn incl	ude	the followi	ng rec	quirer	ments:			71			
27		0	ccup	ant load and	egress car	acities							Yes	1	No	N/A	-
28		Е	arly v	warning									Ye.	5	No	N/A	-
29		Si	moke	control	va								Xe.	1	No	N/A	
30		Sı	tair p	ressurizatio	n								Yes	5	No	NA	-
31													Yes	8	No	NA	-
32					ss require	ments s	nall	be shown i	nclud	le:			T	7	,, 1	27/4	
33																	_
34														1			-
35	NO.				ad									/			-
36														1			
37												-		1			
38					1					************	1201112312231437						
39				construction	geometry	and pro	tecti	ion						1			
40														/			
41		Sepecial occupancy requirements. Yes No N/A		-													

42	Construction requirements	Yes	No	N/A] -
43	Horizontal exits/exit passageways	Yes	No	N/A	-
		Items Each I Marke	to Incl Box sh	ude	
	Structural requirements shall be shown include:			·	
44	Soil conditions/analysis	Yes	No	N/A	-
45	Termite protection	Yes	No	N/A	-
46	Design loads	Yes	No	N/A	-
47	Wind requirements	Xes /	No	N/A	-
48	Building envelope	Wes	No	N/A	-
49	Structural calculations (if required)	Ves	No	N/A	-
50	Foundation For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	Yes	No	N/A	-
51	Wall systems	Yes	No	N/A	Ł
52	Floor systems	Yės	No	NWA	-
53	Roof systems	Yas	No	N/A	-
54	Threshold inspection plan	Yes	No	N/A /	-
55	Stair systems	Yes	No	NVA	-
	Materials shall be shown include the following				
56	Wood	Yés	No	N/A	-
57	Steel	Yes	No	N/A	
58	Aluminum	Yes	No	Ma	-
59	Concrete	Yes	No	N/A	_
60	Plastic	Yes	No	NVA	-
61	Glass	Yes	No	N/A	
62	Masonry	Yes ,	No	N/A	-
63	Gypsum board and plaster	Yas	No	N/A	-
64	Insulating (mechanical)	Yes	No	N/A	-
65	Roofing	Yes	No	N/A	-
66	Insulation	Yes	No	N/A	-
<i>(=</i>	Accessibility requirements shall be shown include the following		T	1	
67	Site requirements	Ves	No	N/A	-
68	Accessible route	Ves	No	N/A	-
69	Vertical accessibility	Yes	No	N/A	-
70	Toilet and bathing facilities	Yos	No	N/A	-
71	Drinking fountains	Ver	No	N/A	-
72	Equipment	Ves	No	N/A	-
73	Special occupancy requirements	Yes	No	N/A/	_
74	Fair housing requirements	Yes	No	NA	-

	Interior requirements shall include the following				7
75	Review required by the Columbia County Fire Department Items 75Th 80	Yes	No	N/A	Ī
	Interior finishes (flame spread/smoke development)	/			-
76	Light and ventilation	Yes	No	N/A	_
77	Sanitation	Yes	No	N/A	-
	Special systems				
78	Elevators	Yes	No	NVA,	-
79	Escalators	Yes	No	NA	-
80	Lifts	Yes	No	NVA	-
	Swimming pools			,	
81	Barrier requirements	Yes	No	NVA,	-
82	Spas and Wading pools	Yes	No	NA /	-
83	Access required per Florida Building Code 454.1.2.5	Yes	No	NUA	-

	Electrical	,	at the control of		1
84	Wiring	Yès	No	N/A	-
85	Services For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	Yes	No	N/A	-
36	Feeders and branch circuits	Yes	No	N/A	-
37	Overcurrent protection	Yes	No	N/A	-
38	Grounding	Yes	No	N/A	-
39	Wiring methods and materials	Yes	No	N/A	-
90	GFCIs	Yes	No	N/A	-
)1	Equipment	Yes	No	N/A	-
)2	Special occupancies	Yes	No	N/A	-
)3	Emergency systems	Yes	No	N/A	-
94	Communication systems	Yes	No	N/A	
)5	Low voltage	Yes	No	N/A	-
96	Load calculations	Yes	No	N/A	-
_	Plumbing				
7	Minimum plumbing facilities	Yes	No	N/A	-
8	Fixture requirements	Yes	No	N/A	<u> -</u>
9	Water supply piping	Yes	No	N/A	-
00	Sanitary drainage	Yes	No	N/A	<u> -</u>
01	Water heaters	Yes	No	N/A	-
102	Vents	Yes	No	N/A	-
03	Roof drainage	Xes /	No	N/A	-
104	Back flow prevention	YVS	No	N/A	-

105		. /			
106	Irrigation	Yes	No	N/A	-
107	Location of water supply line	Yes	No	N/A	-
108	Grease traps	Yes	No	NX	
109	Environmental requirements	Yes	No	N/A	-
109	Plumbing riser Mechanical	Yes	No	N/A	
110		rd /	l		
111	Energy calculations Review required by the Columbia County Fire Department Items 111 Th 114	Yes	No No	N/A N/A	
	Exhaust systems				
112	Clothes dryer exhaust	Y	No	NH	-
113	Kitchen equipment exhaust	Yes	No	MA	-
114	Specialty exhaust systems	Yes	No	NVA	-
115	Equipment location		Γ		
	Make-up air	Yes	No	N/A	
116	Roof-mounted equipment	Yes	No	NA	-
117	Duct systems	Yes	No	N/A	-
118	Ventilation	Yes	No	N/A	-
119	Laboratory	Yes	No	NIA	-
120	Combustion air	Yes	No	NVA	-
121	Chimneys, fireplaces and vents	Yes	No	N/A	-
122	Appliances	Yes	No	N/A	-
123	Boilers	Yes	No	NA	-
124	Refrigeration	Yes	No	N/A	-
125	Bathroom ventilation	Yes	No	N/A	-
L		Items	to Incl	ıde-	
		Marke	Box sha	ill be	
		Applic			
126	Gas Pavious required by the Columbia County Fine Department Items 126Th 124	Vac	NI-	NI/A	
126	Review required by the Columbia County Fire Department Items 126 Th 134 Gas piping	Yes	No	N/A	-
127	Venting	Yes	No	NUX,	-
128	Combustion air	Yes	No	NA	-
129	Chimneys and vents	Yes	No	N/A/	-
130	Appliances	Yes	No	N/A)	-
131	Type of gas	Yes	No	NA	-
132	Fireplaces	Yes	No	N/X	-
133	LP tank location	Yes	No	NA	-
134	Riser diagram/shutoffs	Yes	No	NUX	
	Notice of Commencement	103	1110	AUA 1	
135	A recorded (in the Columbia County Clerk Office) notice of commencement is required to be on file with the building department . <i>Before Any Inspections Will Be Done</i>	Yes	No	N/A	-
	Disclosure Statement for Owner Builders	ites	No	N/A	-
					-

		Private Potable Water				
136	Horse power of pump motor	SEE PAGE 7- ON HOW	Yes	No	N/A E	
137	Capacity of pressure tank	TO PROVIDE THIS DOCUMENTATION.	Yes	No	NA -	-
138	Cycle stop valve if used	200000000000000000000000000000000000000	Yes	No	N/A	
		CH WALK		Box sheed as		
	THE FOLLOWING I	TEMS MUST BE SUBMITTED WITH BUILD	Appl	icable		7

139 Building Perm Application	The \$15.00 application fee.	Yes	No	N/A
Parcel Numbe	The parcel number (Tax ID number) from the Property Appraiser is required. A copy of property deed is also required. (386) 758-1084	Yes	No	N/A
Environmental Health Permit or 141 Sewer Tap Approval	A copy of an approved Environmental Health (386) 758-1058 waste water disposal permit or an approved City of Lake City(386) 752-2031 OR Count sewer tap letter is required before a building permit can be issued. Toilet facilities shall be provided for construction workers	Yek	No	N/A
Driveway Connection	If the property does not have an existing access to a public road, then an application for a culvert permit must be made (\$25.00). County Public Works Dept. determines the size and length of every culvert before instillation and completes a final inspection before permanent power is granted. Culvert installation for commercial, industrial and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Use or joint use of driveways will comply with Florida Department of Transportation specifications. If the project is to be located on an F.D.O.T. maintained road, then an F.D.O.T. access permit is required.	Yes	No	N/A
Suwannee River Water Management District Approval	All commercial projects must have an SRWMD permit issued or an exemption letter, before a building permit will be issued.	Yes	No	N/A
Flood Management	All projects within the Floodway of the Suwannee or Santa Fe Rivers shall require permitting through the Suwannee River Water Management District, before submitting application to this office. Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of section 8.8 of the Columbia County Land Development Regulations. Any project that is located within a flood zone where the base flood elevation (100 year flood) has not been established shall meet the requirements of section 8.7 of Columbia County Land Development Regulations. A development permit will also be required. The development permit cost is \$50.00	Yes	No	N/A
145 Flood Management	A CERTIFIED FINISHED FLOOR ELEVATIONS WILL BE REQUIRED ON ANY PROJECT WHERE THE BASE FLOOD ELEVATION (100 YEAR FLOOD) HAS BEEN ESTABLISHED OR IT HAS BEEN DETERMINED BY THE PLAT	Yes	No	N/A
146 911 Address	An application for a 911address must be applied for and received through the Columbia County Emergency Management Office of 911 Addressing Department (386) 758-1125.	Yes	No	N/A