		Building Pe		PERMIT
This Pern APPLICANT HUGO ESCALANTE	nit Expires One Ye	ear From the Date o	f Issue 386-288-8666	000022930
ADDRESS PO BOX 280		FORT WHITE	380-288-8000	FL 32038
OWNER KINGDOM PROPERTIES INC		PHONE	386-288-8666	<u> </u>
ADDRESS 541 SW MORNING STA	AR GLEN	FORT WHITE		FL 32038
CONTRACTOR HUGO ESCALANTE		PHONE	288-8666	_
LOCATION OF PROPERTY 47 S, L M	ORNING STAR GLEN,			
1/4 MILE	ON LEFT LOT 7			
TYPE DEVELOPMENT SFD,UTILITY	EST	TIMATED COST OF CO	NSTRUCTION	99450.00
HEATED FLOOR AREA 1989.00	TOTAL ARE	A 2693.00	HEIGHT 19	0.60 STORIES 1
FOUNDATION CONCRETE WALL	LS FRAMED R	OOF PITCH 6/12	FLO	OOR SLAB
LAND USE & ZONING A-3		MAX.	HEIGHT 35	5
Minimum Set Back Requirments: STREET-	FRONT 30.00	REAR	25.00	SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE	XPP			
TEOD ZONE	Arr	DEVELOPMENT PERM	111 NO	
PARCEL ID 34-5S-16-03752-107	SUBDIVISION	SHANNA MEADO	WS	
LOT 7 BLOCK PHASE _	UNIT _	TOTA	L ACRES 5.0	0
	-	// /	(/ /	
Culvert Permit No. Culvert Waiver Co	CRC1326967 ontractor's License Num	_ Aug 1 C	reday O	
EXISTING 05-202-N	BK	JK	pplicant/Owner/C	Contractor
Driveway Connection Septic Tank Number	LU & Zoning		oved for Issuance	New Resident
COMMENTS: NOC ON FILE, FLOOR 1 FOOT	ABOVE THE ROAD			
			Check # or Cas	sh 2141
FOR BU	LDING & ZONING	G DEPARTMENT (ONLY	100 10 100 100 100
Temporary Power	Foundation		Monolithic	(footer/Slab)
date/app. by	W1	date/app. by		date/app. by
Under slab rough-in plumbing	Slab		Sheathing/Na	ailing
date/app		date/app. by		date/app. by
date/app. by	Rough-in plumbing abo	ve slab and below wood f	loor	
Electrical rough-in	Heat & Air Duct		12501 850 550	date/app. by
date/app. by	— —	date/app. by	eri. beam (Lintel)	date/app. by
Permanent power	C.O. Final		Culvert	
date/app. by M/H tie downs, blocking, electricity and plumbing	da	te/app. by	Maco Ha	date/app. by
	date/app. 1	by	Pool	date/app. by
Reconnection date/app. by	Pump pole	Utility Pole		
M/H Pole Trave	date/ap	(*) (*)	date/app. by Re-roof	
date/app. by	date	e/app. by	- (date/app. by
BUILDING PERMIT FEE \$ 500.00	CERTIFICATION FEE	13.47	SURCHARGE F	EE \$ 13.47
FLOOD ZONE DEVELOPMENT FEE \$	ERT. FEE \$ 50.00	FIRE FEE \$	WASTE	FEE \$
	ERT. FEE \$ 50.00 CULVERT FEE	- <u> </u>	WASTE I	•
NSPECTORS OFFICE Z //		r = 2	WASTE I	•
NOTICE: IN ADDITION TO THE REQUIREMENTS OF PROPERTY THAT MAY BE FOUND IN THE PUBLIC FROM OTHER GOVERNMENTAL ENTITIES SUCH A	CULVERT FEE	CLERKS OFFICE	OTAL FEE_	576.94

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

CARRIE L. REVELLE CONTROCTOR SIgnature
MY COMMISSION # DD Contractors License Number CRC13269C
EXPIRES: February 11, COmpetency Card Number
Bonded Thru Notary Public Undonwittens
BY STAMP/SEAL Owner Builder or Agent (Including Contractor)

STATE OF FLORIDA **COUNTY OF COLUMBIA**

Sworn to (or affirmed) and subscribed before me

day of 1

Personally known _\ or Produced Identification **Notary Signature**

F COMMENCEMENT FORM COLUMBIA COUNTY, FLORIDA

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance

with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

Tax Parcel ID Number 34-55-16-03759-107 1. Description of property: (legal description of the property and street address or 911 address) Shanna Meadows, according to the map of plat therest as recorded Pages 76-77, of the Public Records of Calembia /sunty . Florida 341 S.W. MORNING Stan Glen, FORT Web, EC 32038 General description of Improvement: New Single Family Residence Owner Name & Address Properties, 1 ingdom Interest in Property_ Name & Address of Fee Simple Owner (if other than owner): ___ Hugo Escalante (EUPL INC) **Contractor Name** Phone Number 386-288-8666 Address P.O. BOX 280, Fort While, FC 32038 6. Surety Holders Name _ None_ Dhone Number Address_ Inst:2005905275 Date:03/07/2005 Time:12:30 Amount of Bond __DC,P.DeWitt Cason,Columbia County B:1039 P:2382 7. Lender Name Persons within the State of Florida designated by the Owner upon whom notices or other documents may be served as provided by section 718.13 (1)(a) 7; Florida Statutes: Hugo Escalan Je Phone Number 386-288-8666 P.O. BOX 280, FORT White, FC 32839 In addition to himself/herself the owner designates Hugo Escalan Le to receive a copy of the Lienor's Notice as provided in Section 713.13 (1) — (a) 7. Phone Number of the designee 386-288-8666 10. Expiration date of the Notice of Commencement (the expiration date is 1 (one) year from the date of recording, (Unless a different date is specified) NOTICE AS PER CHAPTER 713, Florida Statutes: The owner must sign the notice of commencement and no one else may be permitted to sign in his/her stead. Sworn to (or affirmed) and subscribed before day of ______, 20() NOTARY STAMP/SEAL gnature of Owner CARRIEL REVELLE MY COMMISSION # DD 181697 EXPIRES: February 11, 2007 Bonded Thru Notary Public Underwrite Signature of Notary

Builder- Hugo Escalante (386)
Owner- Kingdom Properties Inc.
Engineer – Mark Disosway ()
Designer – DDS ()

Heated & Cooled Area 1989
Front Porch Area 89
Back Porch Area 139

Total Area 2693

<u>476</u>

Bldg. Height 20' Roof Pitch 6/12

Garage Area

I need the following approvals/information.

1. Brian Kepner's Approval.

b. Deed, (proof of Ownership) Not signed

2. Tempered Glass small bath.

Foundation plan, don't show foundation & reinforcement for load bearing wall between study & Master bedroom.. God 7 pealous

STATE OF FLORIDA DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT Permit Application Number 05-303 N

PART II - SITEPLAN

Scale: 1 inch = 50 feet.

353

DOLOPIED

TO DESCRIPTION OF STARTS OF START

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

DH 4015, 10/96 (Replaces HRS-H Form 4016 which may be used) (Stock Number: 5744-002-4015-6)


3


SW MORNINGSTAR GLAN

Page 2 of 4

County Health Department

Lot 7 Shanna Meadows Parcel # 34-55-16-03759-107 WD 1035-757-, WD 1035-760





SW MORNING STAR Glenn

DATE SCHIED, Eshaman 21 2005

COLUMBIA COUNTY 9-1-1 ADDRESSING


263 NW Lake City Ave. * P. O. Box 2949 * Lake City, FL 32056-2949
PHONE: (386) 752-8787 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE ISSUED: FEBRUARY 21, 2005
ENHANCED 9-1-1 ADDRESS:
541 SW MORNING STAR GLN (FORT WHITE, FL 32638)
Addressed Location 911 Phone Number: NOT AVAIL.
OCCUPANT NAME: NOT AVAIL.
OCCUPANT CURRENT MAILING ADDRESS:
PROPERTY APPRAISER MAP SHEET NUMBER: 50
PROPERTY APPRAISER PARCEL NUMBER: 34-5S-16-03752-107
Other Contact Phone Number (If any):
Building Permit Number (If known):
Remarks: LOT 7 SHANNA MEADOWS S/D
an B
Address Issued By: Columbia County 9-1/ Addressing Department

9-1-1 ADDRESSING APPROVED



This information, GIS Map Updated: 1/31/2005, was derived from data which was compiled by the Columbia County Property Appraiser
Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a
determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data
herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the
Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad
valorem assessment purposes.

http://appraiser.columbiacountyfla.com/GIS/Print_Map.asp?pjbnlkplhgmeclpofffddhfacbd... 2/20/2005

THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

- Building Permit Application: A current Building Permit Application form is to be completed and submitted for all residential projects.
- 2. Parcel Number: The parcel number (Tax ID number) from the Property Appraiser (386) 758-1084 is required. A copy of property deed is also requested.
- Environmental Health Permit or Sewer Tap Approval: A copy of the Environmental Health permit, existing septic approval or sewer tap approval is required before a building permit can be issued.
 (386) 758-1058 (Toilet facilities shall be provided for construction workers)
 - City Approval: If the project is to be located within the city limits of the Town of Fort White, prior approval is required. The Yown of Fort White approval letter is required to be submitted by the owner or contractor to this office when applying for a Building Permit. (386) 497-2321

1800 226-1066

Flood Information: All projects within the Floodway of the Suwannee or Santa Fe Rivers shall require permitting through the Suwannee River Water Management District, before submitting application to this office. Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of Section 8.8 of the Columbia County Land Development Regulations. Any project located within a flood zone where the base flood elevation has not been established (Zone A) shall meet the requirements of Section 8.7 of the Columbia County Land Development Regulations. CERTIFIED FINISHED FLOOR ELEVATIONS WILL BE REQUIRED ON ANY PROJECT WHERE THE BASE FLOOD ELEVATION (100 YEAR FLOOD) HAS BEEN ESTABLISHED.

A development permit will also be required. Development permit cost is \$50.00

- 6. <u>Driveway Connection:</u> If the property does not have an existing access to a public road, then an application for a culvert permit (\$25.00) must be made. If the applicant feels that a culvert is not needed, they may apply for a culvert waiver (\$50.00). All culvert waivers are sent to the Columbia County Public Works Department for approval or denial.
- 911 Address: If the project is located in an area where the 911 address has been issued, then the proper paperwork from the 911 Addressing Department must be submitted. (386) 752-8787

ALL REQUIRED INFORMATION IS TO BE SUBMITTED FOR REVIEW. YOU WILL BE NOTIFIED WHEN YOUR APPLICATION AND PLANS ARE APPROVED AND READY TO PERMIT. PLEASE DO NOT EXPECT OR REQUEST THAT PERMIT APPLICATIONS BE REVIEWED OR APPROVED WHILE YOU ARE HERE – TIME WILL NOT ALLOW THIS –PLEASE DO NOT ASK

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs Residential Whole Building Performance Method A

Project Name:
Address:
City, State:

EWPL Lot 26 Wise Estates

Lot: 267 Sub: Wies Estates, Plat: Ft white, FI Shanna Meadaus

Owner:

Hugo Escalante

Climate Zone: North Builder:

EWPL INC.

Permitting Office:

columbia

Permit Number: 22730

Jurisdiction Number:

22/100

1.	New construction or existing	New	12. Cooling systems	
2.	Single family or multi-family	Single family	a. Central Unit	Cap: 36.0 kBtu/hr
3.	Number of units, if multi-family	1		SEER: 10.00
4.	Number of Bedrooms	4	b. N/A	_
5.	Is this a worst case?	Yes	500 C 400 C	_
6.	Conditioned floor area (fl ²)	1989 ft²	c. N/A	_
7.	Glass area & type			_
a.	Clear - single pane	0.0 ft²	13. Heating systems	_
b	. Clear - double pane	335.5 ft²	a. Electric Heat Pump	Cap: 36.0 kBtu/hr
C.	Tint/other SHGC - single pane	0.0 ft²		HSPF: 6.80
	. Tint/other SHGC - double pane	0.0 ft ²	b. N/A	11311.0.00 —
8.	Floor types	0.0 1	0. IVA	12
13.0	Slab-On-Grade Edge Insulation	R=0.0, 203.0(p) ft	c. N/A	_
	. N/A	R-0.0, 203.0(p) II	C. N/A	_
	N/A	-	14 77-4	_
9.	Wall types		14. Hot water systems	2 221 10
	7.7	B 10 0 1007 0 00	a. Electric Resistance	Cap: 50.0 gallons
	Frame, Wood, Exterior	R=13.0, 1827.0 ft ²		EF: 0.90
	Frame, Wood, Adjacent	R=13.0, 528.0 ft ²	b. N/A	
	N/A	_	ecos voto energy	_
	. N/A	_	c. Conservation credits	<u></u>
	N/A		(HR-Heat recovery, Solar	
10.	Ceiling types	_	DHP-Dedicated heat pump)	
a.	Under Attic	R=30.0, 1989.0 ft ²	15. HVAC credits	5000
b.	N/A		(CF-Ceiling fan, CV-Cross ventilation,	-
C.	N/A		HF-Whole house fan,	
11.	Ducts		PT-Programmable Thermostat,	
a.	Sup: Unc. Ret: Unc. AH: Interior	Sup. R=6.0, 144.0 ft	MZ-C-Multizone cooling,	
b.	N/A	57 20% 200 400 400 100 0	MZ-H-Multizone heating)	
	The second secon			

Glass/Floor Area: 0.17

Total as-built points: 33360 Total base points: 34623

PASS

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

PREPARED BY:

DATE: 2-7-05

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.

OWNER/AGENT: _ DATE:

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.

BUILDING OFFICIAL: DATE:

EnergyGauge® (Version: FLRCPB v3.2)

Code Compliance Checklist

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 26, Sub: Wise Estates, Plat: , Ft white, FI, PERMIT #:

6A-21 INFILTRATION REDUCTION COMPLIANCE CHECKLIST

COMPONENTS	SECTION	REQUIREMENTS FOR EACH PRACTICE	CHECK
Exterior Windows & Doors	606.1.ABC.1.1	Maximum:.3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.	
Exterior & Adjacent Walls	606.1.ABC.1.2.1	Caulk, gasket, weatherstrip or seal between: windows/doors & frames, surrounding wall; foundation & wall sole or sill plate; joints between exterior wall panels at corners; utility penetrations; between wall panels & top/bottom plates; between walls and floor. EXCEPTION: Frame walls where a continuous infiltration barrier is installed that extends from, and is sealed to, the foundation to the top plate.	
Floors	606.1.ABC.1.2.2	Penetrations/openings >1/8" sealed unless backed by truss or joint members. EXCEPTION: Frame floors where a continuous infiltration barrier is installed that is sealed to the perimeter, penetrations and seams.	
Ceilings	606.1.ABC.1.2.3	Between walls & ceilings; penetrations of ceiling plane of top floor; around shafts, chases, soffits, chimneys, cabinets sealed to continuous air barrier; gaps in gyp board & top plate; attic access. EXCEPTION: Frame ceilings where a continuous infiltration barrier is installed that is sealed at the perimeter, at penetrations and seams.	
Recessed Lighting Fixtures	606.1.ABC.1.2.4	Type IC rated with no penetrations, sealed; or Type IC or non-IC rated, installed inside a sealed box with 1/2" clearance & 3" from insulation; or Type IC rated with < 2.0 cfm from conditioned space, tested.	
Multi-story Houses	606.1.ABC.1.2.5	Air barrier on perimeter of floor cavity between floors.	
Additional Infiltration reqts	606.1.ABC.1.3	Exhaust fans vented to outdoors, dampers; combustion space heaters comply with NFPA, have combustion air.	

6A-22 OTHER PRESCRIPTIVE MEASURES (must be met or exceeded by all residences.)

COMPONENTS	SECTION	REQUIREMENTS	CHECK
Water Heaters	612.1	Comply with efficiency requirements in Table 6-12. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required.	
Swimming Pools & Spas	612.1	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spa & pool heaters must have a minimum thermal efficiency of 78%.	
Shower heads	612.1	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	
Air Distribution Systems	610.1	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated, and installed in accordance with the criteria of Section 610. Ducts in unconditioned attics: R-6 min. insulation.	
HVAC Controls	607.1	Separate readily accessible manual or automatic thermostat for each system.	
Insulation	604.1, 602.1	Ceilings-Min. R-19. Common walls-Frame R-11 or CBS R-3 both sides. Common ceiling & floors R-11.	

EnergyGauge™ DCA Form 600A-2001

WATER HEATING & CODE COMPLIANCE STATUS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 26, Sub: Wise Estates, Plat: , Ft white, FI, PERMIT #:


BASE				AS-BUILT									
WATER HEA Number of Bedrooms	X	Multiplier	=	Total	Tank Volume	EF	Number of Bedrooms	x	Tank X Ratio	Multiplier X	Credit Multipli		
4		2746.00	1	10984.0	50.0	0.90	4		1.00	2684.98	1.00	10739.9	
					As-Built To	tal:						10739.9	

	CODE COMPLIANCE STATUS														
	BASE						AS-BUILT								
Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points	Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points		
11681		11959		10984		34623	11339		11281		10740		33360		

PASS



EnergyGauge™ DCA Form 600A-2001




WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 26, Sub: Wise Estates, Plat: , Ft white, FI, PERMIT #:

	BASE		AS-BUILT									
FLOOR TYPE	S Area X BW	/PM = Points	Type R-Value Area X WPM =	Points								
Slab Raised		8.9 1806.7 0.00 0.0		3816.4								
Base Total:		1806.7	As-Built Total: 203.0	3816.4								
INFILTRATIO	N Area X BW	/PM = Points	Area X WPM =	Points								
	1989.0 -	0.59 -1173.5	1989.0 -0.59	-1173.5								
Winter Base	Points:	19060.4	Winter As-Built Points: 19	355.8								
Total Winter Points	X System : Multiplier	= Heating Points	Total X Cap X Duct X System X Credit = Component Ratio Multiplier Multiplier Multiplier Multiplier (DM x DSM x AHU)	Heating Points								
19060.4	0.6274	11958.5	- I	280.6 280.6								

EnergyGauge™ DCA Form 600A-2001




WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 26, Sub: Wise Estates, Plat: , Ft white, FI, PERMIT #:

ВА	SE				AS-	BUI	LT				
GLASS TYPES .18 X Conditioned : Floor Area	X BWPM =	Points	Type/SC	Ove Omt	rhang Len	Hgt	Area X	WPM	х	WOF	= Points
.18 1989.0	12.74	4561.2	Double, Clear	w	1.5	6.3	13.5	10.77		1.02	148.4
	(1 111)		Double, Clear	w	1.5	7.2	36.0	10.77		1.02	393.5
			Double, Clear	w	1.5	7.2	64.0	10.77		1.02	699.6
			Double, Clear	w	8.0	4.0	13.3	10.77		1.22	175.4
			Double, Clear	w	4.0	2.3	6.7	10.77		1.22	87.3
			Double, Clear	NW	1.5	5.3	6.0	14.03		1.00	84.6
			Double, Clear	sw	1.5	5.1	6.0	7.17		1.09	46.8
			Double, Clear	S	1.5	4.5	18.0	4.03		1.26	91.3
			Double, Clear	s	1.5	6.3	10.0	4.03		1.10	44.4
			Double, Clear	E	1.5	6.5	30.0	9.09		1.03	281.1
			Double, Clear	E	1.5	7.2	32.0	9.09		1.03	298.3
			Double, Clear	SE	1.5	6.7	15.0	5.33		1.08	86.2
			Double, Clear	NE	1.5	6.7	15.0	13.40		1.00	201.9
			Double, Clear	E	1.5	6.0	18.0	9.09		1.04	169.4
			Double, Clear	N	1.5	7.2	22.0	14.30		1.00	315.1
			Double, Clear	N	1.5	6.2	30.0	14.30		1.00	430.1
			As-Built Total:				335.5				3553.3
WALL TYPES Area	a X BWPM	= Points	Туре		R-\	/alue	Area	x w	РМ	=	Points
Adjacent 528	.0 3.60	1900.8	Frame, Wood, Exterior			13.0	1827.0	3	.40		6211.8
Exterior 1827	.0 3.70	6759.9	Frame, Wood, Adjacent			13.0	528.0	3	.30		1742.4
Base Total: 23	55.0	8660.7	As-Built Total:				2355.0				7954.2
DOOR TYPES Are	a X BWPM	= Points	Туре				Area	x w	PM	-	Points
Adjacent 20	.0 11.50	230.0	Exterior Wood	15			33.0	12	.30		405.9
Exterior 73		897.9	Exterior Wood				40.0		.30		492.0
	reconstitution (Company)	nವಾಡಬಹ ೆ	Adjacent Wood				20.0		.50		230.0
Base Total:	93.0	1127.9	As-Built Total:				93.0				1127.9
CEILING TYPES Are	nort no-tangentar-na	0.000/005 00	Туре	R-	Value	Ar	ea X W	PM X	WCI	м =	Points
Under Attic 1989	.0 2.05	4077.4	Under Attic		3	30.0	1989.0	2.05 X 1	.00		4077.4
Base Total: 19	89.0	4077.4	As-Built Total:				1989.0				4077.4

EnergyGauge® DCA Form 600A-2001




SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 26, Sub: Wise Estates, Plat: , Ft white, FI, PERMIT #:

	BASE			AS-BUILT									
FLOOR TYPES	Area X	BSPM	= Points	Туре			R-Val	ue Area	a X	SPM	=	Points	
Slab Raised	203.0(p) 0.0	-37.0 0.00	-7511.0 0.0	Slab-On-Grade Ed	dge Insulat	ion	0.	0 203.0(p		-41.20		-8363.6	
Base Total:			-7511.0	As-Built Total:				203.0				-8363.6	
INFILTRATION	Area X	BSPM	= Points					Area	аΧ	SPM	=	Points	
	1989.0	10.21	20307.7					1989	9.0	10.21		20307.7	
Summer Bas	e Points	:	27381.2	Summer A	s-Built	t Poi	ints:				29	9202.3	
Total Summer Points	X Syster Multipl		Cooling Points	Total Component	X Cap Ratio	- 1	Duct X Multiplier x DSM x AHU	Multiplier	X	Credit Multiplie	= r	Cooling Points	
27381.2	0.426	6 1	11680.8	29202.3 29202.3	1.000 1.00		0 x 1.147 x 0. 1.138	91) 0.341 0.341		1.000 1.000		11339.3 1339.3	

EnergyGauge™ DCA Form 600A-2001




SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 26, Sub: Wise Estates, Plat: , Ft white, FI, PERMIT #:

BAS	E				AS-	BUI	LT				
GLASS TYPES .18 X Conditioned X Floor Area	BSPM =	Points	Type/SC	Ove Omt	rhang Len	Hgt	Area X	SPM	X	SOF	= Points
.18 1989.0	20.04	7174.7	Double, Clear	W	1.5	6.3	13.5	36.99	-	0.92	460.8
			Double, Clear	W	1.5	7.2	36.0	36.99		0.94	1254.9
			Double, Clear	W	1.5	7.2	64.0	36.99		0.94	2231.0
			Double, Clear	W	8.0	4.0	13.3	36.99		0.41	201.8
			Double, Clear	W	4.0	2.3	6.7	36.99		0.42	104.5
			Double, Clear	NW	1.5	5.3	6.0	25.46		0.90	138.0
			Double, Clear	SW	1.5	5.1	6.0	38.46		0.84	194.2
			Double, Clear	S	1.5	4.5	18.0	34.50		0.78	481.9
			Double, Clear	S	1.5	6.3	10.0	34.50		0.87	300.2
			Double, Clear	E	1.5	6.5	30.0	40.22		0.93	1118.0
			Double, Clear	E	1.5	7.2	32.0	40.22		0.94	1212.4
			Double, Clear	SE	1.5	6.7	15.0	40.86		0.91	556.6
			Double, Clear	NE	1.5	6.7	15.0	28.72		0.94	403.7
			Double, Clear	E	1.5	6.0	18.0	40.22		0.91	660.8
			Double, Clear	N	1.5	7.2	22.0	19.22		0.96	404.7
			Double, Clear	N	1.5	6.2	30.0	19.22		0.94	543.0
			As-Built Total:				335.5				10266.6
WALL TYPES Area	X BSPM	= Points	Туре		R-V	/alue	Area	ΧS	SPM	=	Points
Adjacent 528.0	0.70	369.6	Frame, Wood, Exterior		-	13.0	1827.0		1.50		2740.5
Exterior 1827.0	1.70	3105.9	Frame, Wood, Adjacent			13.0	528.0	(0.60		316.8
Base Total: 2355.	0	3475.5	As-Built Total:				2355.0				3057.3
DOOR TYPES Area	X BSPM	= Points	Туре				Area	Х	SPM	=	Points
Adjacent 20.0	2.40	48.0	Exterior Wood				33.0	(3.10		201.3
Exterior 73.0	6.10	445.3	Exterior Wood				40.0		5.10		244.0
			Adjacent Wood				20.0		2.40		48.0
Base Total: 93.	0	493.3	As-Built Total:				93.0				493.3
CEILING TYPES Area	X BSPM	= Points	Туре	F	R-Value	e A	rea X S	SPM X	sc	м =	Points
Under Attic 1989.0	1.73	3441.0	Under Attic		;	30.0	1989.0	1.73 X	1.00		3441.0
Base Total: 1989.	0	3441.0	As-Built Total:				1989.0				3441.0

EnergyGauge® DCA Form 600A-2001



ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE SCORE* = 82.5

The higher the score, the more efficient the home.

Hugo Escalante, Lot: 26, Sub: Wise Estates, Plat: , Ft white, Fl,


	The service of the se						
1.	New construction or existing	New	_		Cooling systems		
2.	Single family or multi-family	Single family	_	a.	Central Unit	Cap: 36.0 kBtu/hr	
3.	Number of units, if multi-family	1 .	_			SEER: 10.00	_
4.	Number of Bedrooms	4	_	Ъ.	N/A		_
5.	Is this a worst case?	Yes	_				
6.	Conditioned floor area (fl ²)	1989 ft ²		C.	N/A		
7.	Glass area & type		_				
a.	Clear - single pane	0.0 ft ²	_	13.	Heating systems		
b.	Clear - double pane	335.5 ft ²		a.	Electric Heat Pump	Cap: 36.0 kBtu/hr	
C.	Tint/other SHGC - single pane	0.0 ft ²			•	HSPF: 6.80	
d.	Tint/other SHGC - double pane	0.0 ft²	-	b.	N/A		_
8.	Floor types						
a.	Slab-On-Grade Edge Insulation	R=0.0, 203.0(p) ft		c.	N/A		
	N/A		_				_
c.	N/A			14	Hot water systems		_
9.	Wall types				Electric Resistance	Cap: 50.0 gallons	
a.	Frame, Wood, Exterior	R=13.0, 1827.0 ft ²				EF: 0.90	_
	Frame, Wood, Adjacent	R=13.0, 528.0 ft ²		h	N/A	ш. 0.70	_
	N/A		7	٠.	****		_
	N/A		_	c	Conservation credits		37
	N/A	7	_	٠.	(HR-Heat recovery, Solar		-
	Ceiling types				DHP-Dedicated heat pump)		
	Under Attic	R=30.0, 1989.0 ft ²	1	15	HVAC credits		
	N/A	K 50.0, 1707.0 II	-	13.	(CF-Ceiling fan, CV-Cross ventilation,		_
0.000	N/A	,			HF-Whole house fan,		
	Ducts						
		Sup. R=6.0, 144.0 ft	-		PT-Programmable Thermostat,		
	Sup: Unc. Ret: Unc. AH: Interior	Sup. R-0.0, 144.0 II			RB-Attic radiant barrier,		
D.	N/A				MZ-C-Multizone cooling,		
					MZ-H-Multizone heating)		
I ce	rtify that this home has complied	with the Florida Energy	v Effic	ienc	v Code For Building		
	struction through the above energ				(Fig. 1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	THESTA	
	his home before final inspection.				내리 경영 전에 대한 경영 경영 경영 시간 교기에서 보다 하나 가지 않는데 함께 함께 하는데 되었다.	NO THE REAL PROPERTY.	à
	ed on installed Code compliant fea		- rohra	,	ad will be completed		BE
uasi	on mistaned code compitant lea	itures.				\$ mm \$	S
Bui	lder Signature:	1	Date:				5

*NOTE: The home's estimated energy performance score is only available through the FLA/RES computer program. This is <u>not</u> a Building Energy Rating. If your score is 80 or greater (or 86 for a US EPA/DOE EnergyStd^{IM} designation), your home may qualify for energy efficiency mortgage (EEM) incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at 321/638-1492 or see the Energy Gauge web site at www.fsec.ucf.edu for information and a list of certified Raters. For information about Florida's Energy Efficiency Code For Building Construction, contact the Department of Community Affairs at 850/487-1824.

Address of New Home: __

EnergyGauge® (Version: FLRCPB v3.2)

City/FL Zip: __



7	T		, .			TITS.				40
П	V	0	Ť١	CA	O.T	T Y	00	tm	an	r
-1	8A 8	w			UI		24		LII	

Notice of Treatment 1/478							
Applicator: Florida Pest Control & Chemical Co. (www.flapest.com) Address: BAYA AU City Phone 7821703							
Site Location: Subdivision Shanna Meadows Lot # 7 Block# Permit # 22930 Address 5415W Morning Stree 6/4							
Product used	Active Ingredient	% Concentration					
Dursban TC	Chlorpyrifos	0.5%					
☐ Termidor	Termidor Fipronil						
Bora-Care Disodium Octaborate Tetrahydrate 23.0% Type treatment: Soil Wood							
Area Treated Divelling	Square feet Linear						
As per Florida Building Code 104.2.6 – If soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval.							
If this notice is for the final exterior treatment, initial this line							
6/23/05 Date	7630 C	int Technician's Name					
Remarks:							
Applicator - White	Permit File - Canary	Permit Holder - Pink 6/04 ©					