



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE
SECRETARY

FL #	FL5444-R20	
Application Type	Revision	
Code Version	2020	
Application Status	Approved	
Comments		
Archived	<input type="checkbox"/>	
Product Manufacturer	CertainTeed, LLC (Roofing)	
Address/Phone/Email	20 Moores Road Malvern, PA 19355 (610) 893-5945 Alex.T.James@saint-gobain.com	
Authorized Signature	Alex James Alex.T.James@saint-gobain.com	
Technical Representative	Mark D. Harner	
Address/Phone/Email	18 Moores Road Malvern, PA 19355 (610) 651-5847 Mark.D.Harner@saint-gobain.com	
Quality Assurance Representative		
Address/Phone/Email		
Category	Roofing	
Subcategory	Asphalt Shingles	
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received	
Florida Engineer or Architect Name who developed the Evaluation Report	Robert Nieminen	
Florida License	PE-59166	
Quality Assurance Entity	UL LLC	
Quality Assurance Contract Expiration Date	08/08/2025	
Validated By	John W. Knezevich, PE <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received	
Certificate of Independence	FL5444_R20_COI_2022_01_COI_NIEMINEN.pdf	
Referenced Standard and Year (of Standard)	Standard	Year
	ASTM D3161	2016
	ASTM D3462	2010
	ASTM D7158	2019
	TAS 100	1995
	TAS 107	2020
Equivalence of Product Standards Certified By		

Sections from the Code

Product Approval Method	Method 1 Option D
Date Submitted	04/24/2023
Date Validated	04/25/2023
Date Pending FBC Approval	04/29/2023
Date Approved	06/20/2023
Date Revised	10/05/2023

Summary of Products

FL #	Model, Number or Name	Description
5444.1	CertainTeed Asphalt Shingles (HVHZ)	Laminated asphalt roof shingles for use in FBC HVHZ jurisdictions
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: No Impact Resistant: N/A Design Pressure: N/A Other: Refer to ER Section 5 for Limits of Use		Installation Instructions FL5444_R20_II_2023_04_24_FINAL_PEER-CTR-001.B_FL5444-R20_HVHZ.pdf Verified By: Robert Nieminen, PE PE-59166 Created by Independent Third Party: Yes Evaluation Reports FL5444_R20_AE_2023_04_24_FINAL_PEER-CTR-001.B_FL5444-R20_HVHZ.pdf Created by Independent Third Party: Yes
5444.2	CertainTeed Asphalt Shingles (NON-HVHZ)	3-tab, 4-tab, strip (no-cut-outs), laminated and architectural asphalt roof shingles and accessories for use in FBC non-HVHZ jurisdictions
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Refer to ER Section 5 for Limits of Use		Installation Instructions FL5444_R20_II_2023_04_24_FINAL_PEER-CTR-001.A_FL5444-R20_NON-HVHZ.pdf Verified By: Robert Nieminen, PE PE-59166 Created by Independent Third Party: Yes Evaluation Reports FL5444_R20_AE_2023_04_24_FINAL_PEER-CTR-001.A_FL5444-R20_NON-HVHZ.pdf Created by Independent Third Party: Yes

[Back](#) [Next](#)

[Contact Us](#) :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: [850-487-1824](#)

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact [850.487.1395](#). *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).





NEMO|etc.

Certificate of Authorization #32455
353 Christian Street, Unit #13
Oxford, CT 06478
(203) 262-9245

ENGINEER

EVALUATE

TEST

CONSULT

P.E. EVALUATION REPORT (PEER)

CertainTeed, LLC

20 Moores Road
Malvern, PA 19355
(610) 893-5400

PEER-CTR-001.B

FL5444-R20 (HVHZ)

Date of Issuance: 04/24/2023

SCOPE:

This P.E. Evaluation Report (henceforth 'PEER') is issued under **F.A.C Rule 61G20-3** and the applicable rules and regulations governing the use of construction materials in the State of Florida. The documentation submitted has been reviewed by Robert Nieminen, P.E. for use of the product under the Florida Building Code. The product described herein has been evaluated for compliance with the **7th Edition (2020) Florida Building Code sections noted herein.**

DESCRIPTION: CertainTeed Asphalt Roof Shingles for use in FBC HVHZ jurisdictions

LABELING: Labeling shall be in accordance with the requirements of the Accredited Quality Assurance Agency noted herein and **FBC 1507.2.7.1 / R905.2.6.1**

CONTINUED COMPLIANCE: This PEER is valid until such time as the named product(s) changes, the referenced Quality Assurance or production facility location(s) changes, or Code provisions that relate to the product(s) change. Acceptance of our PEERs by the named client constitutes agreement to notify NEMO ETC, LLC of any changes to the product(s), the Quality Assurance or the production facility location(s). NEMO ETC, LLC requires a complete review of its PEER relative to updated Code requirements with each Code Cycle.


ADVERTISEMENT: The Florida Product Approval Number (FL#) preceded by the words "NEMO P.E. Evaluated" may be displayed in advertising literature. If any portion of the PEER is displayed, then it shall be done in its entirety.

INSPECTION: Upon request, a copy of this entire PEER shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This PEER consists of pages 1 through 4.

Prepared by: **Digitally signed
by Robert
Nieminen
Date: 2023.04.24
'12:06:00 -04'00**

This item has been digitally signed and sealed by Robert Nieminen, P.E. Printed copies of this document are not considered signed and sealed, and the signature must be verified on any electronic copies. Robert Nieminen, Florida P.E. 59166, FBC ANE1983 NEMO ETC, LLC, Florida CA #32455



CERTIFICATION OF INDEPENDENCE:

1. NEMO ETC, LLC does not have, nor does it intend to acquire or will it acquire, a financial interest in any company manufacturing or distributing products it evaluates.
2. NEMO ETC, LLC is not owned, operated or controlled by any company manufacturing or distributing products it evaluates.
3. Robert Nieminen, P.E. does not have nor will acquire, a financial interest in any company manufacturing or distributing products for which the PEERs are being issued.
4. Robert Nieminen, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the product.
5. This is a building code evaluation. Neither NEMO ETC, LLC nor Robert Nieminen, P.E. are, in any way, the Designer of Record for any project on which this PEER, or previous versions thereof, is/was used for permitting or design guidance unless retained specifically for that purpose.

ROOFING SYSTEMS EVALUATION:

1. SCOPE:

Product Category: Roofing
Sub-Category: Asphalt Shingles
Product Approval Method: Method 1, Option D – Codified Material, Evaluation by Engineer
Compliance Statement: CertainTeed Asphalt Roof Shingles, as produced by CertainTeed, LLC, have demonstrated compliance with the following sections of the 7th Edition (2020) Florida Building Code through testing in accordance with the following Standards. Compliance is subject to the [Installation Requirements](#) and [Limitations of Use](#) set forth herein.

2. STANDARDS:

SECTION	PROPERTY	STANDARD	YEAR
1523.6.5.1, TAS 110	Physical Properties	ASTM D3462	2010
1523.6.5.1, TAS 110	Wind Resistance	TAS 107	2020
1523.6.5.1, TAS 110	Wind Driven Rain	TAS 100	1995

3. REFERENCES:

ENTITY	EXAMINATION	REFERENCE	DATE
PRI (TST 5878)	TAS 100	256T0193	04/17/2023
PRI (TST 5878)	TAS 100	256T0192	04/17/2023
UL LLC (TST 9628)	ASTM D3161 (to 110 mph), D3462 & D7158	4790729664	02/23/2023
UL LLC (TST 9628)	ASTM D3161 (to 110 mph), D3462 & D7158	4790746869	03/03/2023
UL LLC (TST 9628)	ASTM D3161 (to 110 mph), D3462 & D7158	4790346056	03/15/2023
UL LLC (QUA 9625)	Quality Control	Service Confirmation	08/08/2022

4. PRODUCT DESCRIPTION:

TABLE 1: ASPHALT SHINGLE COMPONENTS

TYPE	PRODUCT	DESCRIPTION	MATERIAL STANDARD	PLANT(S)
Asphalt Shingles	Landmark®	Fiberglass reinforced, laminated asphalt roof shingle	ASTM D3462	MO, NC
	Landmark® Pro			MO, NC
	Pegasus®			MO, NC

Note: Any of the above listed shingles may be produced in AR (algae resistant) versions

5. LIMITATIONS:

- 5.1 This is a Building Code Evaluation. Neither NEMO ETC, LLC nor Robert Nieminen, P.E. are, in any way, the Designer of Record for any project on which this PEER, or previous versions thereof, is/was used for permitting or design guidance unless retained specifically for that purpose.
- 5.2 This PEER is exclusively for use in FBC High Velocity Hurricane Zone jurisdictions, as defined in FBC Chapter 2 (i.e., Broward and Miami-Dade Counties).
- 5.3 This PEER pertains to above-deck roof components. Roof decks and structural members shall be in accordance with FBC requirements to the satisfaction of the Authority Having Jurisdiction.
- 5.4 This PEER does not include evaluation of fire classification. Refer to **FBC 1516** for requirements and limitations regarding roof assembly fire classification. Refer to **FBC 2603** for requirements and limitations concerning the use of foam plastic insulation.

5.5 **Wind Classification:** Refer to [Section 6](#) for installation requirements to meet wind classifications.

TABLE 2: WIND CLASSIFICATIONS, ASPHALT SHINGLES		
Product	FBC 1523.6.5.1	Mean Roof Height
Landmark®, Landmark® Pro and Pegasus®	TAS 107	max. 33 ft

5.6 All components in the roof assembly shall have quality assurance audit in accordance with F.A.C. [Rule 61G20-3](#). Refer to the Product Approval of the component manufacturer for components that are produced by a Product Manufacturer other than the report holder on [Page 1](#) of this PEER.


6. INSTALLATION:

6.1 GENERAL:


- 6.1.1 Roof deck, slope, underlayment, fasteners, flashings and metal accessories shall comply with [Roofing Application Standard RAS 115](#) and the shingle manufacturer’s minimum requirements.
- 6.1.2 Underlayment shall be acceptable to **CertainTeed, LLC** and shall hold current Florida Statewide Product Approval, or be Locally Approved per [Rule 61G20-3](#), for use in FBC HVHZ jurisdictions, per **FBC Sections 1518.7.1** and [Roofing Application Standard RAS 115](#).

6.2 ASPHALT SHINGLES:

- 6.2.1 Installation of Landmark®, Landmark® Pro or Pegasus Asphalt Roof Shingles shall comply with the **CertainTeed, LLC** current published instructions, using minimum six (6) nails per shingle in accordance with FBC 1518.7.3.2.
- 6.2.2 Fasteners shall be in accordance with manufacturer’s published requirements, but not less than [Roofing Application Standard RAS 115](#). Staples are not permitted.
- 6.2.3 Where the roof slope exceeds 21 units vertical in 12 units horizontal, use the “Steep Slope” directions.




Six (6) Nail Attachment (2:12 to 21:12)



Six (6) Nail Attachment with Roofing Cement (> 21:12)

6.2.4 Landmark®, Landmark® Pro or Pegasus Asphalt Roof Shingles, are available with a 2-inch wide “sand zone” in the nailing area.



Typical view of Asphalt Roof Shingles with 2-inch Sand Zone

7. BUILDING PERMIT REQUIREMENTS:

As required by the Building Official or Authority Having Jurisdiction in order to properly evaluate the installation of this product.

8. MANUFACTURING PLANTS:

Contact the named QA entity for manufacturing facilities covered by F.A.C. [Rule 61G20-3](#) QA requirements. Refer to [Section 4](#) herein for products and production locations having met codified material standards.

9. QUALITY ASSURANCE ENTITY:

[UL, LLC – QUA9625](#): (360) 817-5512; bsai.inspections@ul.com

- END OF PEER -