

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

SERIAL # 1

For Office Use Only

(Revised 7-1-15)

Zoning Official KC

Building Official TM 2/12/18

AP# 1802-29 Date Received 2/9 By [Signature] Permit # 36403

Flood Zone X Development Permit _____ Zoning RSFMA Land Use Plan Map Category RCD

Comments Flood zone A on property, home is outside flood zone per site plan attached

FEMA Map# _____ Elevation _____ Finished Floor 1' above road River _____ In Floodway _____

☒ Recorded Deed or ☐ Property Appraiser PO ☐ Site Plan ☒ DEH # 18-0129 ☐ Well letter OR

☐ Existing well ☐ Land Owner Affidavit ☒ Installer Authorization ☐ FW Comp. letter ☒ App Fee Paid

☐ DOT Approval ☐ Parent Parcel # _____ ☐ STUP-MH _____ ☐ 911 App

☐ Ellisville Water Sys ☒ Assessment over ☐ Out-County ☐ In-County ☒ Sub VF Form ELECTRICAL

Property ID # 17-35-17-04970-003 Subdivision NA Lot# NA

New Mobile Home ☒ Used Mobile Home _____ MH Size 28x56 Year 2018

Applicant Wendy Grennell Phone # 386-288-2428

Address 3104 SW Old Wire Rd Fort White FL 32038

Name of Property Owner Brandon + Hailey Klopp Phone# 386-438-3970

911 Address 1387 NE Double Run Rd Lake City FL 32055

Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Duke Energy

Name of Owner of Mobile Home Brandon + Hailey Klopp Phone # 386-438-3970

Address 1884 N US Hwy 441 Lake City FL 32055

Relationship to Property Owner same

Current Number of Dwellings on Property 0

Lot Size _____ Total Acreage 4.65

Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)

Is this Mobile Home Replacing an Existing Mobile Home NO

Driving Directions to the Property US 441 N, TR on Gum Swamp, immediate left on NE Double Run Rd approx 1 1/2 miles to drive on (R)

Name of Licensed Dealer/Installer Dennis Riedel Phone # 904-982-3984

Installers Address 11319 Simmons Rd Jacksonville FL 32218

License Number IH 1025162 Installation Decal # 47812

LA - Spoke to Wendy 2-12-18 & 3-2-18

SW spoke w/ Wendy 2.23.18 & 2.28.18


615.94

Mobile Home Permit Worksheet

Installer Penn's Riedel License # 1H1025162
 Address of home 11319 Summers Rd
 being installed Box C L 32218
 Manufacturer Live Oak Length x width 28 x 52

NOTE: if home is a single wide fill out one half of the blocking plan
 if home is a triple or quad wide sketch in remainder of home
 Understand Lateral and Longitudinal Systems cannot be used on any home (prev. or used)
 where the sidewall has exceeded 5 ft 4 in.

Installer's initials _____



Application Number: _____

Date _____

New Home ☒ Used Home ☐

Home installed to the Manufacturer's Installation Manual ☒
 Home is installed in accordance with Rule 600.0 ☐

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐

Double wide ☒ Installation Details 478/2

Triple/Quad ☐ Serial # LOHGA1189414A/B

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	16' x 16' (256)	18' 1/2" x 18' (324)	20' x 20' (400)	22' x 22' (484)	24' x 24' (576)	26' x 26' (676)
1000 psf	4'	4'	5'	6'	7'	8'
1500 psf	4'	4'	5'	6'	7'	8'
2000 psf	4'	4'	5'	6'	7'	8'
2500 psf	4'	4'	5'	6'	7'	8'
3000 psf	4'	4'	5'	6'	7'	8'
3500 psf	4'	4'	5'	6'	7'	8'

1. Adapted from Rule 600.0 - pier spacing table

PIER PAD SIZES

beam pier pad size 1' x 22 1/2'
 perimeter pier pad size 14' x 22 1/2'
 other pier pad sizes 24' x 24'

Draw the appropriate locations of perimeter wall opening, 4 foot or greater. Use the symbol to show the piers.

List all manmade wall openings greater than 1 foot and their pier pad sizes below.

Opening _____ Pier pad size 14' x 22 1/2'

ANCHORS 5.4

FRAME TIES 4.9

within 2' of end of home spaced at 5.4' on

OTHER TIES

Number 4
 Sidewall _____
 Longitudinal _____
 Manmade wall _____
 Shearwall _____

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD) _____
 Manufacturer _____
 Longitudinal Stabilizing Device w/ Lateral Arms _____
 Manufacturer _____

Mobile Home Permit Worksheet

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1000 psi or check here to create 1000 lb soil without testing

X X X

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations
2. Take the reading at the depth of the footer
3. Using 500 lb increments, take the lowest reading and round down to that increment.

X X X

TORQUE PROBE TEST

The results of the torque probe test is 275 inch pounds or less here if you are developing 5 anchors without testing. A less showing 275 inch pounds or less will require 5 foot anchors.

Note: A slate approved lateral area system is being used and 4 1/2 anchors are allowed at the sidewall locations. I understand that anchors are required at all centerline tie points where the footer first reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb hole in capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Date Tested

Electrical

Connect electrical conductors between multi-wire units, but not to the main power source. This includes the bundling wire between multi-wide units. Pq

Plumbing

Connect all sewer drains to an existing sewer lead or septic tank. Pq

Connect all potable water supply piping to an existing water meter, water line, or other independent water supply systems. Pq.

Page 2 of 2

Application Number: _____ Date: _____

Site Preparation

Debris and organic material removed Swale ☒ Other ☐

Fastening multi-wide units

Fast. Multi: Type Fastener 315 Length 6 Spacing 16
 Fast. Multi: Type Fastener 24 Length 6 Spacing 24
 Fast. Multi: Type Fastener 16 Length 6 Spacing 16
 For used homes: a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with 6" roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing - optional)

I understand a properly installed gasket is a requirement of all new and used trailers and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed 1 or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Type gasket foam

Installed Between Floor Joists ☒
 Between Wall Studs ☒
 Bottom of Trailer Beam ☒

Weatherproofing

The bottomboard will be fastened and/or taped. ☒ Pq
 Sealing on units is installed to manufacturer's specifications. Yes
 Replace chimney installed so as not to allow penetration of rain water. Yes


Miscellaneous

Shirting to be installed: No
 Dryer vent installed outside of skirt: Yes
 Range downflow vent installed outside of skirt: Yes
 Drain lines supported at 4 foot intervals: Yes
 Electrical crossovers protected: Yes
 Other: N/A

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C.1 & 2

Installer Signature

Date 2-3-18



MARRIAGE LINE OPENING SUPPORT PIER/TYP.
SUPPORT PIER/TYP

FOUNDATION NOTES:


- THIS DRAWING IS DESIGNED FOR THE STANDARD WIND ZONE AND IS TO BE USED IN CONJUNCTION WITH THE INSTALLATION MANUAL AND ITS SUPPLEMENTS.
- FOOTINGS ARE SHOWN FOR EXAMPLE ONLY. QUANTITY AND SPACING MAY VARY BASED ON PAD TYPE, SOIL CONDITION, ETC.
- FOOTINGS ARE REQUIRED AT SUPPORT POSTS. SEE INSTALLATION MANUAL FOR REQUIREMENTS.

- | | |
|------------------------------|---|
| (A) MAIN ELECTRICAL | (G) DUCT CROSSOVER |
| (B) ELECTRICAL CROSSOVER | (H) SEWER DROPS |
| (C) WATER INLET | (I) RETURN AIR (W/OPT. HEAT PUMP OH DUCT) |
| (D) WATER CROSSOVER (IF ANY) | (J) SUPPLY AIR (W/OPT. HEAT PUMP OH DUCT) |
| (E) GAS INLET (IF ANY) | |
| (F) GAS CROSSOVER (IF ANY) | |


Live Oak Homes
MODEL: S-2523G - 28 X 52
3-BEDROOM / 2-BATH

S-2523G

Driveway is
325' from
North property
line




Full parcel scale 1" = 200'



1 acre shown out of
4.65 acres

Scale 1" = 50'

Brandon + Hailey Klopp
Parcel # 17-35-17-04970-003



Columbia County Property Appraiser

Jeff Hampton - Lake City, Florida 32055 | 386-758-1083

PARCEL: 17-3S-17-04970-003 - VACANT (000000)



ALL OF SE1/4 OF SE1/4 LYING E OF DOUBLE RUN RD, EX 1 AC IN A SQUARE IN SE COR DESC IN ORB
383-68. ALSO A PARCEL LYING IN 16-3S-17 DESC AS FOLLOWS. COM

Name:	HILLHOUSE JUDY M &	2017 Certified Values	
Site:	NE DOUBLE RUN RD	Land	\$17,368.00
Mail:	RANDALL B HENDERSON & PATRICIA L REGAR 1544 NE DOUBLE RUN RD LAKE CITY, FL 32055	Bldg	\$0.00
		Assd	\$17,368.00
		Exmpt	\$0.00
		Taxbl	Cnty: \$14,924
Sales Info	4/2/1998 \$100.00 I/U	Other: \$14,924 Schl: \$17,368	

NOTES:



MAP OF SURVEY



A parcel of land lying in the southeast 1/4 of the southeast 1/4 of Section 17, Township 3 South, Range 17 East and in the southwest 1/4 of the southeast of Section 16, Township 3 South, Range 17 East, Columbia County, Florida, explicitly described as follows:

Commence at the northeast corner of said Section 17; thence on the north boundary S87°44'38"W, a distance of 1825.50 feet to the east point of said boundary; thence on said right-of-way line N20°04'20"E, a distance of 1095.87 feet to a point on the 17 the same being the west boundary of aforesaid Section 16; thence continue on said right-of-way line N20°04'20"E, a distance of 658.31 feet, thence S57°37'00"W, a distance of 121.48 feet to the east boundary of aforesaid Section 17 the same being the west boundary of aforesaid Section 16; thence on said boundary S01°00'00"E, a distance of 253.00 feet; thence on the north boundary of that certain parcel of land described Q.R. Book 1167, Page 710, S87°44'38"W, a distance of 208.75 feet; thence on the east boundary of said parcel S01°00'00"E, a distance of 208.75 feet to the POINT OF BEGINNING.

Containing 4.85 acres, more or less

1) Underground utilities and/or underground encroachments if any not located.

2) This survey was performed without the benefit of a "Title Search".

3) Meridian based on the dividing line between Sections 16 & 17 bearing S01°00'00"E per record description.

4) There may be additional easements and/or restrictions not shown on this survey that can be found in the Public Records of Columbia County, Florida.

5) This survey was prepared expressly for the persons and/or entities named and only for the original purpose, no other person or entity is entitled to use this survey for any purpose whatsoever without the express written consent of Darrell Copeland.

6) This survey is intended for sale, mortgage or otherwise purposes only. Liability for this note for those to whom it is delivered. This survey is not to be used for construction, permitting design or any other use without the written consent of Darrell Copeland.

DARRELL COPELAND AS THE CERTIFYING LAND SURVEYOR, ACCEPTS NO RESPONSIBILITY FOR RIGHTS OF WAY, EASEMENTS, RESTRICTIONS, OR OTHER MATTERS AFFECTING TITLE TO LANDS SURVEYED, OTHER THAN THOSE RECITED IN CURRENT DEED AND/OR OTHER INSTRUMENTS OF RECORD FURNISHED BY CLIENT.

PER THE FEDERAL INSURANCE ADMINISTRATION FLOOD
HAZARD BOUNDARY MAP COMMUNITY NO. 12075C
PANEL NO. 0555C DATED 2-4-01 THE PROPERTY
SHOWN AND DESCRIBED HEREON APPEARS TO BE IN ZONE
X & A, WITH A BASE ELEVATION OF N/A MEAN
SEA LEVEL N.A.V.D. 1988.


I hereby certify that this post accurately represents a survey of the land shown and described herein, and meets or exceeds the minimum Standards Requirements of Chapter 5J-17 Florida Administrative Code pursuant to Chapter, 472.

Dele Cole 12-8-17
Darrell Copeland Date
Professional Land Surveyor
Florida Certificate #4529

NOT VALID WITHOUT THE SIGNATURE AND
THE ORIGINAL RAISED SEAL OF A FLORIDA
LICENSED SURVEYOR AND MAPPER.

CERTIFIED TO SPANISH MALEY KLOPP RESIDENT TRISTE TITLE, LLC TRISTE NATIONAL TITLE INSURANCE CO.		JOB NO. 17-332
DARRELL COPELAND SURVEYING, INC. 7910 180TH STREET WADSWORTH, FLORIDA 33090 (386) 508-1343 darsurvey@aol.com		
DRAWN DWG PARKY CHERRY	DATE 12-8-17 FIELD BOOK	DATE 12-8-17 FILE NO.

District No. 1 - Ronald Williams
District No. 2 - Rusty DePratter
District No. 3 - Bucky Nash
District No. 4 - Everett Phillips
District No. 5 - Tim Murphy



BOARD OF COUNTY COMMISSIONERS • COLUMBIA COUNTY

Address Assignment and Maintenance Document

To maintain the county wide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for addressing and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Services Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County

Date/Time Issued: **2/1/2018 11:33:39 AM**
Address: **1387 NE DOUBLE RUN Rd**
City: **LAKE CITY**
State: **FL**
Zip Code **32055**

Parcel ID **04970-003**

REMARKS: Address for proposed structure on parcel. 2nd address on this parcel.

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION AND ACCESS INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION AND/OR ACCESS INFORMATION BE FOUND TO BE IN ERROR OR CHANGED, THIS ADDRESS IS SUBJECT TO CHANGE.

Address Issued By: **Signed:/ Matt Crews**

Columbia County GIS/911 Addressing Coordinator

**COLUMBIA COUNTY
911 ADDRESSING / GIS DEPARTMENT**

263 NW Lake City Ave., Lake City, FL 32055 Telephone: (386) 758-1125
Email: gis@columbiacountyfla.com



COLUMBIA COUNTY BUILDING DEPARTMENT
135 NE Hernando Ave, Suite B-21, Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160

MOBILE HOME INSTALLERS LETTER OF AUTHORIZATION

I, Dennis Riedel give this authority for the job address show below
Installer License Holder Name

only, 1387 NE Double Run Rd and I do certify that
Job Address

the below referenced person(s) listed on this form is/are under my direct supervision and control and is/are authorized to purchase permits, call for inspections and sign on my behalf.

Printed Name of Authorized Person	Signature of Authorized Person	Authorized Person is... (Check one)
Wendy Grennell	Wendy Grennell	☒ Agent ☐ Officer ☐ Property Owner
		☐ Agent ☐ Officer ☐ Property Owner
		☐ Agent ☐ Officer ☐ Property Owner

I, the license holder, realize that I am responsible for all permits purchased, and all work done under my license and I am fully responsible for compliance with all Florida Statutes, Codes, and Local Ordinances.

I understand that the State Licensing Board has the power and authority to discipline a license holder for violations committed by him/her or by his/her authorized person(s) through this document and that I have full responsibility for compliance granted by issuance of such permits.

Dennis Riedel

License Holders Signature (Notarized)

IN1025162

License Number

2.5.18

Date


NOTARY INFORMATION:

STATE OF: Florida COUNTY OF: Nassau

The above license holder, whose name is Dennis Riedel, personally appeared before me and is known by me or has produced identification (type of I.D.) personally known on this 5 day of Feb, 2018.

Patricia A. Gadoury
NOTARY'S SIGNATURE

(Seal/Stamp)



Prepared by:
Michael Harrell
Abstract Trust Title, LLC
283 NW Cole Ter
Lake City, FL 32055

Inst: 201712023755 Date: 12/29/2017 Time: 4:08PM
Page 1 of 2 B: 1350 P: 2273, P.DeWitt Cason, Clerk of Court
Columbia County, By: BD
Deputy ClerkDoc Stamp-Deed: 136.50

ATT# 4-7914

Warranty Deed

Individual to Individual

JH
THIS WARRANTY DEED made the 29 day of December, 2017, Judy M. Hillhouse, Randall Henderson and Patricia L. Regar, hereinafter called the grantor, to Brandon M. Klopp and Hailey M. Klopp whose post office address is: 1884 N US HWY 441, Lake City, FL 32055 hereinafter called the grantee:

(Wherever used herein the terms "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporation)

Witnesseth: That the grantor, for and in consideration of the sum of \$10.00 and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys, and confirms unto the grantee, all that certain land situate in COLUMBIA County, Florida,

See Exhibit "A" Attached Hereto And By This Reference Made A Part Thereof.

The above described property is not, nor has it ever been, the homestead of Judy M. Hillhouse, who in fact resides at 14762 SE CR 25A White Springs, FL 32096

The above described property is not, nor has it ever been, the homestead of Randall Henderson, who in fact resides at 210 NE Spencer Ct, Lake City FL 32055

The above described property is not, nor has it ever been, the homestead of Patricia L. Regar, who in fact resides at 222 N Waustine Way, Lake City, FL 32053

TOGETHER with all tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

TO HAVE AND TO HOLD, the same in fee simple forever.

AND the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accruing subsequent to the prior year.

IN WITNESS WHEREOF, the said grantor has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered in our presence:

Jesse Shiver
Witness:
Jesse Shiver

Printed Name:

Brandi Lynn Lee
Witness:

Brandi Lynn Lee
Printed Name:

Judy M. Hillhouse
Judy M. Hillhouse

Randall Henderson
Randall Henderson

Patricia L. Regar
Patricia L. Regar

STATE OF FLORIDA
COUNTY OF COLUMBIA

The foregoing instrument was acknowledged before me this 29 day of December, 2017 by JUDY M. HILLHOUSE, RANDALL HENDERSON, AND PATRICIA L. REGAR personally known to me or, if not personally known to me, who produced DL for identification and who did not take an oath.

Brandi Lynn Lee
Notary Public

(Notary Seal)



Brandi Lynn Lee
NOTARY PUBLIC
STATE OF FLORIDA
Comm# GG052483
Expires 12/5/2020

ATT 7914

Exhibit "A"

A parcel of land lying in the southeast 1/4 of the southeast 1/4 of Section 17, Township 3 South, Range 17 East and in the southwest 1/4 of the southwest of Section 16, Township 3 South, Range 17 East, Columbia County, Florida, explicitly described as follows:

Commence at the southeast corner of said Section 17; thence on the south boundary S87°44'36"W, a distance of 208.75 to the POINT OF BEGINNING; thence continue on said south boundary S87°44'36"W, a distance of 185.38 feet to the east right of way line of Double Run Road; thence on said east right-of-way line N20°04'26"E, a distance of 1095.87 feet to a point on the east boundary of aforesaid Section 17 the same being the west boundary of aforesaid Section 16; thence continue on said right-of-way line N20°04'26"E, a distance of 216.17 feet; thence S00°52'51"E, a distance of 659.34 feet; thence S37°57'00"W, a distance of 121.46 feet to the east boundary of aforesaid Section 17 the same being the west boundary of aforesaid Section 16; thence on said boundary S01°00'00"E, a distance of 253.09 feet; thence on the north boundary of that certain parcel of land described O.R. Book 1167, Page 710, S87°44'36"W, a distance of 208.75 feet; thence on the west boundary of said parcel S01°00'00"E, a distance of 208.75 feet to the POINT OF BEGINNING.

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

 APPLICATION NUMBER 1802-29 CONTRACTOR Dennis Riebel ADDRESS _____

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 99-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL 1975 ✓	Print Name <u>Shawn Register</u> License #: <u>EC13007592</u> Qualifier Form Attached ☐	Signature <u>[Signature]</u> Phone #: <u>386 972 0376</u>
MECHANICAL/ A/C _____	Print Name _____ License #: _____ Qualifier Form Attached ☐	Signature _____ Phone #: _____

F. S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER 1802-29 CONTRACTOR Dennis Riedel PHONE 904.982.3984

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.


Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL	Print Name _____	Signature _____
	License #: _____	Phone #: _____
	Qualifier Form Attached ☐	
MECHANICAL/ A/C <u>1104</u>	Print Name <u>Samuel O Drury, Jr</u>	Signature <u>[Signature]</u>
	License #: <u>CAC1813750</u>	Phone #: <u>9047665860</u>
	Qualifier Form Attached ☐	


F. S. 440.103 Building permits; Identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Revised 4/27/2017

18-0129



Brandon + Hailey Klopp
Parcel # 17-35-17-04970-003


Columbus Ohio
2/19/18


STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR CONSTRUCTION PERMIT

Permit Application Number

18-0129

----- PART II - SITEPLAN -----

Scale: Each block represents 10 feet and 1 inch = 40 feet.



Notes: _____

Site Plan submitted by: Wendy HensellPlan Approved h

Not Approved _____

Date 2/19/18By [Signature]Celina

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM
APPLICATION FOR CONSTRUCTION PERMIT

PERMIT NO. 18-0129
DATE PAID: 2/15/18
FEE PAID: 318.00
RECEIPT #: 1328849

APPLICATION FOR:

☒ New System ☐ Existing System ☐ Holding Tank ☐ Innovative
☐ Repair ☐ Abandonment ☐ Temporary ☐

APPLICANT: Brandon KloppAGENT: Wendy Grennell - Permit Services of NFL TELEPHONE: 386-288-2428MAILING ADDRESS: 3104 SW Old Wire Rd Fort White FL 32038

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3)(m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

PROPERTY INFORMATION

LOT: N/A BLOCK: N/A SUBDIVISION: Melex Bounds PLATTED: _____PROPERTY ID #: 17-35-17-04970-003 ZONING: _____ I/M OR EQUIVALENT: ☒ Y ☐ NPROPERTY SIZE: 4.65 ACRES WATER SUPPLY: ☒ PRIVATE PUBLIC ☐ ☐ ≤2000GPD ☐ >2000GPDIS SEWER AVAILABLE AS PER 381.0065, FS? ☒ Y ☐ N DISTANCE TO SEWER: N/A FTPROPERTY ADDRESS: 1387 NE Double Run Rd Lake City FL 32055DIRECTIONS TO PROPERTY: US Hwy 441 N, TR on Gum Swamp, immediate (1) on NE Double Run Rd approx 1 1/2 miles to drive on (2)

BUILDING INFORMATION

☒ RESIDENTIAL ☐ COMMERCIAL

Unit No	Type of Establishment	No. of Bedrooms	Building Area Sqft	Commercial/Institutional System Design Table 1, Chapter 64E-6, FAC
1	<u>DWMT</u>	<u>3</u>	<u>1352</u>	
2				
3				
4				

☐ Floor/Equipment Drains ☒ Other (Specify) _____SIGNATURE: Wendy Grennell DATE: 2/12/18