District No. 1 - Ronald Williams District No. 2 Rusty DePratter District No. 3 Bucky Nash District No. 4 - Stephen E. Bailey District No. 5 - Scarlet P. Frisina



#### BOARD OF COUNTY COMMISSIONERS Columbia County

# Memo of review for correctness and completion

In accordance with participation in the NFIP/CRS program, all elevation certificates are required to be reviewed for correctness and completion prior to acceptance by the community. This form shall be attached to all elevation certificates maintained on file and provided with requested copies of elevation certificates.

the community.  The attached elevation certificate is complete and correct.  Minor corrections have been made in the below marked section(s) by the authorized Community Office  SECTION A - PROPERTY INFORMATION For Insurance Company Use:	
Minor corrections have been made in the below marked section(s) by the authorized Community Office	
SECTION A - PROPERTY INFORMATION For Insurance Company Use:	al.
SECTION A - PROPERTY INFORMATION For Insurance Company Use:	
Della Museban	
A1. Building Owner's Name  Policy Number	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No.  Company NAIC Number	
City State ZIP Code	
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)	
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)	
A5. Latitude/Longitude: LatLong Horizontal Datum: NAD 1927 NAD	983
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.	
A7. Building Diagram Number A8. For a building with a crawl space or enclosure(s), provide:  A9. For a building with an attached garage, provide:	
a) Square footage of crawl space or enclosure(s) sq ft	
b) No. of permanent flood openings in the crawl space or	
enclosure(s) walls within 1.0 foot above adjacent grade sq in	n
	4
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	7
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION  B1 NFIP Community Name & Community Number B2. County Name B3. State	
	one
B1 NFIP Community Name & Community Number  B2. County Name  B3. State  B4. Map/Panel Number  B5. Suffix  B6. FIRM Index Date  B7. FIRM Panel Effective/Revised Date  B8. Flood Zone(s)  B9. Base Flood Elevation(s) (a AO, use base flood depth	one
B1 NFIP Community Name & Community Number  B2. County Name  B3. State  B4. Map/Panel Number  B5. Suffix  B6. FIRM Index Date  B7. FIRM Panel Effective/Revised Date  B9. Base Flood Elevation(s) (2 AO, use base flood depth  B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.  FIS Profile  FIRM  Community Determined  D0ther (Describe)	one
B1 NFIP Community Name & Community Number  B2. County Name  B3. State  B4. Map/Panel Number  B5. Suffix  B6. FIRM Index Date  B7. FIRM Panel Effective/Revised Date  B8. Flood Zone(s)  B9. Base Flood Elevation(s) (indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.  FIS Profile  FIRM  Community Determined  Other (Describe)  NAVD 1988  Other (Describe)	one
B1 NFIP Community Name & Community Number  B2. County Name  B3. State  B4. Map/Panel Number  B5. Suffix  B6. FIRM Index Date  B7. FIRM Panel Effective/Revised Date  B8. Flood Zone(s)  B9. Base Flood Elevation(s) (indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.  FIS Profile  FIRM  Community Determined  Other (Describe)  NAVD 1988  Other (Describe)	one
B1 NFIP Community Name & Community Number  B2. County Name  B3. State  B4. Map/Panel Number  B5. Suffix  B6. FIRM Index Date  B7. FIRM Panel Effective/Revised Date  B8. Flood Zone(s)  B9. Base Flood Elevation(s) (indicate the source of the Bese Flood Elevation (BFE) data or base flood depth entered in Item B9.  FIS Profile  FIRM  Community Determined  Other (Describe)  C11. Indicate elevation datum used for BFE in Item B9:  NGVD 1929  NAVD 1988  Other (Describe)  C11. Indicate elevation datum used for BFE in Item B9:  C2. County Name  C3. State  C3. State  C4. County Name  C4. County Name  C5. County Name  C6. FIRM Panel Effective/Revised Date  C6. C12. C12. C22. C22. C22. C22. C22. C22	one
B1 NFIP Community Name & Community Number  B2. County Name  B3. State  B4. Map/Panel Number  B5. Suffix  B6. FIRM Index Date  B7. FIRM Panel Effective/Revised Date  B7. FIRM Panel Effective/Revised Date  B8. Flood Zone(s)  B9. Base Flood Elevation(s) (AO, use base flood depth AO, use base flood depth  Conmunity Determined  Other (Describe)  CBRS OPA  Designation Date  CBRS OPA	one
B1 NFIP Community Name & Community Number  B2. County Name  B3. State  B4. Map/Panel Number  B5. Suffix  B6. FIRM Index Date  B7. FIRM Panel Effective/Revised Date  B7. FIRM Panel Effective/Revised Date  B8. Flood Zone(s)  B9. Base Flood Elevation(s) (index panel)  A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B7. FIRM Panel Effective/Revised Date  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B7. FIRM Panel Effective/Revised Date  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel Effective/Revised Date  B8. Flood A0, use base flood depth  B7. FIRM Panel B8. Flood A0, use base flood depth  B8. Flood A0, use base flood depth  B8. Flood A0, use base flood depth  B7. FIRM Panel B8. Flood B7. FIRM Pane	one

All elevation certificates shall be maintained by the community and copies with the attached memo made available upon request.

BOARD MEETS FIRST THURSDAY AT 7:00 PM

#### U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

# **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

	<del>_</del>						
30 879		A - PROPERTY INFORM		FOR INSURANCE COMPANY USE			
A1. Building Owner's Name Amanda & Mid	chael (Jr.) McDaniel			Policy Number:			
A2. Building Street Address (including Apt., 1843 NW Tiger Drain Rd.	, Unit, Suite, and/or Bldg. N	No.) or P.O. Route and Box I	No.	Company NAIC Number:			
City White Springs		State FL ZIP Code	32096				
A3. Property Description (Lot and Block Nu W1/2 OF W1/2 OF NE1/4 OF SE1/4 / 14-2S		r, Legal Description, etc.)					
A4 Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential  A5. Latitude/Longitude: Lat. 30*18.758' Long. 82*46.913' Horizontal Datum: NAD 1927 NAD 1983  A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.  A7. Building Diagram Number 5  A8. For a building with a crawlspace or enclosure(s):  a) Square footage of crawlspace or enclosure(s)  b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade N/A  c) Total net area of flood openings?  A8. For a building with an attached garage:  a) Square footage of attached garage  b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade N/A  c) Total net area of flood openings?  A9. For a building with an attached garage:  a) Square footage of attached garage  b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade  N/A  c) Total net area of flood openings?  A9. For a building with an attached garage:  a) Square footage of attached garage  b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade  N/A  c) Total net area of flood openings?  A9. For a building with an attached garage:  a) Square footage of attached garage  b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade  N/A  c) Total net area of flood openings?  A9. For a building with an attached garage:  a) Square footage of attached garage  b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade  N/A  C) Total net area of flood openings?  A9. For a building with an attached garage:  a) Square footage of attached garage  b) Number of permanent flood openings in the attached garage  b) Number of permanent flood openings in the attached garage  c) Total net area of flood openings?  C) Total net area of flood openings?  C) Total net area of flood openings?  C) Total net are							
SECT	TION B - FLOOD INSU	RANCE RATE MAP (FIR	M) INFORMATION				
B1. NFIP Community Name & Community N Columbia 120070	B2. Colum	ounty Name nbia		33. State L			
B4. Map/Panel Number B5. Suffix 12023C0166C C	B6. FIRM Index Date 4 Feb 2009	B7. FIRM Panel Effective/Revised Date 4 Feb 2009	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 86.00			
Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.  FIS Profile FIRM Community Determined Other/Source:  Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:  Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  CBRS OPA							
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)							
SECTION	N C - BUILDING ELEV		SURVEY REQUIRE	ED)			
C1. Building elevations are based on:  *A new Elevation Certificate will be required.  Elevations – Zones A1–A30, AE, AH, A (below according to the building diagram and Benchmark Utilized: Spike in oak tree Indicate elevation datum used for the ele Datum used for building elevations must  a) Top of bottom floor (including basements) Top of the next higher floor  c) Bottom of the lowest horizontal structured Attached garage (top of slab)  e) Lowest elevation of machinery or equiper (Describe type of equipment and location).	Construction Drawings red when construction of the (with BFE), VE, V1–V30, V specified in Item A7. In Purvations in items a) through be the same as that used int, crawlspace, or enclosure and member (V Zones only poment servicing the building ion in Comments) to building (LAG)	ATION INFORMATION (Street Property of the Brilding Under the building is complete.  If (with BFE), AR, AR/A, AR/A erto Rico only, enter meters, tical Datum: NAVD 88 in h) below. In NGVD 1929 for the BFE.  It floor)  87.4  N.A.  N.A.  9  83.8	r Construction* AE, AR/A1–A30, AR/A  ☑ NAVD 1988 ☐ Other Check to	Finished Construction  AH, AR/AO. Complete Items C2.a—h  her/Source:  he measurement used.  feet			
C1. Building elevations are based on:  *A new Elevation Certificate will be required.  Elevations – Zones A1–A30, AE, AH, A (below according to the building diagram and Benchmark Utilized: Spike in oak tree Indicate elevation datum used for the ele Datum used for building elevations must  a) Top of bottom floor (including basements) Top of the next higher floor  c) Bottom of the lowest horizontal structured Attached garage (top of slab)  e) Lowest elevation of machinery or equiper (Describe type of equipment and location)	Construction Drawings red when construction of the (with BFE), VE, V1–V30, V specified in Item A7. In Purvations in items a) through be the same as that used int, crawispace, or enclosure and member (V Zones only) present servicing the building in Comments) to building (LAG) to building (HAG)	ATION INFORMATION (3  Building Under the building is complete.  ( (with BFE), AR, AR/A, AR/A erto Rico only, enter meters. tical Datum: NAVD 88  In h) below. INGVD 1929 for the BFE.  The floor)  87.4  N.A.  N.A.  9  83.8  83.9	r Construction* AE, AR/A1–A30, AR/A  ☑ NAVD 1988 ☐ Other Check to	Finished Construction  AH, AR/AO. Complete Items C2.a—h  her/Source:  he measurement used.  feet			
C1. Building elevations are based on:  *A new Elevation Certificate will be required.  Elevations – Zones A1–A30, AE, AH, A (below according to the building diagram and Benchmark Utilized: Spike in oak tree Indicate elevation datum used for the ele Datum used for building elevations must.  a) Top of bottom floor (including basements) Top of the next higher floor.  c) Bottom of the lowest horizontal structured. Attached garage (top of slab).  e) Lowest elevation of machinery or equiper (Describe type of equipment and location). Lowest adjacent (finished) grade next in the properties of the properties	Construction Drawings red when construction of the (with BFE), VE, V1–V30, V specified in Item A7. In Purvations in items a) through be the same as that used int, crawlspace, or enclosure and member (V Zones only) present servicing the building in Comments) to building (LAG) to building (HAG) tion of deck or stairs, including the construction of deck or stairs, including the construction of the construc	ATION INFORMATION (3  Building Under the building is complete.  ( (with BFE), AR, AR/A, AR/A erto Rico only, enter meters. tical Datum: NAVD 88  In h) below. INGVD 1929 for the BFE.  The floor)  87.4  N.A.  N.A.  9  83.8  83.9	r Construction* AE, AR/A1–A30, AR/A  NAVD 1988 □ Oti Check t	Finished Construction  AH, AR/AO. Complete Items C2.a—h  her/Source:  he measurement used.  feet			
21. Building elevations are based on:  *A new Elevation Certificate will be required.  Elevations – Zones A1–A30, AE, AH, A (below according to the building diagram and Benchmark Utilized: Spike in oak tree Indicate elevation datum used for the ele Datum used for building elevations must  a) Top of bottom floor (including basement) Top of the next higher floor  c) Bottom of the lowest horizontal structured) Attached garage (top of slab)  e) Lowest elevation of machinery or equiper (Describe type of equipment and location) Lowest adjacent (finished) grade next high Lowest adjacent grade at lowest elevation.	Construction Drawings red when construction of the with BFE), VE, V1–V30, V specified in Item A7. In Purvations in items a) through be the same as that used int, crawlspace, or enclosured member (V Zones only poment servicing the building in Comments) to building (LAG) to building (HAG) to building (HAG) to building (HAG) to SURVEYOR, ENCOY a land surveyor, engineer in the punishable by fine or import back of form.	ATION INFORMATION (INFORMATION	Check to Che	Finished Construction  AH, AR/AO. Complete Items C2.a—h  her/Source:  he measurement used.  feet			

LEVALION VENTIL IOATE, PAYE 4 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 1843 NW Tiger Drain Rd. City White Springs State FL Company NAIC Number: SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments L-22582 See Attachment Revised 4/26/13 AC elevation Date 04/26/13 Signature SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is ☐ feet ☐ meters ☐ above or ☐ below the HAG. b) Top of bottom floor (including basement, crawlspace, or enclosure) is ☐ feet ☐ meters ☐ above or ☐ below the LAG. E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor ☐ feet ☐ meters ☐ above or ☐ below the HAG. (elevation C2.b in the diagrams) of the building is ☐ feet ☐ meters ☐ above or ☐ below the HAG. E3. Attached garage (top of slab) is E4. Top of platform of machinery and/or equipment servicing the building is \_\_\_\_\_ 🔲 feet 🔲 meters 🔲 above or 🗀 below the HAG. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner's or Owner's Authorized Representative's Name ZIP Code City State Address Date Telephone Signature Comments Check here if attachments. SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) G2. 🔲 A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. The following information (Items G4-G10) is provided for community floodplain management purposes. G6. Date Certificate Of Compliance/Occupancy Issued G4. Permit Number G5. Date Permit Issued □ New Construction Substantial Improvement G7. This permit has been issued for: G8. Elevation of as-built lowest floor (including basement) of the building: ☐ meters Datum ☐ feet G9. BFE or (in Zone AO) depth of flooding at the building site: ☐ feet □ meters Datum G10. Community's design flood elevation: feet [ ☐ meters Datum Local Official's Name

Telephone

Date

Community Name

Signature

Comments

Check here if attachments.

# **ELEVATION CERTIFICATE**, page 3

# **Building Photographs**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding	information fro	om Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No 1843 NW Tiger Drain Rd.	Policy Number:		
City White Springs	State FL	ZIP Code 32096	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



# **ELEVATION CERTIFICATE**, page 4

# Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. 1843 NW Tiger Drain Rd.	Policy Number:			
City White Springs	State	FL	ZIP Code 32096	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.





# LAKE CITY · VENICE · SARASOTA

## Section A

A1 No additional comment

A2 The address is taken from the public records

A3 - A4 No additional comment

A5 Hand Held GPS coordinate at the center of building along the front wall

A6 The photographs were taken by Britt Surveying and Mapping, LLC as of the date of field work

A7 - A9 No additional comment

#### Section B

B1 - B7 No additional comment

B8 This building appears to be in Zone AE.

B9 - B10 The BFE as shown hereon is based on the FIRM and FIS profile.

B11 - B12 No additional comment

#### Section C

C1 No additional comment

C2 There is a benchmark in a oak tree whose elevation is determined to be 85.60 feet NAVD 88 datum.

C2 a Premanufactured residence

C2 b-d No additional comment

C2 e Air conditioning unit on the right side of the residence

C2 f - h No additional comment

#### Section D

No additional comment

Section E

No additional comment

## Section F

No additional comment

#### Section G

No additional comment

# Photographs

The photographs were taken by Britt Surveying and Mapping, LLC as of the date of field work