

Rhino Steel Bldg. Systems

4305 I-35 NORTH
DENTON, TX. 76207

PHONE:
(940) 383-9566 (888) 320-7466

FAX:
(940) 484-6746

BUILDING DESCRIPTION

BUILDING SIZE: 80.00' x 115.00' x 16.00' SLOPE: 2.0:12
BUILDING SIZE: SLOPE:
BUILDING SIZE: SLOPE:
BUILDING SIZE: SLOPE:
(BUILDING DIMENSIONS ARE NOMINAL, REFER TO PLANS)

This is to certify that this structure is designed utilizing the loads indicated and applied as required by the building code shown below. The certification is limited to the structural design of the framing and covering parts manufactured by the building manufacturer and is specified in the contract. Accessory items such as doors, windows, louvers, translucent panels, and ventilators are not included. Also excluded are other parts of the project not provided by the building manufacturer such as foundations, masonry walls, mechanical equipment and erection of the building. The building should be erected on a properly designed foundation in accordance with the building manufacturer's design manual, the attached drawings and good erection practices.

Design Code FBC 20 / IRC 18

General Loads

Roof Dead Load (D) 2.000 psf
Roof Live Load (L) 20.00 psf
Roof Live Load (Lr) 20.00 psf
Tributary Live Load Reduction 1.88

Snow Load

Flat-Roof Snow Load (Pf) 0.0000 psf
Ground Snow Load (Pg) 0.0000 psf
Snow Exposure Factor (Ce) 1.0000
Snow Load Importance Factor (Is) 1.0000
Thermal Factor (Ct) 1.20

Wind Load

Wind Speed (V 3S) N/A
Wind Speed (Vult & Vasd) 140.0000 mph 108.4434 mph
Occupancy / Risk Category II - Normal
Wind Exposure Category 2
Internal Pressure Coefficient (Cp) +/- 0.00
Wind Enclosure Open
Wind Importance Factor N/A

Seismic Load

Seismic Importance Factor (Is) 1.00
Spectral Response Accelerations (Ss and S1) 0.0670 0.0429
Site Class B
Spectral Response Coefficients (Sds and Sd1) 0.0716 0.0888
Seismic Design Category B
Basic Seismic-Force-Resisting System(s) *

Longitudinal Lateral
Total Design Base Shear (V) 1.12 Kips 1.15 Kips
Seismic Response Coefficient(s) (Cs) 0.0238 0.0238
Response Modification Factor(s) (R) 3.0000 3.0000
Analysis Procedure: Equivalent Lateral Force

* Steel Systems Not Specifically Detailed For Seismic Resistance

PANEL TRIM AND FRAMING INFORMATION

ROOF PANELS

TYPE: PBR GAUGE: 28 COLOR: Evergreen
UL90 CERTIFICATION: NO
INSULATION: N/A
MASTIC: W-60
IF STANDING SEAM: CLIP TYPE: N/A

WALL PANELS

TYPE: N/A GAUGE: N/A COLOR: N/A
INSULATION: N/A

TRIM

RAKE: Evergreen
EAVE: Evergreen
GUTTER: Evergreen
DOWNSPOUT: Evergreen
VALLEY GUTTER: N/A
HEADER: N/A
SILL: N/A
JAMB: N/A
BASE TRIM: N/A
CORNER: N/A
LINER: N/A
SOFFIT: N/A
FASCIA SILL: N/A
CAP TRIM: N/A

PRIMARY FRAMING

(MAIN FRAMES & ENDWALL FRAMES) Red-oxide
(WIND COLUMNS & BENTS)

SECONDARY FRAMING

(GIRTS, EAVE STRUTS, PURLINS
DOOR/FRAMED SPNG. & CLIPS ETC.) Red-oxide

DN 8 Loads, as noted, are as given within order documents and are applied in general accordance with the applicable provisions of the model code and/or specification indicated. Neither the manufacturer nor the certifying engineer declares or attests that the loads as designated are proper for local provisions that may apply or for site specific parameters. The manufacturer's engineer's certification is limited to designs supplied by and/or engineer of record for the overall construction project.

DN 17 This project is designed using manufacturer's standard serviceability standards. Generally this means that all stresses and deflections are within typical performance limits for normal occupancy and standard metal building products. If special requirements for deflections and vibrations must be adhered to, then they must be clearly stated in the contract documents.

DN 19 The framing as shown at BOTH ENDWALLS are not designed for future expansion. Corresponding frame reactions are calculated based upon actual tributary area.

DRAWING INDEX

ISSUE	PAGE	DESCRIPTION
0	01 OF 2	COVER PAGE
0	02 OF 2	NOTES PAGE
1	F1 OF 2	ANCHOR ROD PLAN
0	F2 OF 2	REACTIONS
0	E1 OF 8	ROOF FRAMING PLAN
0	E2 OF 8	ROOF SHEETING
0	E3 OF 8	CROSS SECTION
0	E4 OF 8	CROSS SECTION
0	E5 OF 8	CROSS SECTION
0	E6 OF 8	SIDEWALL ELEVATION
0	E7 OF 8	ENDWALL ELEVATION
0	E8 OF 8	ENDWALL ELEVATION
0	D1 OF 2	DETAIL DRAWINGS
0	D2 OF 2	DETAIL DRAWINGS





IAS Certification Accredited
Certification # MB-188

DSN APR. APR. DATE


These drawings and the metal building they represent are the product of Schulte Building Systems - 17600 Buckle Road, Hickory, Texas 77447. The engineer whose seal appears hereon is retained by Schulte Building Systems and is not the engineer of record for this project.

DRAWING STATUS		REVISIONS		BY		DATE		DESCRIPTION	
☐	FOR APPROVAL	REV. 1	DATE	REV. 1	DATE	REV. 1	DATE	REV. 1	DATE
☐	FOR PERMIT	REV. 2	DATE	REV. 2	DATE	REV. 2	DATE	REV. 2	DATE
☐	FOR CONSTRUCTION	REV. 3	DATE	REV. 3	DATE	REV. 3	DATE	REV. 3	DATE
☒	FOR CONSTRUCTION	REV. 4	DATE	REV. 4	DATE	REV. 4	DATE	REV. 4	DATE

COVER PAGE
 28221 SOUTHEAST HIGHWAY 19
 OLD TOWN, FL 32830
 9/22/22 N.T.S.
 164343
 01 of 2




ANCHOR ROD PLAN
NOTE: All Base Plates @ 100'-0" (FINISH FLOOR) (UNLESS NOTED)



ANCHOR RODS HAVE BEEN DESIGNED FOR SHEAR AND TENSION LOADS ONLY, PER APPENDIX D OF ACI 308-08.

DESIGN OF SHEAR ANCHORS, TENSION PLATES, WELDING, AND ANY OTHER REINFORCED MATERIAL IN THE CONCRETE SHALL BE DETERMINED BY THE FOUNDATION DESIGN ENGINEER AND PROVIDED BY OTHERS.

ANCHOR ROD PROJECTION IS FROM BOTTOM OF BASE PLATE, UNLESS OTHERWISE INDICATED.




These drawings and the metal building they represent are the product of Schulte Building Systems- 17400 Saddle Road, Hookley, Texas 77447. The engineer whose seal appears hereon is retained by Schulte Building Systems and is not the engineer of record for this project.

DRAWING STATUS				REVISIONS				PROJECT INFORMATION			
NO.	DATE	BY	CHKD	NO.	DATE	BY	CHKD	PROJECT NO.	DATE	BY	CHKD
1	9/28/22	FOR CONSTRUCTION		1	9/28/22	FOR CONSTRUCTION		2227436	9/28/22	FOR CONSTRUCTION	

DESIGNER: ANCHOR ROD PLAN
DRAWN BY: T. Owens
CHECKED BY: T. Owens
DATE: 9/28/22
SCALE: 1/8" = 1'-0"
PROJECT: 2227436 - Thomas Owens
LOCATION: 25251 SOUTHEAST HIGHWAY 18
CITY: OLD TOWN, FL 32680
STATE: FL
COUNTY: ALACHUA
SHEET: 1 OF 2

FRAME LINE 3 1 2 3 4



RIGID FRAME: MAXIMUM REACTIONS, ANCHOR RODS, & BASE PLATES

Column Reactions														
Frame Line	Col Line	Load Id	Hydrant	Load Id	Width	Length	V	Bolt(h)	Dis	Base Plate(h)	Width	Length	Thick	Grout (h)
1*	D	1	8.8	14.8	4	-8.1	-14.3	4	1,000	8,000	13.50	1,000	0.0	
					2	-8.7	-17.8							
1*	A	5	8.1	-14.3	1	-8.8	14.8	4	1,000	8,000	13.50	1,000	0.0	
			-8.8	14.8	3	8.7	-17.8							
1*	Frame Line	1	0											

RIGID FRAME: MAXIMUM REACTIONS, ANCHOR RODS, & BASE PLATES

Frm Line	Col Line	Column Reactions (k)						Bolt (in)	Base Width	Plate Length	Thick	Grout (in)	
		Load Id	Max H	Vmax	Load Id	Max H	Vmin						
2	D	1	8.7	20.3	4	-12.2	-21.1	4	1,000	8,000	13.50	1,000	0.0
					2	-10.2	-20.8						
2	A	5	12.2	-21.1	1	-9.7	20.3	4	1,000	8,000	13.50	1,000	0.0
			-8.7	20.3	3	10.2	-20.9						

RIGID FRAME: MAXIMUM REACTIONS, ANCHOR RODS, & BASE PLATES

Frame Line	Col Line	Load Id	Column Reactions (k)				V	Base Plt (in)	Base Plate (in)			Grout (in)	
			H Max	V Max	Load Id	Width			Length	Thick			
3*	D	1	10.7	48.2	4	-12.2	-21.1	4	1,000	8,000	13.50	1,000	0.0
					1	-0.8	-50.9						
3*	A	5	12.2	-21.1	1	-10.7	48.2	4	1,000	8,000	13.50	1,000	0.0
				48.2	0	8.8	-50.9						
3*	Frame Line	3	4										

BUILDING BRACING REACTIONS

Loc	Line	Col Line	Reactions (k)	Panel Shear (k/ft)	Note
			Wind	Seismic	
L_SW	1	A	3		(b)
R_SW	4				(d)
R_SW	5				(e)
R_SW	0				(f)

(a) Wind column at column line
(b) Right frame at end of

WIND COLUMN REACTIONS

Loc	Line	Col Line	Reactions (k)	Panel Shear (k/ft)	Note
			Wind	Seismic	
F_SW	A	3	R	Wind	8.8
F_SW	A	4	L	Wind	8.8
B_SW	D	4	R	Wind	8.8
B_SW	D	3	L	Wind	8.8

RIGID FRAME: BASIC COLUMN REACTIONS (k)

Frame Line	Column Line	Dead	Live	Wind Left	Wind Right	Seismic Left	Seismic Right
		Horiz	Vert	Horiz	Vert	Horiz	Vert
1*	D	1.0	0.3	3.9	6.5	-12.2	-21.1
	A	-1.0	0.3	-3.9	6.5	12.2	21.1
2	D	1.4	3.1	0.5	1.1	-8.8	-14.3
	A	-1.4	3.1	-0.5	1.1	8.8	14.3
3*	D	1.4	3.1	0.5	1.1	-8.8	-14.3
	A	-1.4	3.1	-0.5	1.1	8.8	14.3

NOTES FOR REACTIONS

Building reactions are based on the following building data:

- Width (ft) = 80.0
- Length (ft) = 116.0
- Roof Height (ft) = 18.0/18.0
- Roof Slope (deg) = 2.0/2.0
- Dead Load (psf) = 2.0
- Collateral Load (psf) = 1.0
- Roof Live Load (psf) = 20.0
- Frame Live Load (psf) = 12.0
- Wind Speed (mph) = 140.0
- Wind Code = FBO 20 (SEC 18)
- Recessed = 0
- Closed/Open = 0
- Importance Wind = 1.0
- Importance Seismic = 1.0
- Seismic Zone = 4
- Seismic Coeff (FEMA) = 0.11


ID Description

- Dead+Collateral+0.75Live+0.45Wind_LungRt
- 0.6Dead+0.5Wind_LungRt
- 0.6Dead+0.5Wind_LungL
- 0.6Dead+0.5Wind_RungRt
- 0.6Dead+0.5Wind_RungL

These drawings and the metal building they represent are the product of Schulte Building Systems- 17800 Bodine Road, Hopkins, Texas 77447. The engineer whose seal appears hereon is retained by Schulte Building Systems and is not the engineer of record for this project.

DRAWING STATUS				REVISIONS				PROJECT INFORMATION			
NO.	DATE	DESCRIPTION	BY	NO.	DATE	DESCRIPTION	BY	PROJECT NO.	DATE	LOCATION	SCALE
0	9/29/22	FOR CONSTRUCTION	ED	1	9/29/22	FOR CONSTRUCTION	ED	20221 SOUTHEAST HIGHWAY 19	9/29/22	OLD TOWN, FL 32680	1/8" = 1'-0"
☐ FOR APPROVAL ☐ FOR REVISION ☒ FOR CONSTRUCTION				☐ FOR APPROVAL ☐ FOR REVISION ☒ FOR CONSTRUCTION				PROJECT NO. 20221 DATE 9/29/22 LOCATION OLD TOWN, FL 32680 SCALE 1/8" = 1'-0"			

APPROVAL		DATE	
APR.	APR.	DATE	DATE




EXTENSION/CANOPY BOLTS				
ROOF PLAN				
MARK	QUAN	TYPE	DIA	LENGTH
EB-1	4	A325	1/4"	2'

MEMBER TABLE	
HOOF PLAN	
MARK	PART
CB-1	WTOX12
P-1	10X25Z14
P-2	10X25Z14
P-3	10X25Z14
P-4	10X25Z14
P-5	10X25Z14
P-6	10X25Z18
P-7	10X25Z16
P-8	10X25Z18
P-9	10X25Z18
P-10	10X25Z14
P-11	10X25Z12
P-12	10X25Z12
P-13	10X25Z12
P-14	10X25Z18
P-15	10X25Z18
E-1	10X25Z14
E-2	10X25Z14
E-3	10X25Z14
E-4	10X25Z14
E-5	10X25Z14
E-6	10X25Z14
E-7	10.25Z12
E-8	10.25Z12
E-9	10.25Z14
E-10	10.25Z14
E-11	10.25Z12
CB-1	CB0250
CB-2	CB0250

DSN.		APR
APR.		DAT

These drawings and the metal building they represent are the product of Schulte Building Systems—17600 Beeble Road, Houston, Texas, 77447. The engineer whose seal appears hereon is retained by Schulte Building Systems and is not the engineer of record for this project.

[illegible]



ROOF SHEETING PLAN

PANELS: 26 Ga. PBR - Evergreen

ITEM		QTY	UNIT	DESCRIPTION	DETAIL
2	1	FL-33L	8"	T03	
3	1	FL-32	17'-6"	T01.3	
4	7	FL-31	18'-1"	T01	
5	1	FL-33R	8"	T01.3	
6	7	FL-380	18'-1"	T01.3	
7	1	FL-32L	11'-2"	T01	
8	1	FL-32R	11'-2"	T01.3	

These drawings and the metal building they represent are the product of Schulte Building Systems- 17600 Bostke Road, Houston, Texas, 77447. The engineer whose seal appears hereon is retained by Schulte Building Systems and is not the engineer of record for this project.

[illegible]

SPUR PLATE & BOLT TABLE

Mark	Qty	Bot	Int	Type	Dia	Length	Width	Thick	Length
SP-1	4	4	0	A325	5/8"	2"	8"	1 1/2"	2-3 11/16"
SP-2	4	4	0	A325	5/8"	1 3/4"	8"	3/8"	1-1 1/2"

FLANGE BRACES: FBbx (1 or 2)


xx=length(in)

(1) One Side; (2) Two Sides

A - 2X2X14G

MEMBER TABLE

Mark	Web Depth	Web Flange	Outside Flange	Web Flange
RF1-1	W10X12	12.0/24.0	12.0/24.0	12.0/24.0
RF1-2	24.0/18.0	0.250	27.0	8 x 1/4" x 15.8
	24.0/18.0	0.135	95.2	8 x 1/4" x 28.0
EB-1	W10X12	0.135	240.0	8 x 1/4" x 335.2



RIGID FRAME ELEVATION: FRAME LINE 1 5

The framing as shown at this elevation is not designed for future expansion. Corresponding frame reactions are calculated based upon actual tributary area.

These drawings and the metal building they represent are the product of Schulte Building Systems- 17600 Saddle Road, Houston, Texas 77047. The engineer whose seal appears hereon is retained by Schulte Building Systems and is not the engineer of record for this project.

DRAWING STATUS

NO.	DATE	DESCRIPTION	BY	CHKD
A	9/28/22	FOR PERMIT	ED	CV
10	10/6/22	FOR CONSTRUCTION	CV	MB

NO.	DATE	DESCRIPTION	BY	CHKD
1	9/28/22	FOR PERMIT	ED	CV
10	10/6/22	FOR CONSTRUCTION	CV	MB

NO.	DATE	DESCRIPTION	BY	CHKD
1	9/28/22	FOR PERMIT	ED	CV
10	10/6/22	FOR CONSTRUCTION	CV	MB

NO.	DATE	DESCRIPTION	BY	CHKD
1	9/28/22	FOR PERMIT	ED	CV
10	10/6/22	FOR CONSTRUCTION	CV	MB

GENERAL NOTES:

SEE ROOF FRAMING PLAN AND SIDEWALL ELEVATIONS FOR MAIN FRAME PIECE MARKS.

NO.	DATE	DESCRIPTION	BY	CHKD
1	9/28/22	FOR PERMIT	ED	CV
10	10/6/22	FOR CONSTRUCTION	CV	MB

NO.	DATE	DESCRIPTION	BY	CHKD
1	9/28/22	FOR PERMIT	ED	CV
10	10/6/22	FOR CONSTRUCTION	CV	MB

NO.	DATE	DESCRIPTION	BY	CHKD
1	9/28/22	FOR PERMIT	ED	CV
10	10/6/22	FOR CONSTRUCTION	CV	MB

NO.	DATE	DESCRIPTION	BY	CHKD
1	9/28/22	FOR PERMIT	ED	CV
10	10/6/22	FOR CONSTRUCTION	CV	MB


SPACE PLATE & BOLT TABLE

Mark	Qty	Top	Bot	Int	Type	Dia	Length	Width	Thick	Length
SP-1	4	4	0	A325	3/4"	2 1/4"	8"	5/8"	2'-3 7/8"	
SP-2	4	4	0	A325	3/4"	1 3/4"	8"	5/8"	1'-11"	

FLANGE BRACES: FBxx (1 or 2)
 xx=length(in)
 (1) One Side; (2) Two Sides
 A - 2X2X14G

MEMBER TABLE

Mark	Web Depth	Web Thick	Web Flange	Outside Flange	Web Flange
RF2-1	12.0/18.0	0.135	27.1	8 x 5/16" x 158.5	8 x 5/16" x 158.5
RF2-2	24.0/18.0	0.135	94.9	8 x 5/16" x 108.9	8 x 5/16" x 108.9
FB-1	18.0/18.0	0.135	240.0	8 x 5/16" x 228.0	8 x 5/16" x 228.0



RIGID FRAME ELEVATION: FRAME LINE 2

These drawings and the metal building they represent are the product of Schulte Building Systems- 17800 Bodine Road, Houston, Texas 77047. The engineer whose seal appears hereon is retained by Schulte Building Systems and is not the engineer of record for this project.

DRAWING STATUS

NO.	DATE	DESCRIPTION	BY	CHKD
1	9/29/22	FOR PERMIT	ECO	HA
2	10/18/22	FOR CONSTRUCTION	ECO	MS


NO.	DATE	DESCRIPTION	BY	CHKD
1	9/29/22	FOR PERMIT	ECO	HA
2	10/18/22	FOR CONSTRUCTION	ECO	MS

NO.	DATE	DESCRIPTION	BY	CHKD
1	9/29/22	FOR PERMIT	ECO	HA
2	10/18/22	FOR CONSTRUCTION	ECO	MS

NO.	DATE	DESCRIPTION	BY	CHKD
1	9/29/22	FOR PERMIT	ECO	HA
2	10/18/22	FOR CONSTRUCTION	ECO	MS

GENERAL NOTES:

SEE ROOF FRAMING PLAN AND SIDEWALL ELEVATIONS FOR MAIN FRAME PIECE MARKS.




NO.	DATE	DESCRIPTION	BY	CHKD
1	9/29/22	FOR PERMIT	ECO	HA
2	10/18/22	FOR CONSTRUCTION	ECO	MS

ECO AC 9/29/22 N.T. 184543 E4 of 8 0

SPURCE PLATE & BOLT TABLE									
Mark	Qty	Top	Bot	Int	Type	Dia	Length	Width	Thick
SP-1	4	4	0		A325	3/4"	2 1/4"	6"	5/8"
SP-2	4	4	0		A325	3/4"	1 3/4"	6"	5/8"

FLANGE BRACES: FBbx (1 or 2)
 xc=length(in)
 (1) One Side; (2) Two Sides
 A - 2X2X14Ga

MEMBER TABLE						Outside Flange		Inside Flange	
Mark	Web Depth	Start / End	Thick	Length		W x Thk x Length		W x Thk x Length	
RF3-1	12.0/24.0	0.135	27.1			8 x 5/16 x 181.7		8 x 5/16 x 158.3	
RF3-2	24.0/18.0	0.135	94.9			8 x 5/16 x 279.9		8 x 3/8 x 95.2	
EB-1	W10X12	0.135	240.0			8 x 1/4 x 228.0		8 x 1/4 x 237.3	



RIGID FRAME ELEVATION: FRAME LINE 3 4

GENERAL NOTES:
 SEE ROOF FRAMING PLAN AND SIDEWALL ELEVATIONS FOR MAIN FRAME PIECE MARKS.


These drawings and the metal building they represent are the product of Schulte Building Systems- 17800 Bodine Road, Hookley, Texas, 77447. The engineer whose seal appears hereon is retained by Schulte Building Systems and is not the engineer of record for this project.

DRAWING STATUS		REVISIONS	
☐	FOR APPROVAL	NO.	DATE
☐	FOR PERMIT	A	9/29/22
☐	FOR CONSTRUCTION	D	10/18/22


SCHULTE BUILDING SYSTEMS

35221 SOUTHEAST HIGHWAY 19
 OLD TOWN, FL 32660

DATE: 9/29/22 N.T.S.
 184343
 ES of 8




SIDEWALL FRAMING: FRAME LINE A



SIDEWALL FRAMING: FRAME LINE D

MEMBER	TABLE	FRAME	LINE	A & D
W-1	RT-5.1	W-1	RT-5.1	W-1

MEMBER	TABLE	FRAME	LINE	A & D
E-1	RT-4.2.2	E-1	RT-4.2.2	E-1
E-2	RT-4.2.2	E-2	RT-4.2.2	E-2
E-3	RT-4.2.2	E-3	RT-4.2.2	E-3
E-4	RT-4.2.2	E-4	RT-4.2.2	E-4
E-5	RT-4.2.2	E-5	RT-4.2.2	E-5



D.S. LAY-OUT

(5) REQ'D. EACH SIDE

GENERAL NOTES:


TRIM IS FIGURED WITH 2" TRIM LAP UNLESS NOTED ON A DETAIL.
FIELD CUT PANELS AT FRAMED OPENINGS, WALKDOORS, AND WINDOWS.
FORWARD BASE TRIM (IF USED) TO BE FIELD MITERED AT CORNERS.
FIELD SLOT GIRTS AS REQUIRED FOR CABLE BRACE CLEARANCE.


These drawings and the metal building they represent are the product of
Schulte Building Systems- 17600 Bodine Road, Houston, Texas 77047.
The engineer whose seal appears hereon is retained by Schulte Building
Systems and is not the engineer of record for this project.

DRAWING STATUS				PERMISSIONS				PROJECT INFORMATION			
NO.	DATE	DESCRIPTION	BY	NO.	DATE	DESCRIPTION	BY	NO.	DATE	DESCRIPTION	BY
1	8/29/22	FOR PERMIT	ECO	1	8/29/22	FOR PERMIT	ECO	1	8/29/22	FOR PERMIT	ECO
2	10/2/22	FOR CONSTRUCTION	ECO	2	10/2/22	FOR CONSTRUCTION	ECO	2	10/2/22	FOR CONSTRUCTION	ECO


GROUP FOR SIDEWALL ELEVATION				PROJECT INFORMATION			
NO.	DATE	DESCRIPTION	BY	NO.	DATE	DESCRIPTION	BY
1	8/29/22	FOR PERMIT	ECO	1	8/29/22	FOR PERMIT	ECO
2	10/2/22	FOR CONSTRUCTION	ECO	2	10/2/22	FOR CONSTRUCTION	ECO

PROJECT INFORMATION				PROJECT INFORMATION			
NO.	DATE	DESCRIPTION	BY	NO.	DATE	DESCRIPTION	BY
1	8/29/22	FOR PERMIT	ECO	1	8/29/22	FOR PERMIT	ECO
2	10/2/22	FOR CONSTRUCTION	ECO	2	10/2/22	FOR CONSTRUCTION	ECO







Main Frame Rafter Connection
PURLIN & PAVE STRUT CONNECTION
DIVISION NO. SD10




Strut Purlin and Spacer Detail
Interior
DIVISION NO. SD108




Purlin to Anti-Roll Cite Connection
DIVISION NO. SD115




Collateral Material Hanger Detail
DIVISION NO. SD160




Interior Bay Purlin Framing
DIVISION NO. SD50




Cable or Rod Braces to Frame Connection
DIVISION NO. SD66



Wind Column/Rail Frame Detail
DIVISION NO. SD70



Screw Size Note
DIVISION NO. TD000




Fastener Location "PBR" Panel of Roof
DIVISION NO. TD7

GENERAL NOTES:
SEE ELEVATIONS FOR TRIM MARKS, LOCATIONS, AND QUANTITIES.
ALL FASTENERS ARE TO BE INSTALLED BEFORE ROOF INSULATION.
FOR CLARITY OF DETAILS, ROOF INSULATION IS NOT SHOWN.
1.1.1. MEMBER AND JOINT SEAL (OPTIONAL) MUST BE SPECIFIED ON THE WORK ORDER.
© 1998 SCHULTE BUILDING SYSTEMS


DRAWING STATUS				REVISIONS				PROJECT INFORMATION			
NO.	DATE	DESCRIPTION	BY	NO.	DATE	DESCRIPTION	BY	PROJECT NO.	PROJECT NAME	CLIENT	DATE
1	8/29/22	FOR PERMIT	EC	1	8/29/22	FOR PERMIT	EC	2227458	2227458 - Thomas Owens	2227458	8/29/22
2	10/10/22	FOR CONSTRUCTION	EC	2	10/10/22	FOR CONSTRUCTION	EC	2227458	2227458 - Thomas Owens	2227458	10/10/22

PROJECT INFORMATION			
PROJECT NO.	PROJECT NAME	CLIENT	DATE
2227458	2227458 - Thomas Owens	2227458	8/29/22


DETAIL INFORMATION			
DETAIL NO.	DETAIL NAME	DATE	BY
SD10	Main Frame Rafter Connection	8/29/22	EC




Die Formed Ridge Detail - PBR
Up to a 3:12 Roof Slope
DRAWING NO. **TD8**




PBR Standard Trim Detail
DRAWING NO. **TD13**




Flush Eave Line Canopy - PBR
No Soffit Panel - PBR Soffit Panel
DRAWING NO. **TD15**




Purlin Extension Trim Details - PBR
Standard Ribs - 10" & 12" Purlin
DRAWING NO. **TD71**




Trim Lap - Standard Profile
DRAWING NO. **TD85**




Downspout to Gutter Attachment Detail
DRAWING NO. **TD95**



Downspout Kickout and Splice Detail
3 1/2" x 5 3/8" Half-Form
DRAWING NO. **TD96**



Eave Canopy Downspout Detail
DRAWING NO. **TD99**



Full Height Open Wall
3 1/2" x 5 3/8" Half-Form
DRAWING NO. **TD100**

GENERAL NOTES:
SEE EXPLANATIONS FOR ITEM MARKS, LENGTHS, LOCATION, AND QUANTITY.
ALL FASTENERS ARE CONTINUOUS UNLESS NOTED.
ALL PANELS FOR ROOF, WALLS, AND CEILING ARE TO BE INSTALLED BEFORE ROOF INSULATION.
FOR CLARITY OF DETAILS, ROOF INSULATION IS NOT SHOWN.
1-1/2" DIA. 1/2" DIA. SEAL (OPTIONAL) MUST BE SPECIFIED ON THE WORK ORDER.
• THIS PROFILE MAY VARY.

These drawings and the metal building they represent are the product of
Schulte Building Systems- 17800 Sodas Road, Houston, Texas 77047.
The engineer whose seal appears herein is retained by Schulte Building
Systems and is not the engineer of record for this project.

DRAWING STATUS		REVISIONS		BY DATE		DATE	
☐	FOR APPROVAL	NO.	DATE	DESCRIPTION	BY	DATE	
☐	FOR PERMIT	A	9/29/22	FOR PERMIT	ECD	9/29/22	
☐	FOR CONSTRUCTION	O	10/10/22	FOR CONSTRUCTION	ECD	10/10/22	

REVISIONS		DATE		BY		DATE	
1	REVISION	NO.	DATE	DESCRIPTION	BY	DATE	
2	REVISION	NO.	DATE	DESCRIPTION	BY	DATE	

PROJECT INFORMATION		DATE		BY		DATE	
PROJECT NO.	20221 SOUTHEAST HIGHWAY 19	NO.	DATE	DESCRIPTION	BY	DATE	
LOCATION	OLD TOWN, FL 32880	NO.	DATE	DESCRIPTION	BY	DATE	
DATE	6/29/22	NO.	DATE	DESCRIPTION	BY	DATE	
SCALE	AS SHOWN	NO.	DATE	DESCRIPTION	BY	DATE	
DATE	6/29/22	NO.	DATE	DESCRIPTION	BY	DATE	
SCALE	AS SHOWN	NO.	DATE	DESCRIPTION	BY	DATE	

19 Lumber Foundation Plan

25521 SE HWY 19
Old Town, FL 32680

November 30, 2023

Prepared By:
Fred C. Odom, P.E.
1324 Cedar St. NE
Steinhatchee, FL 32359
(904 571-2397



DRAWING LIST	
Sheet No.	Sheet Title
0	Cover Sheet
1	General Notes
2	Foundation Layout
3	Sections/Details

Section 23 Township 10 Range 13 Subdiv 4817 Block-Lot 0000-0140 1 of 1 CARD COMMERCIAL Dixie County

IN PROCESS APPRAISAL SUMMARY

PROPERTY LOCATION No 25221 Alt No SE HWY 19, UNINCORPORATED

OWNERSHIP Owner 1: OWENS THOMAS Owner 2: OWENS PATRICIA

PREVIOUS OWNER Previous: 32580

NARRATIVE DESCRIPTION This parcel contains 4.48 AC of land mainly classified as LIGHT MANU with a OFFICE Building built about 1999, having primarily VINYL SIDI Exterior and 600 square Feet, with 1 Unit, 0 Bath, 0 3/4 Bath, 1 Halfbath, 0 Rooms, and 0 Bdrm.

OTHER ASSESSMENTS PCOM FIRE COMM 45.00 MOSQ MOSQUITO 5.00 SWA SOLID WAST A 138.00

PROPERTY FACTORS Item Code Description %

LAND SECTION LUC No of Units Depth/ Price/ Unit Type Land Type LT Base Unit Price Adj Neigh Neigh Mod Neigh

4100 LIGHT MANU 472 FRONT FEESME 0 150.00 0.90 4610 29 TOPO -10

Total AC/H: 0.00000 Total SFS/M: 0 Parcel LUC: 4100 LIGHT MANU Prime NB Desc OLD TOWN WES

Disclaimer: This information is believed to be correct but is subject to change and is not warranted. Database: AssessPro - Dixie

Total: 63,720 SPl Credit: Total: 63,700

2024

ACTIVITY INFORMATION

BUILDING PERMITS

PROPERTY FACTORS

OTHER ASSESSMENTS

NARRATIVE DESCRIPTION

PREVIOUS OWNER

OWNERSHIP

IN PROCESS APPRAISAL SUMMARY

PROPERTY LOCATION

OWNERSHIP

PREVIOUS OWNER

NARRATIVE DESCRIPTION

OTHER ASSESSMENTS

PROPERTY FACTORS

LAND SECTION

EXTERIOR INFORMATION

Type:	1703 - OFFICE
Qty Ht:	1
(LW) Units:	1
Foundation:	1 - CONCRETE
Frame:	05 - WD FRM D
Prime Wall:	28 - VINYL SID
Sec Wall:	
Roof Struct:	02 - GABLE/HIP
Roof Cover:	00 - GALV SH MT
Color:	
View / Descr:	

GENERAL INFORMATION

Grade: 01 - BELOW AVER	
Year Bt: 1999	Eff Yr Bt: 1999
Alt LUC:	Alt %:
Jurisdct:	Fact:
Const Mod:	
Lump Sum Adj:	

INTERIOR INFORMATION

Avg H/F/L STD		
Prim Int Wall	00	- NONE
Sec Int Wall:		
Parition:		
Prim Floors:	00	- DIRT OR NO
Sec Floors:		
Bsmnt Flr:		
Subfloor:		
Bsmnt Gar:		
Electric:		
Insulation:		
Int vs Ext:		
Heat Fuel:	3	- ELECTRIC
Heat Type:	01	- CONVECTION
% Heat Sys 1:		
% Heated:	100	% AC:
Solar HW:	NO	Central Vac:
% Com Wal:		% Sprinkled:

BATH FEATURES

Full Bath:	Rating:
A Bath:	Rating:
3/4 Bath:	Rating:
A 3CBth:	Rating:
1/2 Bath:	Rating: AVERAGE
A HBth:	Rating:
OtherEtc:	Rating:

OTHER FEATURES

Kits:	Rating:
A Kits:	Rating:
Frpt:	Rating:
WSFlue:	Rating:

CONDO INFORMATION

Location:	
Total Units:	
Floor:	
% Own:	
Name:	

DEPRECIATION

Phys Cond:	FR - Fair	1
Functional:		
Economic:		
Special:		
Override:		
	Total:	1

CALC SUMMARY

Basic \$ / SQ:	38.50
Size Adj.:	1.00000000
Const Adj.:	0.62565309
Adj \$ / SQ:	24.088
Other Features:	4710
Grade Factor:	0.80
NBHD Inf:	1.00000000
NBHD Mod:	
LUC Factor:	1.00
Adj Total:	25762
Depreciation:	4895
Depreciated Total:	20867

COMMENTS

d52p10...INSPECTION:
3/2001P&R1P5...d351p27...address change per to:
04/17/2013 sc address change per to
2015...d913p8. ADDRESS CHANGE PER TO
02/11/2020 TK...d340p22.

RESIDENTIAL GRID

1st Res	Gnd	Dec:	# Units									
Level	FY	LR	DR	D	K	FR	RR	BR	FB	HB	L	O
Other												
Upper												
Lvl 2												
Lvl 1												
Lower												
Totals		RM:				BR:			Baths:			HB 1

REMODELING

	No Unit	RMS	BRS	FH
Exterior:				
Interior:				
Additions:				
Kitchen:				
Baths:				
Plumbing:				
Electric:				
Heating:				
General:				
Totals				

RFS BREAKDOWN

No	Unit	RMS	BRS	FI
Totals				

COMPARABLE SALES

Rate	Parcel ID	Type	Date	Sale Price
WAV/SQ:		AvRate:		Ind.Val
Junr. Factor:			Before Depr.	21.68
Special Features: 0			Val/Su Nat:	8.80
Final Total: 20900			Val/Su SzAd	8.80

WAV\$/SQ:	AvRate:	Ind.Val
Juris. Factor:		Before Depr. 21.68
Special Features: 0		Val/Su Net: 8.80
Final Total: 20900		Val/Su SzAd 8.80

SKETCH

Sum Area By Label:

BAS = 600

UST = 100

UOP = 1604

SUB AREA

Code	Description	Area - SQ	Rate - AV	Under Value
UOP	UNF OP FOR	1,584	4.820	7,631
BAS	BASE	600	24.090	14,453
UST	UF STORAGE	190	9.840	1,831

SUB AREA DETAIL

	Sub	%	Descrip	%	Qu	# Tsn
	Area	Uabl		Type		
331						
353						
331						

Net Sketched Area: 2.374		Total:	23.915
Size Ad	2374 Gross Area	2374 Fin Area	600

IMAGE



MOBILE HOME

SPEC FEATURES/YARD ITEMS

Code	Description	A Y/S	Qty	Size/Dim	Qual	Con	Year	Unit Price	D/S	Dep	LUC	Fact	NB Fa	Appr Value	JCod/JFact	Juris. Value
SWP	SWP	A	Y	1	1	A	AV	1999	3,801.00	T	0	4100		3,800		3,300
DU2	DU2	A	Y	1	8x8	P	PR	1999	6.58	T	28.7	4100		200		200
WALK	WALK	D	Y	1	5x30	A	AV	2020	2.00	T	0	4100		300		300
WALK	WALK	D	Y	1	3x12	A	AV	2020	2.00	T	0	4100		100		100
DU3	DU3	D	Y	1	10x20	F	FR	2003	4.82	T	15	4100		800		800
DU5	DU3	D	Y	1	11x35	A	AV	2020	5.65	T	0	4100		2,200		2,200
DU1	DU1	D	Y	1	30x63	A	AV	2020	3.10	T	0	4100		5,800		5,800
40	LEAN-TO	D	Y	1	20x63	A	AV	2020	2.97	T	0	4100		3,700		3,700
40	DU3	D	Y	1	11x35	A	AV	2020	5.65	T	0	4100		2,200		2,200
40	LEAN-TO	D	Y	1	4x28	A	AV	2020	6.53	T	0	4100		700		700

PARCEL ID: 23-10-13-4817-0000-0140

Marg:IN

Total Yard Items: 19,400Total Special Features

Total:	19,400
--------	--------

23
Section

10
Township

13
Range

4817
Subdiv

0000-0141
Block-Lot

1 of 1
CARD

MOBILE HOME
Dixie County

APPAISED: 35,400/
USE VALUE: 35,400/
ASSESSED: 35,400/

Total Card / Total Parcel
35,400 / 35,400

PROPERTY LOCATION
No Alt No Direction/Street/City
NE UNASSIGNED, UNINCORPORATE

OWNERSHIP
Unit:
Owner 1: OWENS THOMAS H/W
Owner 2: OWENS PATRICIA
Owner 3:
Street 1: 25221 SE HWY 19
Street 2:
Town/City: OLD TOWN
St/Prov: FL Cntry Own Occ:
Postal: 32680 Type:

PREVIOUS OWNER
Owner 1: OWENS - TED
Owner 2:
Street 1: 25221 SE HWY 19
Town/City: OLD TOWN
St/Prov: FL Cntry
Postal: 32680

NARRATIVE DESCRIPTION
This parcel contains 76997.588 SQ of land mainly classified as MAN HOM with a MH Building built about 1970, having primarily RL BRD&BAT Exterior and 620 Square Feet, with 1 Unit 1 Bath, 0 3/4 Bath, 0 HalfBath, 0 Rooms, and 0 Bdrm.

OTHER ASSESSMENTS
Code Description Amount Corn Int
FCOM FIRE COMM 45. 0
MOSQ MOSQUITO 5. 0
SWA SOLID WASTE 135. 0

PROPERTY FACTORS
Item Code Description % Item Code Description
Z water
S Sewer
E Electric
Exempt
Census: 120299701023
Flood Haz: X
D 0201 SCHOOL RLE Topo
S 0301 SCHOOL DIS Street
I 0401 SRWMD Gas

LAND SECTION (First 7 lines only)
Use Description LUC No of Units Depth / Price/Units Unit Type Land Type LT Base Unit Adj Neigh Neigh Neigh Int 1 % Int 2 % Int 3 % Appraised Alt Spec J Fact Use Value Notes
Code Price Units Factor Value Price Price Mod Infl 2 Infl 3 Value Class % Land Code Code Value
0200 MAN HOM 200 FRONT FEESITE 0 150. 1.00 4810 29 30,000 30,000

IN PROCESS APPRAISAL SUMMARY
Use Code Land Size Building Value Yard Items Land Value Total Value
0200 0.000 2,100 3,300 30,000 35,400
Total Card 0.000 2,100 3,300 30,000 35,400
Total Parcel 0.000 2,100 3,300 30,000 35,400
Source: Market Adj Cost Total Value per SQ unit /Card: 57.10 /Parcel: 57.10
Legal Description
7.706 ACRES 25 TO 13 THE WEST 200 FT OF LOT 14 CROSS TOWN COMMERCE PARK BID OR BK 155 PG 770 ORG 262 P 155 ORG 431 P 502 ORG 590 P 772
Entered Lot Size
Total Land: 76997.58819
Land Unit Type: SQ
Parcel ID 23-10-13-4817-0000-0141

PREVIOUS ASSESSMENT
Tax Yr Use Cat Bldg Value Yrd Items Land Size Land Value Total Value Asses'd Value Notes Date
2023 0200 SALE 1,800 3300 30,000 35,100 35,100 Year End Roll 4/3/2023
2022 0200 TEST 1,800 3300 30,000 35,100 35,100 Year End Roll 10/28/2022
2021 0200 FV 1,500 3300 28,500 33,300 33,300 Year End Roll 10/14/2021
2020 0200 FV 1,300 3300 28,500 33,100 33,100 Year End Roll 10/16/2020
2019 0200 FV 1,100 3000 28,500 32,600 32,600 Year End Roll 10/4/2019
2018 0200 FV 1,100 3000 28,500 32,600 32,600 Year End Roll 10/15/2018
2017 0200 FV 1,100 3000 28,500 32,600 32,600 Year End Roll 10/17/2017
2016 0200 FV 1,100 3000 28,500 32,600 32,600 Year End Roll 10/18/2016

SALES INFORMATION
Grantor Legal Ref Type Date Sale Code Sale Price V Test Verif Notes
OWENS, TED 580-722 WD 2/17/2022 NON WD 100 No No KB 02/24/2022
MCDUGAL INC. 431-502 WD 7/28/2011 MULTI PAR 159,000 No No TM 07-29-2011
TRANS FL LAND & 282-156 WD 12/3/2002 MULTI PAR 124,002 No No
UNKNOWN 155/770 CT 12/1/1991 SQ 29,000 No No
UNKNOWN 105/330 CD 1/1/1988 NON WD 30,000 Yes No

BUILDING PERMITS
Date Number Descr: Amount C/O Last Visit Fed Code F. Descr: Comment
ACTIVITY INFORMATION
Date Result By Name
5/29/2019 AERIAL EXAM LH LANE
4/23/2013 AERIAL EXAM LH LANE
4/29/2011 UPDATED/REV JC JUDY
4/29/2011 INSPECTED LB LARRY
3/10/2010 AERIAL EXAM LH LANE
6/23/2003 UPDATED/REV KB KATHY
6/9/2003 INSPECTED DOR STATE

Sign: VERIFICATION OF VISIT NOT DATA

Total AC/HA: 0.00000 Total SF/SM: 0 Parcel LUC: 0200 MAN HOM Prime NB Desc OLD TOWN WES
Disclaimer: This Information is believed to be correct but is subject to change and is not warranted. Database: AssessPro - Dixie
Total: 30,000 Spl Credit Total: 30,000
Joel 2024

EXTERIOR INFORMATION

Type: 0200 - MH
 S/Sy Ht: 1 - 1
 Liv Units: 1 Total: 1
 Foundation: 5 - PIERS
 Frame: 05 - WD FRM D
 Prime Wall: 03 - RL BRD&BAT
 Sec Wall:
 Roof Struct: 00 - FLAT
 Roof Cover: 00 - GALV SH MT
 Color:
 Vinyl / Deslr:

GENERAL INFORMATION

Grade: 00 - MINIMUM
 Year Bilt: 1970 Eff Yr Bilt: 1970
 All LUC: Alt %:
 Jurisdct: Fact:
 Const Mod:
 Lump Sum Adj:

INTERIOR INFORMATION

Avg H/F/L: STD
 Prim Int Wall: 04 - PLYWOOD PA
 Sec Int Wall:
 Partition:
 Prim Floors: 06 - VINYL TILE
 Sec Floors:
 Basmt Flr:
 Subfloor:
 Basmt Gar:
 Electric: 3 - TYPICAL
 Insulation: 2 - TYPICAL
 Int vs Ext:
 Heat Fuel: 3 - ELECTRIC
 Heat Type: 03 - FO AIR DCT
 # Heat Sys:
 % Heated: 100 % AC: 100
 Solar HW: NO Central Vac: NO
 % Com Wal: % Sprinkled

MOBILE HOME

Make: Model: Year: Color:

SPEC FEATURES/YARD ITEMS

Code	Description	A	Y/S	Qty	Size/Dim	Qual	Con	Year	Unit Price	D/S	Dep	LUC	Fact	NB Fa	Appl Value	JCod	JFact	Juris Value
SWP	SWP	A	Y	11		A	AV	1999	3,501.00	T	6	0200			3,300			3,300

BATH FEATURES

Full Bath: 1 Rating: VERY POOR
 A Bath: Rating:
 3/4 Bath: Rating:
 A 3QBth: Rating:
 1/2 Bath: Rating:
 A HBth: Rating:
 Other Fb: Rating:

OTHER FEATURES

Kits: Rating:
 A Kits: Rating:
 Frpl: Rating:
 WSFluc: Rating:

CONDO INFORMATION

Location:
 Total Units:
 Floor:
 % Own:
 Name:

DEPRECIATION

Phys Cond: VP - Very Poor 80 %
 Functional: %
 Economic: %
 Special: %
 Override: %
 Total: 90 %

CALC SUMMARY

Basic \$ / SQ: 56.00
 Size Adj.: 1.00000000
 Const Adj.: 0.97910202
 Adj \$ / SQ: 54.830
 Other Features: 4367
 Grade Factor: 0.55
 NBHD Int: 1.00000000
 NBHD Mod:
 LUC Factor: 1.00
 Adj Total: 21438
 Depreciation: 19294
 Depreciated Total: 2144

COMMENTS

D62 P09 INSPECTION: 3/2001
 P&R1P3&4..4/2011D361P26.. address change per
 to 2015. CLOSED ACCT. ADDED TO PARCEL
 23-10-13-4817-0000-0143 FOR 2023 TAX ROLL
 PER OWNERS REQUEST.

RESIDENTIAL GRID

1st Res Grid Desc: # Units
 Level FY LR DR D K FR RR BR FB HB L O
 Other
 Upper
 Lvl 2
 Lvl 1
 Lower
 Totals RMs: BRs: Baths: 1 HB

REMODELING


Exterior:
 Interior:
 Additions:
 Kitchen:
 Baths:
 Plumbing:
 Electric:
 Heating:
 General:

COMPARABLE SALES

Rate	Parcel ID	Type	Date	Sale Price

WtAv\$/SQ: AvRate: Ind.Val:
 Juris. Factor: Before Depr: 30.16
 Special Features: 0 Val/Su Net: 3.16
 Final Total: 2100 Val/Su SzAd 3.16

SKETCH



Sum Area By Label:
 BAS = 620
 UOP = 45

SUB AREA


Code	Description	Area - SQ	Rate - AV	Unappr Value
BAS	BAS	620	54.830	33,994
UOP	UNF OP POR	45	13.710	617

SUB AREA DETAIL

Sub Area	% Usbl	Description	% Type	Qu # Ten

Net Sketched Area: 665 Total: 34,611
 Size Adj: 665 Gross Area 665 FinArea 620

IMAGE



More:R

Total Yard Items:

3,300




Total Special Features:

Total:

3,300

PLAT BOOK PAGE 51

A SUBDIVISION IN THE NORTHWEST 1/4 OF SECTION 23 TOWNSHIP 10 SOUTH RANGE 13 EAST DIXIE COUNTY FLORIDA



CURVE DATA					
NO	DELTA	ARC	RADIUS	CHORD	CHORD BEARING
1	58° 15'	1.08	11890.16	1.08	S 87° 44' 38" E
2	53° 25' 11"	40.33	25.00	32.03	N 45° 00' 52" E
3	33° 07' 41"	41.02	28.00	36.61	N 41° 38' 41" E
4	85° 04' 15"	31.04	32.00	34.06	N 48° 41' 18" E

LEGEND:
 ■ = Concrete Monument - Town
 □ = Concrete Monument - Sec
 ○ = Iron Pipe - Town
 ● = Iron Pipe - Sec
 Dashed line = projected Run State Road 55

DESCRIPTION

[illegible][illegible]

02P/547/94

On January 24, 1978, the two owners of the above described property and their children were in the garage and laundry room of the above property and were engaged in the process of removing the same from the property and transporting the same to the above property. The above property is located at 1000 North 10th Street, Los Angeles, California 90012. The above property is owned by the above named persons and is being removed from the property and transported to the above property. The above property is being removed from the property and transported to the above property. The above property is being removed from the property and transported to the above property.

William C. Thompson 1815-1880	William C. Thompson 1815-1880	William C. Thompson 1815-1880
John C. Thompson 1815-1880	John C. Thompson 1815-1880	John C. Thompson 1815-1880
John C. Thompson 1815-1880	John C. Thompson 1815-1880	John C. Thompson 1815-1880

ETK 5000/2250-MCA

I hereby certify that the signature of _____, 1915, as actually appeared before me, Bookery Sergeant, District of Columbia, and that I, Secretary, will assist to do so in the future according to the laws of the District of Columbia and that they shall have the right to be paid for their time and voluntary work (25 C.F.R. 150.10 TRANS FACING LAND & DEVELOPMENT, INC.)

[illegible]

$\frac{1}{\sqrt{2}} \left(\begin{matrix} 1 & -1 \\ 1 & 1 \end{matrix} \right)$	$\frac{1}{\sqrt{2}} \left(\begin{matrix} 1 & 1 \\ 1 & -1 \end{matrix} \right)$	$\frac{1}{\sqrt{2}} \left(\begin{matrix} 1 & -1 \\ 1 & 1 \end{matrix} \right)$
$\frac{1}{\sqrt{2}} \left(\begin{matrix} 1 & -1 \\ 1 & 1 \end{matrix} \right)$	$\frac{1}{\sqrt{2}} \left(\begin{matrix} 1 & 1 \\ 1 & -1 \end{matrix} \right)$	$\frac{1}{\sqrt{2}} \left(\begin{matrix} 1 & -1 \\ 1 & 1 \end{matrix} \right)$

ACKNOWLEDGEMENTS

James Earl Ray, that within 1968, Ray, the person(s) operating under the aliases of Ray, Richard E. and Michael, and Abraham van
Parker, and others, found in the package above of the foregoing "Kilpatrick", Apparat, and that they did own, lease, use and control the
same in and to the said "Kilpatrick".

FORBRYN / - (E) / LATE

1944-1945, 1946-1947, 1948-1949, 1950-1951, 1952-1953, 1954-1955, 1956-1957, 1958-1959, 1960-1961, 1962-1963, 1964-1965, 1966-1967, 1968-1969, 1970-1971, 1972-1973, 1974-1975, 1976-1977, 1978-1979, 1980-1981, 1982-1983, 1984-1985, 1986-1987, 1988-1989, 1990-1991, 1992-1993, 1994-1995, 1996-1997, 1998-1999, 2000-2001, 2002-2003, 2004-2005, 2006-2007, 2008-2009, 2010-2011, 2012-2013, 2014-2015, 2016-2017, 2018-2019, 2020-2021, 2022-2023, 2024-2025, 2026-2027, 2028-2029, 2030-2031, 2032-2033, 2034-2035, 2036-2037, 2038-2039, 2040-2041, 2042-2043, 2044-2045, 2046-2047, 2048-2049, 2050-2051, 2052-2053, 2054-2055, 2056-2057, 2058-2059, 2060-2061, 2062-2063, 2064-2065, 2066-2067, 2068-2069, 2070-2071, 2072-2073, 2074-2075, 2076-2077, 2078-2079, 2080-2081, 2082-2083, 2084-2085, 2086-2087, 2088-2089, 2090-2091, 2092-2093, 2094-2095, 2096-2097, 2098-2099, 2100-2101, 2102-2103, 2104-2105, 2106-2107, 2108-2109, 2110-2111, 2112-2113, 2114-2115, 2116-2117, 2118-2119, 2120-2121, 2122-2123, 2124-2125, 2126-2127, 2128-2129, 2130-2131, 2132-2133, 2134-2135, 2136-2137, 2138-2139, 2140-2141, 2142-2143, 2144-2145, 2146-2147, 2148-2149, 2150-2151, 2152-2153, 2154-2155, 2156-2157, 2158-2159, 2160-2161, 2162-2163, 2164-2165, 2166-2167, 2168-2169, 2170-2171, 2172-2173, 2174-2175, 2176-2177, 2178-2179, 2180-2181, 2182-2183, 2184-2185, 2186-2187, 2188-2189, 2190-2191, 2192-2193, 2194-2195, 2196-2197, 2198-2199, 2200-2201, 2202-2203, 2204-2205, 2206-2207, 2208-2209, 2210-2211, 2212-2213, 2214-2215, 2216-2217, 2218-2219, 2220-2221, 2222-2223, 2224-2225, 2226-2227, 2228-2229, 2230-2231, 2232-2233, 2234-2235, 2236-2237, 2238-2239, 2240-2241, 2242-2243, 2244-2245, 2246-2247, 2248-2249, 2250-2251, 2252-2253, 2254-2255, 2256-2257, 2258-2259, 2260-2261, 2262-2263, 2264-2265, 2266-2267, 2268-2269, 2270-2271, 2272-2273, 2274-2275, 2276-2277, 2278-2279, 2280-2281, 2282-2283, 2284-2285, 2286-2287, 2288-2289, 2290-2291, 2292-2293, 2294-2295, 2296-2297, 2298-2299, 2300-2301, 2302-2303, 2304-2305, 2306-2307, 2308-2309, 2310-2311, 2312-2313, 2314-2315, 2316-2317, 2318-2319, 2320-2321, 2322-2323, 2324-2325, 2326-2327, 2328-2329, 2330-2331, 2332-2333, 2334-2335, 2336-2337, 2338-2339, 2340-2341, 2342-2343, 2344-2345, 2346-2347, 2348-2349, 2350-2351, 2352-2353, 2354-2355, 2356-2357, 2358-2359, 2360-2361, 2362-2363, 2364-2365, 2366-2367, 2368-2369, 2370-2371, 2372-2373, 2374-2375, 2376-2377, 2378-2379, 2380-2381, 2382-2383, 2384-2385, 2386-2387, 2388-2389, 2390-2391, 2392-2393, 2394-2395, 2396-2397, 2398-2399, 2400-2401, 2402-2403, 2404-2405, 2406-2407, 2408-2409, 2410-2411, 2412-2413, 2414-2415, 2416-2417, 2418-2419, 2420-2421, 2422-2423, 2424-2425, 2426-2427, 2428-2429, 2430-2431, 2432-2433, 2434-2435, 2436-2437, 2438-2439, 2440-2441, 2442-2443, 2444-2445, 2446-2447, 2448-2449, 2450-2451, 2452-2453, 2454-2455, 2456-2457, 2458-2459, 2460-2461, 2462-2463, 2464-2465, 2466-2467, 2468-2469, 2470-2471, 2472-2473, 2474-2475, 2476-2477, 2478-2479, 2480-2481, 2482-2483, 2484-2485, 2486-2487, 2488-2489, 2490-2491, 2492-2493, 2494-2495, 2496-2497, 2498-2499, 2500-2501, 2502-2503, 2504-2505, 2506-2507, 2508-2509, 2510-2511, 2512-2513, 2514-2515, 2516-2517, 2518-2519, 2520-2521, 2522-2523, 2524-2525, 2526-2527, 2528-2529, 2530-2531, 2532-2533, 2534-2535, 2536-2537, 2538-2539, 2540-2541, 2542-2543, 2544-2545, 2546-2547, 2548-2549, 2550-2551, 2552-2553, 2554-2555, 2556-2557, 2558-2559, 2560-2561, 2562-2563, 2564-2565, 2566-2567, 2568-2569, 2570-2571, 2572-2573, 2574-2575, 2576-2577, 2578-2579, 2580-2581, 2582-2583, 2584-2585, 2586-2587, 2588-2589, 2590-2591, 2592-2593, 2594-2595, 2596-2597, 2598-2599, 2600-2601, 2602-2603, 2604-2605, 2606-2607, 2608-2609, 2610-2611, 2612-2613, 2614-2615, 2616-2617, 2618-2619, 2620-2621, 2622-2623, 2624-2625, 2626-2627, 2628-2629, 2630-2631, 2632-2633, 2634-2635, 2636-2637, 2638-2639, 2640-2641, 2642-2643, 2644-2645, 2646-2647, 2648-2649, 2650-2651, 2652-2653, 2654-2655, 2656-2657, 2658-2659, 2660-2661, 2662-2663, 2664-2665, 2666-2667, 2668-2669, 2670-2671, 2672-2673, 2674-2675, 2676-2677, 2678-2679, 2680-2681, 2682-2683, 2684-2685, 2686-2687,

CERTIFICATE OF AFFIDAVIT, DEER COUNTY, TEXAS

We, the undersigned, as Justice of the Peace and Justices of the Peace of Deer County, do hereby certify that the following is a true and correct copy of the original as filed in the office of the County Clerk of Deer County, Texas, to-wit:

COUNTY HEALTH DEPT	12-20-95	12/20/95
COUNTY COMMISSION	12-31-95	12/31/95
COUNTY ATTORNEY	12-30-95	12/30/95

SECRET - EYES ONLY

This card has been filed for record in the public records of Clark County, Nevada, of this 31 day of JULY 1955.

W. H. Fisher, Clerk

County Clerk

RECORDED - INDEXED
40 SEP 6 1955
CLARK COUNTY CLERK'S OFFICE
SPRINGFIELD, NEVADA

HERBERT J. RABOT (D)
PO BOX 625
CHESAPEOTE, VIRGINIA 23041
PHONE 202-552-1377