



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Chris Coker,

Ruth & Gordon Dow

212 Sw Keough Gin
Ft White, FL 32038
H: (386)288-7143

FLOORPLAN - 1ST FLOOR



UNIT NOTES

- 101** Tile cut back at bottom of return
Tile sill
Drywall return
- 102** Marble sill
Drywall return
Curtains
- 103** Marble sill
Drywall return
Curtains
- 104** Marble sill
Drywall return
Curtains
- 105** Marble sill
Drywall return
Curtains
- 107** Marble sill
Drywall return
Curtains
- 108** Marble sill
Drywall return
Curtains
- 109** Marble sill
Drywall return
Curtains
- 110** Marble sill
Drywall return
Curtains
- 111** Drywall cutback required on height
Drywall sill
Drywall return
- 112** Marble sill
Drywall return
Curtains
- 113** Drywall return
Stucco exterior
- 114** Marble sill
Drywall return
Curtains
- 115** Marble sill
Drywall return
Curtains

*See individual units for more notes.

JOB PHOTOS



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Chris Coker,

Ruth & Gordon Dow

212 Sw Keough Gin
Ft White, FL 32038
H: (386)288-7143

ID#	ROOM	SIZE		DETAILS
JOB				
101	Bathroom	47 " 45-1/2"	51 " 50-1/2"	Window: Acclaim™ Gliding Double, 1:1, Active / Stationary, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, Cascade, Tempered Glass Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: F-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8)
102	Bedroom	35 " 34-3/8"	59 " 58"	Window: Acclaim™ Casement Single, Right, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
103	Bedroom	35 " 33-1/2"	59 " 58-5/8"	Window: Acclaim™ Casement Single, Left, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafia.com
Measure Tech: Chris Coker,

Ruth & Gordon Dow

212 Sw Keough Gin
Ft White, FL 32038
H: (386)288-7143

ID#	ROOM	SIZE		DETAILS
				Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
104	Bedroom	71" 69-3/8"	60" 58"	Window: Acclaim™ Gliding Double, 1:1, Active / Stationary, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Half Screen Grille Style: No Grille Misc: None Construction: None Material: F-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8)
105	Living	71" 69"	60" 58"	Window: Acclaim™ Gliding Double, 1:1, Active / Stationary, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Half Screen Grille Style: No Grille Misc: None Construction: None Material: F-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8)
106	Living	35" 33-1/2"	59" 58"	Window: Acclaim™ Casement Single, Right, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8"



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Chris Coker,

Ruth & Gordon Dow

212 Sw Keough Gin
Ft White, FL 32038
H: (386)288-7143

ID#	ROOM	SIZE		DETAILS
				L-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
107	Living	72" 69"	60" 58-1/2"	Window: Acclaim™ Gliding Double, 1:1, Active / Stationary, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Half Screen Grille Style: No Grille Misc: None Construction: None Material: F-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8)
108	Bedroom	47" 45-3/4"	60" 58"	Window: Acclaim™ Gliding Double, 1:1, Active / Stationary, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: F-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8)
109	Bedroom	35" 33-1/2"	59" 58"	Window: Acclaim™ Casement Single, Right, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash:



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafia.com
Measure Tech: Chris Coker,

Ruth & Gordon Dow

212 Sw Keough Gin
Ft White, FL 32038
H: (386)288-7143

ID#	ROOM	SIZE		DETAILS
				High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
110	Bedroom	35 " 33-1/2"	59 " 58-1/4"	Window: Acclaim™ Casement Single, Left, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
111	Bathroom	47 " 46"	11 " 10-1/2"	Window: Acclaim™ Picture, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance SmartSun Glass, No Pattern Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (1), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
112	Bedroom	47 " 46"	55 " 54-1/4"	Window: Acclaim™ Gliding Double, 1:1, Active / Stationary, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Chris Coker,

Ruth & Gordon Dow

212 Sw Keough Gin
Ft White, FL 32038
H: (386)288-7143

ID#	ROOM	SIZE		DETAILS
				Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: Square off integral arch window large Construction: None Material: F-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8)
113	Foyer	65" 63-1/2"	18" 16-3/4"	Specialty: Acclaim™ Circle Top, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance SmartSun Glass, No Pattern Grille Style: No Grille Misc: None Construction: Specialty window (per unit) Added to UI Rate (1) Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
114	Living	35" 34-1/4"	68" 67"	Window: Acclaim™ Gliding Double, 1:1, Active / Stationary, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: Square off integral arch window large Construction: None Material: F-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Chris Coker,

Ruth & Gordon Dow
212 Sw Keough Gin
Ft White, FL 32038
H: (386)288-7143

ID#	ROOM	SIZE		DETAILS
				Clips (8)
115	Living	35" 34-1/4"	68" 67"	Window: Acclaim™ Gliding Double, 1:1, Active / Stationary, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: Square off integral arch window large Construction: None Material: F-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8)
116	Garage	47" 46"	55" 54-1/4"	Window: Acclaim™ Gliding Double, 1:1, Active / Stationary, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: Square off integral arch window large Construction: None Material: F-Trim, (12 ft), White (2), Caulk - White Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8)
1	Foyer	0"	0"	Misc: Misc, Entry door, Provia Door, Quantity 1 Construction: None Material: None
PRODUCTS: 17 WINDOWS: 15 PATIO DOORS: 0 ENTRY DOORS: 0 SPECIALTY: 1 MISC: 1				
Updated 3/8/24				

Updated 3/8/24

JOB NOTES


House is absolutely disgusting. Had to take exterior measurements on the windows due to not being able to get to the windows on the inside. Interior of house is covered in dog and cat feces. Customer is a hoarder and live in recliner chairs in the living room-no other rooms are livable.

House may pose a health hazard.

Estimated Duration:

YOUR PROFESSIONAL-CLASS PRODUCT


Legacy 20-Gauge Smooth Steel French Door



OUTSIDE VIEW

INSIDE VIEW

SIZING



HANDING

OUTSIDE

INSIDE

Installation Instructions



ENERGY

ENERGY PERFORMANCE RATINGS
U-Factor (SI: W/m²·K) 0.17
Solar Heat Gain Coefficient 0.01

ADDITIONAL PERFORMANCE RATINGS
Visible Transmittance 0.00

Air Infiltration (1/24 hr) <= 0.04



STC 23 QTC 26 Acoustic Test Report: G617791
DP-11-550-551 NAAI 44011565 14



573-389-0835
2150 State Route 39
Sugar Creek, OH 44681

QUOTE INFORMATION

Job: Dow
Tag: Front Door
Order #11273436
Qty: 1

DETAILS

Legacy French Entry Door in PermaTech Composite Frame

Wind Load Rated (F155) 246.3 LB

60" x 84" Nominal Size

Sealing to be verified by Benchmark

Frame Depth: 4 9/16"

2" PermaTech Flat Bracket (Shipped Unattached)

Left Hand Opening - Right Door Action (LH/R)

French Doors

1000 Style 20-Gauge Smooth Steel Door

Smooth White Inside and Outside

Hardware

2" PermaTech Flat Bracket (Shipped Unattached)

Flare Louver - Both Doors (2 3/8" Backset)

Translucent Lamination - Both Doors (2 3/8" Backset)

7 1/8" Backset (4 5/8" from Bottom)

Frame

Textured Smooth White Aluminum Frame Cladding - In Separate Box

Smooth White Inside Frame

Heavy Duty Astragal

2 Tubes of Smooth White Caulk

48" French A206 Compliant Threshold

5 5/8" Threshold Depth

Seton Nickel Ball Bearing Hinges

8 Hinges

Sell Price: \$10,074.75

INFORMATION AND WARNINGS

For this product configuration, the ordering category is supplied attached. On issuing doors with bronze metal cladding and knob model that is shipped loose, ProVia recommends that caulking be applied where the knob meets the frame. Heavy Duty Astragal without Flap is over.

66 1/8" 80 3/4" ✓

LH/R ✓

