



STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM (OSTDS)

FW

PERMIT NO. 25-8272
DATE PAID: 3/24/25
FEE PAID: 725.00
RECEIPT #: 2288450

APPLICATION FOR CONSTRUCTION PERMIT

APPLICATION FOR:

☒ New System ☐ Existing System ☐ Holding Tank ☐ Innovative
☐ Repair ☐ Abandonment ☐ Temporary ☐

APPLICANT: Elena Cherepenina

EMAIL: jandrpermitting@gmail.com

AGENT: Anspach Permitting

TELEPHONE: 352-266-9925

MAILING ADDRESS: 1031 N Pine Ave. Ocala, FL 34475

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3) (m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

PROPERTY INFORMATION

LOT: 8 BLOCK: E SUBDIVISION: Spring Hill OSTDS REMEDIATION PLAN? ☐ Y / ☐ N
PLATTED: _____

PROPERTY ID #: 36-5S-15-00488-090 ZONING: A1 I/M OR EQUIVALENT: ☐ Y / ☐ N

PROPERTY SIZE: 1.07 ACRES WATER SUPPLY: ☒ PRIVATE PUBLIC ☐ ☐ ≤2000GPD ☐ >2000GPD
IS SEWER AVAILABLE AS PER 381.0065, FS? ☐ Y / ☐ N

PROPERTY ADDRESS: SW Hickory Glen FT White, FL DISTANCE TO SEWER: _____ FT

DIRECTIONS TO PROPERTY: W. Duval ST. (90) to 247. TL. TL, SW Myrtis Rd.
TR, SW. Ichetucknee Ave. TR, SW Curtain Ln. TL, SW
Tangerine Dr. TL, SW Spruce Rd. TL, SW Hickory Glen. Property
on Right.

BUILDING INFORMATION

☒ RESIDENTIAL ☐ COMMERCIAL

Unit No	Type of Establishment	No. of Bedrooms	Building Area Sqft	Commercial/Institutional System Design Table I, Chapter 62-6, FAC
1	New MH	4	1560	
2				
3				
4				

☐ Floor/Equipment Drains ☐ Other (Specify) _____

SIGNATURE: Robbin Anspach

DATE: 3/14/2025



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM

PERMIT #: **12-SC-3094055**
APPLICATION #: **AP2200450**
DATE PAID: _____
FEE PAID: _____
RECEIPT #: _____
DOCUMENT #: **PR2236344**

CONSTRUCTION PERMIT FOR: OSTDS New
APPLICANT: ELENA**25-0272 CHEREPENINA
PROPERTY ADDRESS: SW HICKORY Fort White, FL 32038
LOT: 8 BLOCK: E SUBDIVISION: SPRING HILLS
PROPERTY ID #: 00488-090 [SECTION, TOWNSHIP, RANGE, PARCEL NUMBER]
[OR TAX ID NUMBER]

SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTION 381.0065, F.S., AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANTEE SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACTS, WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY THE PERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOID. ISSUANCE OF THIS PERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERAL, STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.

SYSTEM DESIGN AND SPECIFICATIONS

T [1,050] GALLONS / GPD New Multi-Chambered Septic CAPACITY
A [] GALLONS / GPD N/A CAPACITY
N [] GALLONS GREASE INTERCEPTOR CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]
K [] GALLONS DOSING TANK CAPACITY [] GALLONS @ [] DOSES PER 24 HRS #Pumps []
D [500] SQUARE FEET Drainfield SYSTEM
R [] SQUARE FEET N/A SYSTEM
A TYPE SYSTEM: [X] STANDARD [] FILLED [] MOUND []
I CONFIGURATION: [X] TRENCH [] BED []
N
F LOCATION OF BENCHMARK: Nail in tree w/ pink ribbon W of site
I ELEVATION OF PROPOSED SYSTEM SITE [14.00] [INCHES / FT] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT
E BOTTOM OF DRAINFIELD TO BE [44.00] [INCHES / FT] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT
L
D FILL REQUIRED: [0.00] INCHES EXCAVATION REQUIRED: [] INCHES

The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of 400 gpd.

SPECIFICATIONS BY: Sean P Havens TITLE: Environmental Specialist I
APPROVED BY: [Signature] TITLE: Environmental Specialist I Columbia CHD
DATE ISSUED: 03/26/2025 EXPIRATION DATE: 09/26/2026

DEP 4015, 06-21-2022 (Obsoletes previous editions which may not be used)
Incorporated 62-6.004, FAC

Columbia 3126125