Jenny Lline Sad gmail-com

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION 352-352-3333

E	or Office Use Only (Revised 7-1-15) Zoning Official Building Official
Α	P# 41774 Date Received 1116 By M6 Permit #
F	lood Zone Development Permit Zoning Land Use Plan Map Category
С	comments
	EMA Map# Elevation Finished Floor River In Floodway
	Recorded Deed or Property Appraiser PO Site Plan FH # 20 08 Well letter OR
	Existing well
	DOT Approval - Parent Parcel # - STUP-MH - 1911 App
0	Ellisville Water Sys Assessment Quild Quit County Out County Out County
Pro	operty ID # 03852-011 subdivision Palawan Estates Lot#11
×	New Mobile Home Used Mobile Home MH Size 16476 Year 2020
	Applicant Jennifer Kline Phone # 850-296-5113
	Address 660 SE Rutnam St Lake City F 32025
	Name of Property Owner Cerissa Wilson Phone# 352-318-6543
	911 Address 1528 SW Centerville Ave
	Circle the correct power company - , FL Power & Light - Clay Electric
	(Circle One) - Suwannee Valley Electric - Duke Energy
	Name of Owner of Mobile Home Cerissa Wilson Phone # 352-318-654
	Address 1528 Sw Centerville Ave
п	Relationship to Property Owner Self
	Current Number of Dwellings on Property (Chis will be 1)
Bi .	Lot Size Total Acreage .95
_	Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
-	(Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
	Is this Mobile Home Replacing an Existing Mobile Home NO
	Driving Directions to the Property See permit 416
	Name of Licensed Dealer/Installer Glenn Will. ams Phone # 386 344-3669
	Installers Address 660 Se Pulman St Lake City F1
	License Number 1H 105 4858 Installation Decal # 74025

26" x 26" POPULAR PAD SIZES (929)Number within 2' of end of home spaced at 5' 4" oc 3 13 1/4 x 26 1/4 20 x 20 17 3/16 x 25 3/16 17 1/2 x 25 1/2 24 x 24 FRAME TIES OTHER TIES ANCHORS 5 11 24" X 24" (978)* Pad Size 16 x 16 16 x 18 18.5 x 18.5 COHEA72036 16 x 22.5 Longitudinal Marriage wall Shearwall 26×26 17×2 Wind Zone III 7402 Date: PIER SPACING TABLE FOR USED HOMES Sidewall 22" x 22" (484)* 4 ft Home installed to the Manufacturer's Installation Manual Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers. Longitudinal Stabilizing Device w/ Lateral Arms 20" x 20" List all marriage wall openings greater than 4 foot and their pier pad sizes below. (400) Home is installed in accordance with Rule 15-C Installation Decal # 4×24 interpolated from Rule 15C-1 pier spacing table Pier pad size Longitudinal Stabilizing Device (LSD) Wind Zone II 18 1/2" × 18 1/2" (342) TIEDOWN COMPONENTS Used Home Serial # PIER PAD SIZES 16" x 16" Perimeter pier pad size (256)Other pier pad sizes (required by the mfg.) -beam pier pad size Application Number: (sq in) Footer size Opening Manufacturer Double wide Triple/Quad New Home Single wide 2000 psf 2500 psf 3000 psf 3500 psf 000 psf 1500 psf capacity bearing Load Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations) ロナイク License # 11-11054858 if home is a triple or quad wide sketch in remainder of home I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in. if home is a single wide fill out one half of the blocking plan end Mobile Home Permit Worksheet Installer's initials Length x width Glenn Williams DAK 136 Typical pier spacing Address of home being installed Manufacturer Installer:

Page 1 of 2

Mobile Home Permit Worksheet

POCKET PENETROMETER TEST

psf The pocket penetrometer tests are rounded down to 1500 without testing. or check here to declare 1000 lb. soil

1500

x (500

1500

POCKET PENETROMETER TESTING METHOD

- Test the perimeter of the home at 6 locations.
- Take the reading at the depth of the footer.
- reading and round down to that increment. Using 500 lb. increments, take the lowest

35 X

32

22

TORQUE PROBE TEST

inch pounds or check showing 275 inch pounds or less will require 5 foot anchors. here if you are declaring 5' anchors without testing 22 The results of the torque probe test is

reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity. anchors are required at all centerline tie points where the torque test anchors are allowed at the sidewall locations. I understand 5 ft A state approved lateral arm system is being used and 4 ft. Note:

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Williams Glenn

11-14

Date Tested

Electrical

Connect electrical conductors between multi-wide units, but not to the main power This includes the bonding wire between mult-wide units. Pg

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg.

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Application Number:

Date:

Site Preparation

Debris and organic material removed Water drainage: Natural

Swale

Other Pad

Fastening multi wide units

Type Fastener: Type Fastener: Type Fastener:

Walls: Roof: Floor:

Length: Length: Length;

Spacing: Spacing

For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket. understand a properly installed gasket is a requirement of all new and used

Installer's initials

Type gasket

Bottom of ridgebeam Yes Between Floors Yes Between Walls Installed

Weatherproofing

Yes Fireplace chimney installed so as not to allow intrusion of rain water. Siding on units is installed to manufacturer's specifications. The bottomboard will be repaired and/or taped. Yes

Miscellaneous

Skirting to be installed. Yes No Dryer vent installed outside of skirting. Yes

N/A Range downflow vent installed outside of skirting.

N/A

Drain lines supported at 4 foot intervals.

Electrical crossovers protected. Yes

Other:

Installer verifies all information given with this permit worksheet manufacturer's installation instructions and or Rule 15C-1 & is accurate and true based on the

Installer Signature

Date

3

Pictometery

Columbia County Property Appraiser

Jeff Hampton

Owner

Site

Owner & Property Info

Parcel: << 17-6S-16-03852-011 >>

4345 FIRST STREET VERO BEACH, FL 32968

Result: 1

2020 Preliminary Certified updated: 10/9/2020

Google Maps

	Aerial Viewer
of 1	
	+
PALAWAN RB 645- 07. WD	

LOT 11 PALAWAN ESTATES S/D. LOT 11 ESTATES S/D. ORB 645-054, 754-1009 OF Description* 054, 754-1009 WD 1024-406, WD 1052-80 1024-406, WD 1052-807. WD 1090-2601. WD 1090-2601. 0.95 AC S/T/R 17-6S-16

Area Use Code** VACANT (000000) Tax District *The Description above is not to be used as the Legal Description for this parcel

WOJTASZEK GLORIA SMITH

in any legal transaction.

**The <u>Use Code</u> is a FL Dept. of Revenue (DOR) code and is not maintained by the Property Appraiser's office. Please contact your city or county Planning & Zoning office for specific zoning information.

Property	&	Ass	essment	Values
	-			

2019 Cert	ified Values	2020 Preliminary Certified		
Mkt Land (1)	\$11,368	Mkt Land (1)	\$11,368	
Ag Land (0)	\$0	Ag Land (0)	\$0	
Building (0)	\$0	Building (0)	\$0	
XFOB (0)	\$0	XFOB (0)	\$0	
Just	\$11,368	Just	\$11,368	
Class	\$0	Class	\$0	
Appraised	\$11,368	Appraised	\$11,368	
SOH Cap [?]	\$0	SOH Cap [?]	\$0	
Assessed	\$11,368	Assessed	\$11,368	
Exempt	\$0	Exempt	\$0	
Total Taxable	county:\$11,368 city:\$11,368 other:\$11,368 school:\$11,368		county:\$11,368 city:\$11,368 other:\$11,368 school:\$11,368	



Sales History

Sale Date	Sale Price	Book/Page	Deed	V/I	Quality (Codes)	RCode
7/25/2006	\$25,000	1090/2601	WD	V	Q	
7/15/2005	\$16,000	1052/0807	WD	V	Q	
8/18/2004	\$8,500	1024/0406	WD	V	Q	
2/22/1988	\$5,300	645/0054	AD	V	Q	

V	Building	Characteristics
----------	----------	-----------------

Bldg Sketch	Bldg Item	Bldg Desc*	Year Blt	Base SF	Actual SF	Bldg Value
			NONE			

▼ Extra Features & Out Buildings (Codes)

Desc Year Blt Value Units Dims Co	ndition (% Good)
-----------------------------------	------------------

•	Land	Breakdown

Land Code	Desc	Units	Adjustments	Eff Rate	Land Value
000000	VAC RES (MKT)	1.000 LT - (0.950 AC)	1.00/1.00 1.00/1.00	\$11,368	\$11,368

W. C. HALE & ASSOCIATES, INC. 517 W. DUVAL ST. P. O. BOX 1141 LAKE CITY, FLA. 32055 PHONE: (904) 752-5640 PREPARED BY

out of 17-65-16-03850-005

ESTATES

PLAT BOOK 5 PAGE

49

B00K

A SUBDIVISION IN THE SE 1/4 OF NE 1/4 AND THE NE 1/4 OF SE 1/4, SECTION 17, TOWNSHIP 6 SOUTH, RANGE 16 EAST COLUMBIA COUNTY, FLORIDA

DESCRIPTION

RE 17-65-16-03852-000 UNPLATTED UNPLATTED 4.07 AC. 4 4.20 AC. -6 LANDS ANDS 0 COLUMBIA COUNTY COMMISSIONERS APPROVAL LINE OF SECTION OAK ROAD 17 LAZY BM-NAIL IN 32" OAK EAST OF LAZY OAK ROAD AT NE CORNER OF SUBDIVISION, ELEV. 90.95. - S 89°11'10" W - 32.00" -NORTHEAST CORNER OF SE 1/4, SECTION 17, TWP. 6-S, RANGE 16-E NORTHEAST CORNER OF SI/2 OF SE I/4 OF NE I/4, SECTION IT 5. NO ZONE A" FLOOD HAZARD AREA IS LOCATED WITHIN SUBDIVISION BOUNDARY. 3. PRELIMINARY PLAN APPROVED BY BOARD OF COUNTY COMMISSIONERS ON OCTOBER 18, 1984. 2. TOTAL ACRES IN SUBDIVISION - 29.18 ACRES. I HEREBY CERTIFY THAT I HAVE EXAMINED THE FOREGOING PLAT AND THAT IT COMPLIES IN FORM WITH THE COLUMBIA COUNTY SUBDIVISION ORDINANCE 78-7 AND CHAPTER 177 OF THE FLORIDA COUNTY ATTORNEY'S CERTIFICATE I. ERROR OF CLOSURE: 1:550,377 PROPERTY BY W. C. HALE & ASSOC., PLAT DATED 12-11-74. UTILITY EASEMENTS ARE LOCATED AS FOLLOWS: A 20' EASEMENT CENTERED ON LOT LINES AS INDICATED AND 15' EASEMENT ALONG ROADS AS INDICATED. BM DATUM IS U.S.C. & G.S. DATE SECTION IT, T6-S, RIG-E SIGNED COUNTY ATTORNEY 20 LOCATION MAP 2

DEDICATION

COMMENCE AT THE NORTHEAST CORNER OF THE SE 1/4, SECTION 17, 1/3
TOWNSHIP 6 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA AND
RUN THENCE S89*110* W ALONG THE NORTH LINE OF SAID SE1/4,
32.00 FEET TO THE WEST LINE OF LAZY OAK ROAD (A COUNTY
MAINTAINED GRADED ROAD) AND TO THE POINT OF BEGINNING,
THENCE S0*50'51"E ALONG SAID WEST LINE, 1200.00 FEET, THENCE
S89*11'10"W, 275.41 FEET, THENCE NO*50'51"W, 600.00 FEET, THENCE
S89*11'10"W, 608.60 FEET, THENCE NO*21'03"W, 1259.78 FEET TO THE
NORTH LINE OF THE \$1/2 OF SE1/4 OF NE1/4 OF SAID SECTION 17,
THENCE NB9*03'37"E ALONG SAID NORTH LINE, 868.29 FEET TO THE
WEST LINE OF LAZY OAK ROAD, THENCE S 19'5'44"E ALONG SAID WEST
LINE, 661.66 FEET TO THE POINT OF BEGINNING.

KNOW ALL MEN BY THESE PRESENTS THAT JOHN WILLIE MARTIN, AS OWNER, HAS CAUSED THE LANDS HEREIN DESCRIBED TO BE SURVEYED, SUBDIVIDED AND PLATTED TO BE KNOWN AS "PALAWAN ESTATES" AND THAT ALL ROADS, STREETS AND EASEMENTS FOR UTILITIES, DRAINAGE AND OTHER PURPOSES INCIDENT THERETO AS SHOWN AND DEPICTED HEREON ARE HEREBY DEDICATED TO THE PERPETUAL USE

A VARIANCE WAS GRANTED BY THE BOARD OF COUNTY COMMISSIONERS ON OCTOBER 2, 1984 PERTAINING TO SECTION Y, D, Z, (c) AND ITS COMPLIANCE WITH SECTION Y,D, Z, (c) AND ITS COMPLIANCE WITH SCITION Y,D, Z, (c) AND ITS COMPLIANCE WITH SOMETIME OF THE COLUMBIA COUNTY SUBDIVISION ORDINANCE.

ACKNOWLEDGEMENT: STATE OF FLORIDA COUNTY OF COLUMBIA

JOHN WILLIE MARTIN, OWNER

WITNESS

THE PUBLIC

MY COMMISSION EXPIRES ON.

I HEREBY CERTIFY THAT ON THIS A.D., DAY OF MEASURE A.D., 1984, BEFORE ME PERSONALLY APPEARED JOHN WILLIE MARTIN, TO ME KNOWN TO BE THE INDIVIDUAL DESCRIBED THE EXECUTED THE FOREGOING DEDICATION AND ACKNOWLEDGED THE EXECUTION TO BE HIS FREE ACT AND DEED IN WITNESS WHEREOF I HAVE HEREUNTO SET MY HAND AND SEAL ON THE ABOVE DATE.

APPROVED BY THE BOARD OF COUNTY COMMISSIONERS OF COLUMBIA COUNTY, FLORIDA THIS 2015 DAY OF December

SIGNED____CHAIRMAN ATTEST_ have o Que

CERTIFICATE OF CLERK

LEGEND

GRAPHIC SCALE

PERMANENT CONTROL POINT (PCP)
LOT CORNER PERMANENT REFERENCE MONUMENT (PRM)

*DIAM. CONCRETE MONUMENT FOUND *4 CONCRETE MONUMENT SET

NOTE: ALL MONUMENTS ARE 4x4 CONC. MON.

THIS PLAT HAVING BEEN APPROVED BY THE COLUMBIA COUNTY BOARD OF COMMISSIONERS IS ACCEPTED FOR FILES AND RECORDED THIS 74. DAY OF February A.D., 1985 IN PLAT BOOK_5_PAGE_49

CLERK OF CIRCUIT COURT
COLUMBIA COUNTY, FLORIDA

NOTARY PUBLIC, STATE OF FLORIDA

SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE LANDS SURVEYED AND SHOWN HEREON, THAT THE SURVEY WAS MADE UNDER MY RESPONSIBLE DIRECTION AND SUPERVISION, THAT PERMANENT REFERENCE MONUMENTS AND PERMANENT CONTROL POINTS HAVE BEEN PLACED AS SHOWN, AND THAT THE SURVEY DATA SHOWN HEREON COMPLIES WITH ALL OF THE REQUIREMENTS OF THE COLUMBIA COUNTY SUBDIVISION ORDINANCE NO. 78-7 AND CHAPTER 177, FLORIDA STATUTES

DATE Dec. 4 1984

SIGNED THE C. HALE, LAND SURVEYOR FLORIDA CERT. NO. 1519

COUNTY ACCEPTANCE FOR MAINTENANCE

I HEREBY CERTIFY THAT THE IMPROVEMENTS HAVE BEEN CONSTRUCTED IN AN ACCEPTABLE MANNER AND IN ACCORDANCE WITH COUNTY SPECIFICATIONS OR THAT A PERFORMANCE BOND OR INSTRUMENT IN THE AMOUNT OF \$____HAS BEEN POSTED TO ASSURE COMPLETION OF ALL REQUIRED IMPROVEMENTS AND MAINTENANCE IN CASE (DATE.

SIGNED COUNTY ENGINEER

Prepared By and Return To: HBN TITLE LLC dba Celebration Title Group Attn: Becky Douglas 1331 N Mills Ave Orlando, FL 32803

Order No.: 2020HBN0600400

Property Appraiser's Parcel I.D. (folio) Number:

R03852-011

WARRANTY DEED

THIS WARRANTY DEED dated September 16, 2020, by Gloria Smith Wojtaszek n/k/a Gloria Maria Smith, a single woman, whose post office address is 4345 First Street, Vero Beach, Florida 32968 (the "Grantor"), to Cerissa Wilson, a single woman and Christina Altizer, a married woman, whose post office address is 1528 SW Centerville Ave, FT White, Florida, 32038 (the "Grantee").

(Wherever used herein the terms "Grantor" and "Grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations)

WITNESSETH: That the Grantor, for and in consideration of the sum of Ten And No/100 Dollars (\$10.00) and other valuable consideration, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys, and confirms unto the Grantee, all that certain land situated in County of COLUMBIA, State of Florida, viz:

Lot 11, of PALAWAN ESTATES, a subdivision according to the map or plat thereof as recorded in Plat Book 5, Page 49, of the Public Records of Columbia County, Florida.

Together with that certain mobile home situate thereon.

THE PROPERTY DESCRIBED ABOVE IS NOT THE HOMESTEAD OF THE GRANTOR NOR CONTIGUOUS TO THE HOMESTEAD OF THE GRANTOR AS DEFINED BY THE CONSTITUTION OF THE STATE OF FLORIDA.

Subject to easements, restrictions, reservations and limitations of record, if any.

TOGETHER with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

TO HAVE AND TO HOLD the same in Fee Simple forever.

AND the Grantor hereby covenants with said Grantee that the Grantor is lawfully seized of said land in fee simple; that the Grantor has good right and lawful authority to sell and convey said land; that the Grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accruing subsequent to: 2019.

Septil-wong lot where are we going deed?

IN WITNESS WHEREOF, the said Grantor has s	igned and sealed these presents the day and year first
Grandhell algore	Signed, sealed and delivered in presence of:
Illes Main motel	orene Haar
Gloria Smith Wojtaszek n/k/a Gloria Maria Smith	Witness Signature
Grantor Address:	Printed Name of First Witness
4345 First Street Vero Beach, FL 32968	Elizah YR Efam Witness Signature
	Elizabeth Elan
	Printed Name of Second Witness
STATE OF FLORIDA	
COUNTY OF Indian River	~
The foregoing instrument was executed and ack Presence orOnline Notarization this online Notarization this online Notarization this online Notarization this as identification as identification	nowledged before me by means of Physical day of September, 2020 by Gloria Smith Wojtaszek mally known to me or who has produced in
Notary Public	manaji
Printed Name N. Haas	- den O -
IRENE N HAAS Notery Public - 9:ate of Florida Cemmission # GG 101203 My Comm. Explics May 3, 2023 Bended through Nethonal Notery Assn.	






STATE OF FLORIDA DEPARTMENT OF HEALTH ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM APPLICATION FOR CONSTRUCTION PERMIT

DATE PAID: 3000 RECEIPT #: 588320

APPLICATION FOR	TON CONSTRUCTION PERMIT	MECEIPT (:) 588
Repair APPLICANT: Celissa	[] Existing System [] Holl Wilson	ding Tank [] Innovative
AGENT:	AII	
MAILING ADDRESS: 124	26 NW Hory 441 Alachua.	TELEPHONE: 386 418-0424
SY A PERSON LICENSED F APPLICANT'S RESPONSIBI	PLICANT OR APPLICANT'S AUTHORIZED AGE PURSUANT TO 489.105(3)(m) OR 489.552,	NT SYSTEMS MUST BE CONSTRUCTED
BLOCK:	SUBDIVISION POLONIE	
The state of the s	The state of the s	
IS SEWER AVATIABLE	ER 381.0065, FS? [Y 65]	BLIC 1<=20000PD
BUILDING INFORMATION		
Unit Type of No Establishment	() RESIDENTIAL () CO	and the same of th
1 SFR	Bedrooms Area Sqft Table 1	/Institutional System Design
2	3 1130	
3		
4	the state of the s	
Floor/Equipment Dray	ns [] Other (Specify)	
GNATURE SELO	All	
d015, 08/09 (Obsoletes p	revious editions which may not be use	DATE: 11-2-20
	C Marie De Usa	Page 1 of 4

Cerissa Wilson sw centernille Ave. 17-65-16-03852-011

20-0871



= SW Centerille Ale =

APPROVED Sallie Food . Env Health Mirector 11.6.20

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NU	IMBER CONTRACTOR 6 WILLIAMS PHONE 386-344-366		
THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT			
In Columbia County one permit will cover all trades doing work at the permitted site. It is <u>REQUIRED</u> that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.			
Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.			
ELECTRICAL	Print Name Glan Whittington Signature Glan Wittington License #: EC 13002957 Phone #: 386 684 4601		
	Qualifier Form Attached EC 13002957		
MECHANICAL/	Print Name Mike Boland Signature Michael Boland License #: Cac 181 7716 Phone #: 352 250 6777		
	Qualifier Form Attached		

F. S. 440.103 Building permits; identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.



COLUMBIA COUNTY BUILDING DEPARTMENT 135 NE Hernando Ave, Suite B-21, Lake City, FL 32055 Phone; 386-758-1008 Fax: 386-758-2160

MOBILE HOME INSTALLERS LETTER OF AUTHORIZATION			
1, Glenn Williams ,give this authority for the job address show below			
only, 1528 St	D Centerville	, and I do certify that	
the below referenced person(s) listed on this form is/are under my direct supervision and control			
and is/are authorized to purchase permits, call for inspections and sign on my behalf.			
Printed Name of Authorized Person	Signature of Authorized Person	Authorized Person is (Check one)	
Jonnifor Klivie	Lluc	Agent Officer Property Owner	
	7	Agent Officer Property Owner	
		Agent Officer Property Owner	
I, the license holder, realize that I am responsible for all permits purchased, and all work done under my license and I am fully responsible for compliance with all Florida Statutes. Codes, and Local Ordinances. I understand that the State Licensing Board has the power and authority to discipline a license holder for violations committed by him/her or by his/her authorized person(s) through this document and that I have full responsibility for compliance granted by issuance of such permits.			
License Holders Signature (Notarized) License Number Date			
NOTARY INFORMATION: STATE OF: Florida COUNTY OF: COUNTY OF:			
personally appeared before me and is known by me or has produced identification (type of I.D.) On this Let day of Myembor 20 20.			
NOTARY'S SIGNATURE (Seal/Stamp)			
I .			

