Permit Application / Manufactured Home Installation Application

For Office Use Onl	V (Revised 6/24)	Zoning Official		Ruildir	og Official
AP# 18694		170 H			Permit # 52284
(80					Plan Map Category
Comments	¥14		. 1 1 1 1 1	D.	In Floodway
Recorded Deed	Elevatio	Annusian PO	ished Floor	River	In Floodway
☐ Land Owner Aft	fidavit Insta	ller Authorization	FW Comp.	letter App	Fee Paid ☐ 911 App
☐ DOT Approval	☐ Parent Parc	el #	□ STU	JP-MH_	ree rata = >11 mpp
☐ DOT Approval ☐ Ellisville Water	Sys 🗆 Assessm	ent [In County 🗆	Sub VF For	
*This page not i	equired if C	Online Submis	sion		
					Lot#
- A 11 icht	Four Season erty Owner 144 Four	DRIVE La Donald Je Season Drive	Ke City F ohnson	_ Phone#_	386-266-8968
	(Cir	cle One) 🗀 - S	Suwannee V	alley Electr	ic - □Duke Energy
■ Name of Own	er of Mobi	le Home <u>Do</u>	nald John	1500	
■ Phone # <u>386-2</u>	66-8968	Address 408	0 Warden 1	Cir Sander	5 on FL 32087
■ Relationship	to Property	Owner Se	IF		,
■ Current # of l	Dwellings o	n Property_	0	# o	f Bed/bath_3/2_
■ Lot Size	11/2/25	T	otal Acreag	ge2	
■ Lot Size ■ Do you:(Circle o	(Currently	y using)	(Blue Road Sig	gn)	
*Please be advised a	ll MH applicat	ions may promp	t a driveway pe	rmit regardle	ss of existing/private driveway***
■ Is this Mobile	Home Rep	lacing an Exi	sting Mobil	le Home 🛭	ÍYes □No
■ Name of Licer	nsed Dealer	r/Installer 📙	rent Stoc	Kland	
■ Installers Pho				7.5	
■ InstallersAdd				white	Source Fl 32096
License Numb	per:	104218			77.7
■ Installation D	ecal #	43905			
Is the mobile			n Columbi	a County?	Ø Yes □No
		required for			100 mm (Millione) (2000)
Applicant Emai	il Address:_	donniej	ohnson	85690	gmail.com
	(This is	s where applic	ation undate	es will be se	ent)

NOTICE TO APPLICANT/OWNER REGARDING FLOODING

Please read carefully before you begin your construction project!

WARNING: The degree of flood protection required by this County's floodplain ordinance and the Florida Building Code are considered as minimum for regulatory purposes only. The floodplain ordinance and Florida Building Code are based on scientific and engineering considerations, but do not include actual, observed events of flooding that may have occurred at your property. You should also keep in mind that larger floods have, can, and will occur from time to time. Flood heights may be increased by man-made or natural causes. Approval of your permit under the floodplain ordinance does not imply that the permitted structure will be free from flooding or flood damage. The Special Flood Hazard Areas and Base Flood elevations are contained in the Flood Insurance Study and shown on Flood Insurance Rate Maps. The County adopts these maps for purposes of compliance with the National Flood Insurance Program but makes no representations or assurances of their accuracy or reliability. The County does not maintain, track, or provide flood history data for any particular parcel of land.

THERE IS NO GUARANTY OF VESTED USE, EXISTING USE, OR FUTURE USE CREATED BY YOUR COMPLIANCE WITH THE FLOODPLAIN ORDINANCE. YOU ARE RESPONSIBLE FOR ASSESSING YOUR OWN PARTICULAR FLOOD RISK AND YOU ARE ENCOURAGED TO SPEAK WITH NEIGHBORING OWNERS AND THE PREVIOUS OWNERS OF YOUR LAND TO OBTAIN FIRST-HAND KNOWLEDGE OF YOUR PROPERTY'S SPECIFIC FLOOD HISTORY.

DISCLAIMER OF LIABILITY. The County floodplain ordinance does not create liability on the part of Board of County Commissioners of Columbia County or any officer or employee thereof for any flood damage that results from reliance on the ordinance, or any administrative decision lawfully made thereunder. Again, it is <u>your responsibility</u> to assess your property's flood risk and build accordingly.

For more information, see the Columbia County Code of Ordinances, Land Development Regulations, Article 8, at: https://library.municode.com/fl/columbia_county. Additional information can also be found on the County Building Department's web page: https://www.columbiacountyfla.com/BuildingandZoning.asp.

ACKNOWLEDGMENT

I have read and understand the foregoing NOTICE TO APPLICANT/OWNER REGARDING FLOOD ZONES. I understand it is my responsibility to determine my property's flood risk, and that the County has made me no assurances that my property can not or will not flood.

the County has made me no assurances that my property can not or will not flood.

OWNER SIGNATURE: Devald Johnson

PRINT NAME: Donald Johnson

PARCEL # OR ADDRESS: 144 ME Foreseasons dr. lake City Fl.

SITE PLAN CHECKLIST


- 1) Property Dimensions
- 2) Footprint of proposed and existing structures (including decks), label these with existing addresses
 - 3) Distance from structures to all property lines
- 4) Location and size of easements
- _5) Driveway path and distance at the entrance to the nearest property line
- 6) Location and distance from any waters; sink holes; wetlands; and etc.
 - 7) Show slopes and or drainage paths
- 8) Arrow showing North direction




Revised 7/1/15

NOTE:

This site plan can be copied and used with the 911 Addressing Dept. application forms.





MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NU	MBER CONT	TRACTOR	PHONE
	THIS FORM MUST BE SUBMI	ITTED PRIOR TO THE ISSUANCE O	OF A PERMIT
records of the Ordinance 89-	ounty one permit will cover all trades do subcontractors who actually did the tra 6, a contractor shall require all subcontr neral liability insurance and a valid Certi	de specific work under the ractors to provide evidence	permit. Per Florida Statute 440 and of workers' compensation or
	the permitted contractor is responsible becontractor beginning any work. Viola		ing submitted to this office prior to the ork orders and/or fines.
ELECTRICAL	Print Name Donal of Joh License #: Owner Company Name:	Phone #: 35	16 266.8968 Attached
MECHANICAL/ A/C	Print Name Donald Julius License #: Doner Company Name:		

F. S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.



COLUMBIA COUNTY BUILDING DEPARTMENT 135 NE Hernando Ave, Suite B-21, Lake City, FL 32055

Phone: 386-758-1008 Fax: 386-758-2160

*Use to authorize property owners to pull permit on Installers behalf.

MOBILE HOME INSTALLERS LETTER OF AUTHORIZATION

I, Breat Strickley Installer License Holder Name	give this authority for the job ac	ddress show below
only, 144 ME fore seas	son all lakelity F132055	and I do certify that
the below referenced person(s) lis	ted on this form is/are under my direct sup-	ervision and control
and is/are authorized to purchase	permits, call for inspections and sign on m	y behalf.
	ignature of Authorized erson	
Donald Johnson (). La	
	am responsible for all permits purchased, a	
	sponsible for compliance with all Florida St	atutes, Codes, and
Local Ordinances.		
I understand that the State Licensi	ng Board has the power and authority to di	iscipline a license
holder for violations committed by	him/her or by his/her authorized person(s)	through this
document and that I have full respond	onsibility for compliance granted by issuan	ce of such permits.
		, , ,
9/ //	141104218	
License Holders Signature (Notariz	zed) License Number	Date /
NOTARY INFORMATION: STATE OF: <u>キ \orldo</u>	COUNTY OF: Columbia	
The above license holder, whose repersonally appeared before me an (type of I.D.) <u>known by</u>	name is Brend Strickland d is known by me or has produced identific muon this day of Decer	ration Mbev, 20 <u>24</u> .
NOTARY'S SIGNATURE	(Seal/Stamp)	Carrie Statham Notary Public State of Florida Comm# HH094579 Expires 2/17/2025

Columbia County, FLA - Building & Zoning Property Map

Printed: Mon Dec 30 2024 10:27:09 GMT-0500 (Eastern Standard Time)



Parcel No: 10-3S-18-10269-021

Owner: JOHNSON DONALD ROBERT, Subdivision: OSCEOLA ESTATES UNR

Lot:

Acres: 1.78182137 Deed Acres: 1.77 Ac

District: District 1 Ronald Williams Future Land Uses: Agriculture - 2

Flood Zones: A,

Official Zoning Atlas: A-2

Columbia County, FLA - Building & Zoning Property Map

Printed: Mon Dec 30 2024 13:04:50 GMT-0500 (Eastern Standard Time)



Parcel No: 10-3S-18-10269-021

Owner: JOHNSON DONALD ROBERT, Subdivision: OSCEOLA ESTATES UNR

Lot:

Acres: 1.78182137 Deed Acres: 1.77 Ac

District: District 1 Ronald Williams Future Land Uses: Agriculture - 2

Flood Zones: A, Official Zoning Atlas: A-2

OK per 12.30.24

Mobile Home Permit Worksheet

Contpliance (%)		% Colored Colo	Model Notu Susse S		marriage wall piers within 2' of end of home per Rule 15C		The Draw of the second					longitudinal (use dark lines to show these locations)	2) Show locations of Longitudinal and Lateral Systems	Typical pier spacing > I live in the spacing > I live	if home is a triple or quad wide sketch in remainder of home I understand Lateral Arm Systems cannot be used on any home (new or used)	f home is a single wide fill out on	Manufacturer Total Home Length x width 18 XX	Ţ	License # 1HIIQ		
Longitudinal Stabilizing Device (LSD) Manufacturer Longitudinal Stabilizing Device w/ Lateral Arms Manufacturer つかんで	TIEDOWN COMPONENTS		 	and their pier pad sizes below. Opening Pier pad size	wall openings 4 foot or greater. Use this symbol to show the piers. List all marriage wall openings greater than 4 foot	The Draw the approximate locations of marriage	Other pier pad sizes	Perimeter pier pad size	I-beam pier pad size / / 3 / 2 / 5	acing table.	psf 8 8 8 8	psf 6'	3151-	Load Footer 16" x 16" 18 1/2" x 18 20" x 20" 2 capacity (sq in) (256) 1/2" (342) (400)	PIER SPACING TABLE FOR USED HOMES	Triple/Quad Serial #	Double wide M Installation Decal #	Single wide	Home installed to the Manufacturer's Installation Manual Home is installed in accordance with Rule 15-C	New Home Used Home	Application Number:
Sidewall Longitudi Marriage Shearwa	Ol page	within 2'	4 # #		17 3/16 17 1/2 24 26	13 1/4 20	18.5 16.3	16	Pac	POPU	ಹ್ಹ	<u>ω</u> <u>ω</u> ο	0 0	22" x 22" (484)*	HOMES	1973	436	Wind Zone	ıual		Date:

POPULAR PAD SIZES

Pad Size 16 x 16 16 x 18 16 x 18 18.5 x 18.5 16 x 22.5 17 x 22

Sq In 256

24" X 24"

26" x 26" (676)

(576)*

ထံထံထံထံထံ

Wind Zone III

M

1973 AB

Os Exall: Page 1 of 2

Sidewall
Longitudinal
Marriage wall
Shearwall

5 ft *

ANCHORS

676

FRAME TIES

13 1/4 x 26 1/4 20 x 20 17 3/16 x 25 3/16 17 1/2 x 25 1/2 24 x 24 26 x 26

348 400

within 2' of end of home spaced at 5' 4" oc

OTHER TIES

Mobile Home Permit Worksheet

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.	Connect all sewer drains to an existing sewer tap or septic tank. Pg.	Plumbing	Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between mult-wide units. Pg.	Electrical	Date Tested 11/30/24	Installer Name Scat Strickly	ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLED	anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.		The results of the torque probe test is 245 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.	TOROUE BRORE TEST	x x x x	Code	2. Take the reading at the depth of the footen is the Copy	OCKET PENETROMETER TESTING METHOD	0	The pocket penetrometer tests are rounded down to or check here to declare 1000 lb. soil without testing.	POCKET PENETROMETER TEST	THE PROPERTY OF THE PROPERTY O
Installer Signature Miles	manufacturer's installation instructions and or Rule 15C-1 & 2	is accurate and true based on the	Installer verifies all information given with this permit worksheet		Electrical crossovers protected. Yes Other:		MI	The bottomboard will be repaired and/or taped. Yes Siding on units is installed to manufacturer's specifications. Yes Fireplace chimney installed so as not to allow intrusion of rain water. Yes	Weatherproofing	Pg. tactory to m Between Floors Yes Between Walls Yes Bottom of ridgebeam Yes	In:	understand a properly installed gas homes and that condensation, mold a result of a poorly installed or no ga of tape will not serve as a gasket.	- 1	will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.	Walls: Type Fastener: Length: V Roof: Type Fastener: Length: 6/ For used homes a min. 30 gauge, 8" wide, ga	Floor: Type Fastener: (228) Length: 6/1 Spacing	Debris and organic material removed Water drainage: Natural Swale Pad Other	Site Preparation	Application Number: Date: