

DATE 06/28/2004

Columbia County Building Permit

This Permit Expires One Year From the Date of Issue

PERMIT

000022020

APPLICANT SAMMY KEEN PHONE 961-1725

ADDRESS 764 SW RIVERSIDE AVE FORT WHITE FL 32038

OWNER SONI FINE PHONE

ADDRESS 125 SW HEALAN CT FORT WHITE FL 32038

CONTRACTOR SAMMY KEEN PHONE 961-1725

LOCATION OF PROPERTY 47 S, LEFT INTO SEDGEFIELD S/D TO END GO R ON
HEALAN CT 1ST LOT ON LEFT

TYPE DEVELOPMENT SFD,UTILITY ESTIMATED COST OF CONSTRUCTION 178650.00

HEATED FLOOR AREA 3573.00 TOTAL AREA 5579.00 HEIGHT 29.00 STORIES 1

FOUNDATION CONCRETE WALLS FRAMED ROOF PITCH 7/12 FLOOR SLAB

LAND USE & ZONING A-3 MAX. HEIGHT 35

Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00

NO. EX.D.U. 0 FLOOD ZONE X PP DEVELOPMENT PERMIT NO.

PARCEL ID 03-6S-16-03767-123 SUBDIVISION SEDGEFIELD S/D

LOT 23 BLOCK PHASE 1 UNIT TOTAL ACRES 5.02

000000343 N CBC050690

Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor

PERMIT 04-0625-N RJ BK N

Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: NOC ON FILE, FLOOR HEIGHT LETTER FOR 16' INCLUDED

Check # or Cash 7166

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic

Under slab rough-in plumbing Slab Sheathing/Nailing

Framing Rough-in plumbing above slab and below wood floor

Electrical rough-in Heat & Air Duct Peri. beam (Lintel)

Permanent power C.O. Final Culvert

M/H tie downs, blocking, electricity and plumbing Pool

Reconnection Pump pole Utility Pole

M/H Pole Travel Trailer Re-roof

BUILDING PERMIT FEE \$ 895.00 CERTIFICATION FEE \$ 27.90 SURCHARGE FEE \$ 27.90

MISC. FEES \$.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ WASTE FEE \$

FLOOD ZONE DEVELOPMENT FEE \$ CULVERT FEE \$ 25.00 TOTAL FEE 1025.80

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

Columbia County Building Permit Application

0405-90

51281

Application Approved by - Zoning Official BLK Date 28.06.04 Plans Examiner _____ Date _____
Flood Zone Xpplut Development Permit _____ Zoning A-3 Land Use Plan Map Category A-3
Comments ENGINEER Determined Finish floor Elevation

343 / 22020

Applicants Name Sam L Keen SLK Construction Phone 386-961-1725
Address 764 SW Riverside Av. Ft White 32038
Owners Name Soni Fine Phone _____
911 Address _____
Contractors Name SLK Construction Inc. Phone 386-961-1725
Address 764 SW Riverside Ave Ft White FL 32038
Fee Simple Owner Name & Address none
Bonding Co. Name & Address none
Architect/Engineer Name & Address _____
Mortgage Lenders Name & Address none

Property ID Number 03-65-16-03767-123 Estimated Cost of Construction 360,000.00
Subdivision Name Sedgefield S/D Phase 1 Lot 23 Block - Unit - Phase 1
Driving Directions from LC take 47 South to Sedgefield S/D Left down to end of Road Right on S.W. Healan Cort 1 Lot on Left.
Type of Construction Framed + Brick SFR Number of Existing Dwellings on Property 0
Total Acreage 5.020 Lot Size _____ Do you need a - Culvert Permit or Culvert Waiver or Have an Existing Drive
Actual Distance of Structure from Property Lines - Front 120 Side 40 Side 108 Rear 381
Total Building Height 29 Number of Stories 1 Heated Floor Area 3573 Roof Pitch 7/12

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

SLK Construction Inc.
Owner Builder or Agent (Including Contractor)

SLK Construction Inc. Sam L Keen
Contractor Signature
Contractors License Number CB-C050640
Competency Card Number AC 4007084

STATE OF FLORIDA
COUNTY OF COLUMBIA



Sworn to (or affirmed) and subscribed before me
this 27th day of May 20 04.
Personally known ✓ or Produced Identification _____

NOTARY STAMP/SEAL

Mildred J. King
Notary Signature



BAILEY BISHOP & LANE, INC.

Engineers

Surveyors

Planners

FLOOR ELEVATION CERTIFICATION

PROPERTY DESCRIPTION: ***Sedgefield Phase One
Lot 23***

OWNER: ***Ms. Soni Fine***

PROJECT REQUIREMENTS: For protection against water damage, the minimum finish floor elevation of the proposed building shall be **16** inches above the highest existing ground elevation at the proposed building. The ground around the proposed building shall be graded to direct all runoff around and away from the proposed building.



Gregory G. Bailey, P.E.

Date: April 15, 2004

S01°18'51"E
S01°18'51"E
1/4 CORNER 1

22

5.1367 AC.

(NON-RADIAL)
N78°14'29"E

550.21'

10' UTILITY EASEMENT

Site
plan

House

23

5.0236 AC.

15' UTILITY EASEMENT

N88°41'22"E

617.86'

10' UTILITY EASEMENT

R/W

15'

214.75'

SW HEALAN COURT

PC

PRC

CP-CONCRETE MONUMENT
120' RADIUS

21-1

22-1

23-2

23-1

BAIL
LAI

415.60'

5'
5'

5'
5'

RETURN TO

U. S. Title
642 N.E. Santa Fe Blvd.
High Springs, FL 32643
USH-2424

Int: 2003015596 Date: 08/07/2003 Time: 16:11
Loc Stamp: Book: 196.00
DC, P. DeWitt Causton, Columbia County B: 990 P: 2676

PARCEL ID# R03767-123
BUYER'S TIN#

WARRANTY DEED

THIS INCENTURE, Made this 1st day of August, 2003, BETWEEN **SEDFIELD LAND COMPANY**, a Florida Corporation grantor whose address is 5345 ORTEGA BLVD., #7, JACKSONVILLE, FL 32210, and **SONI PINE**, a Single Person grantee, whose post-office address is: 11822 WATERCREST LANE, BOCA RATON, FL 33498.

[The terms "grantor" and "grantee" herein shall be construed to include all genders and singular or plural as the context indicates.]

WITNESSETH: That said grantor, for and in consideration of the sum of Ten (\$10.00) Dollars, and other good and valuable considerations to said grantor in hand paid by said grantee, the receipt whereof is hereby acknowledged, has granted, bargained and sold to the said grantee, and grantee's heirs, successors and assigns forever, the following described land, situate, lying and being in **COLUMBIA** County, Florida, to wit:

Lot 23, SEDFIELD, PHASE I, as per plat thereof recorded in Plat Book 7, Pages 87-92, of the Public Records of Columbia County, Florida.

and said grantor does hereby fully warrant the title to said land, and will defend the same against the lawful claims of all persons whomsoever.

IN WITNESS WHEREOF, Grantor has hereunto set grantor's hand and seal the day and year first above written.

Signed, sealed and delivered
in the presence of:

WITNESS James P. Lane, Jr.

WITNESS Heather S. Loveland

SEDFIELD LAND COMPANY

By Lee D. Wedekind, Jr.
President

STATE OF **FLORIDA**
COUNTY OF **DUVAL**

[CORPORATE SEAL]

The foregoing instrument was acknowledged before me this 1st day of August, 2003, by Lee D. Wedekind, Jr., President of **SEDFIELD LAND COMPANY** on behalf of the corporation. She/He is personally known to me or who has produced a driver's license as identification and who did take an oath.


Heather S. Loveland
Notary Public, State of Florida
My Commission Expires:
My Commission Number:



Heather S. Loveland
My Commission D0007063
Expires March 11 2006

RECORD & RETURN TO:

THIS INSTRUMENT WAS PREPARED BY: JANNETTE S. BOYD, an employee of **U.S. TITLE**, 642 N.E. SANTA FE BLVD., HIGH SPRINGS, FLORIDA 32643, as a necessary incident to fulfill the requirements of a Title Insurance Binder issued by it. USH-2424.





STATE OF FLORIDA
DEPARTMENT OF HEALTH


SLK - Home

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 04-1625N

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = ¹⁰⁰/₅₀ feet.



Notes:

Site Plan submitted by:

Rocky D. Z...

Signature

Master Contractor

Title

Plan Approved

Not Approved

Date 6-9-04

By Lakshmi...

C

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

Permit No. _____

Tax Parcel No. 03-65-16-0367-123

COLUMBIA COUNTY NOTICE OF COMMENCEMENT

STATE OF FLORIDA

Inst:2004014750 Date:06/24/2004 Time:12:03

MK DC,P.DeWitt Cason,Columbia County B:1019 P:549

COUNTY OF COLUMBIA

THE UNDERSIGNED hereby gives notice that Improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

1. Description of property: (legal description of the property, and street address if available.)

Lot 23 of Sedgefield Subdivision Phase 1
ORB 940-2676 5.020 ACRES

2. General description of Improvement: NEW Home or
House

3. Owner Information:

A. Name and address:

Soni Fine 11822 Watercrest Lane
Boca Raton FL 33498

B. Interest in property:

owner

C. Name and address of fee simple titleholder (if other than owner):

none

4. Contractor: (name and address)

SLK Construction Inc. 764 SW
Riverside Ave Ft. White FL 32038

5. Surety

A. Name and address: none

B. Amount of bond:

none

6. Lender: (name and address) none

7. Persons within the State of Florida designated by Owner upon whom notices or other documents may be served as provided by Section 718.13 (1) (a) 7., Florida Statutes: (name and address) none

8. In addition to himself, owner designates SLK Construction Inc.
764 SW Riverside of Ave Ft White FL 32038 to receive a copy of
the Lienor's Notice as provided in Section 713.13 (1) (a) 7., Florida Statutes.

9. Expiration date of notice of commencement (the expiration date is 1 year from the
date of recording unless a different date is specified) _____

Soni [Signature]
(Signature of Owner)

SWORN TO and subscribed before me this 27 day of May
19 2004



[Signature]
Notary Public

(NOTARIAL
SEAL)

My Commission Expires:

Inst:2004014750 Date:06/24/2004 Time:12:03
DC,P.DeWitt Cason,Columbia County B:1019 P:550

COLUMBIA COUNTY 9-1-1 ADDRESSING

263 NW Lake City Ave. * P. O. Box 2949 * Lake City, FL 32056-2949

PHONE: (386) 752-8787 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE ISSUED: 5-27-04

ENHANCED 9-1-1 ADDRESS:

125 SW Healan CT. (Ft. White, FL)
32038Addressed Location 911 Phone Number: N/AOCCUPANT NAME: Soni FineOCCUPANT CURRENT MAILING ADDRESS: 11822 Watercrest LN
Boca Raton, FL 33498PROPERTY APPRAISER MAP SHEET NUMBER: 51PROPERTY APPRAISER PARCEL NUMBER: 03-65-16-03767-123

Other Contact Phone Number (If any): _____

Building Permit Number (If known): _____

Remarks: LOT 23, Sedgefield S/D

Address Issued By: _____



Columbia County 9-1-1 Addressing Department

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs
Residential Whole Building Performance Method A

Project Name: **404141FineRes.**
Address:
City, State: ,
Owner: **Soni Fine**
Climate Zone: **North**

Builder: **SLK**
Permitting Office: **Columbia County**
Permit Number: **22020**
Jurisdiction Number: **221000**

- | | | | | | |
|--|--------------------------------|-----------------------|--|-------------------|-----|
| 1. New construction or existing | New | ___ | 12. Cooling systems | | |
| 2. Single family or multi-family | Single family | ___ | a. Central Unit | Cap: 97.0 kBtu/hr | ___ |
| 3. Number of units, if multi-family | 1 | ___ | | SEER: 12.00 | ___ |
| 4. Number of Bedrooms | 2 | ___ | b. N/A | | ___ |
| 5. Is this a worst case? | Yes | ___ | c. N/A | | ___ |
| 6. Conditioned floor area (ft ²) | 3573 ft ² | ___ | | | ___ |
| 7. Glass area & type | Single Pane | Double Pane | 13. Heating systems | | |
| a. Clear glass, default U-factor | 0.0 ft ² | 663.4 ft ² | a. Electric Heat Pump | Cap: 97.0 kBtu/hr | ___ |
| b. Default tint | 0.0 ft ² | 0.0 ft ² | | HSPF: 7.20 | ___ |
| c. Labeled U or SHGC | 0.0 ft ² | 0.0 ft ² | b. N/A | | ___ |
| 8. Floor types | | | c. N/A | | ___ |
| a. Slab-On-Grade Edge Insulation | R=0.0, 355.0(p) ft | ___ | | | ___ |
| b. N/A | | ___ | 14. Hot water systems | | |
| c. N/A | | ___ | a. Electric Resistance | Cap: 60.0 gallons | ___ |
| 9. Wall types | | | | EF: 0.89 | ___ |
| a. Frame, Wood, Exterior | R=13.0, 3908.0 ft ² | ___ | b. N/A | | ___ |
| b. Frame, Wood, Adjacent | R=13.0, 201.0 ft ² | ___ | c. Conservation credits | | ___ |
| c. N/A | | ___ | (HR-Heat recovery, Solar | | ___ |
| d. N/A | | ___ | DHP-Dedicated heat pump) | | ___ |
| e. N/A | | ___ | 15. HVAC credits | | ___ |
| 10. Ceiling types | | | (CF-Ceiling fan, CV-Cross ventilation, | | |
| a. Under Attic | R=30.0, 4300.0 ft ² | ___ | HF-Whole house fan, | | |
| b. N/A | | ___ | PT-Programmable Thermostat, | | |
| c. N/A | | ___ | MZ-C-Multizone cooling, | | |
| 11. Ducts | | | MZ-H-Multizone heating) | | |
| a. Sup: Unc. Ret: Unc. AH: Interior | Sup. R=6.0, 280.0 ft | ___ | | | |
| b. N/A | | ___ | | | |

Glass/Floor Area: 0.19

Total as-built points: 46914
Total base points: 47071

PASS

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

PREPARED BY: Evan Beamsley

DATE: 27 APR 04 *Evan Beamsley*

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.

OWNER/AGENT: _____

DATE: _____

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.

BUILDING OFFICIAL: _____

DATE: _____



SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT							
GLASS TYPES											
.18 X Conditioned X BSPM = Points Floor Area				Type/SC	Overhang Ornt Len Hgt		Area X SPM X SOF = Points				
.18	3573.0	20.04	12888.5	Double, Clear	N	1.5	11.5	20.0	19.20	0.99	379.8
				Double, Clear	N	1.5	11.5	20.0	19.20	0.99	379.8
				Double, Clear	N	1.5	6.5	6.0	19.20	0.95	109.1
				Double, Clear	N	11.0	13.5	96.0	19.20	0.74	1367.3
				Double, Clear	W	99.0	11.5	10.0	38.52	0.37	144.3
				Double, Clear	NW	4.5	11.5	20.0	25.97	0.84	436.6
				Double, Clear	N	1.5	11.5	10.0	19.20	0.99	189.9
				Double, Clear	W	1.5	13.5	48.0	38.52	0.99	1839.6
				Double, Clear	W	1.5	6.7	45.0	38.52	0.93	1614.4
				Double, Clear	W	1.5	5.5	36.0	38.52	0.90	1243.9
				Double, Clear	N	1.5	11.5	60.0	19.20	0.99	1139.5
				Double, Clear	N	1.5	6.0	48.0	19.20	0.94	865.1
				Double, Clear	E	1.5	11.5	15.0	42.06	0.99	623.6
				Double, Clear	E	1.5	11.5	40.0	42.06	0.99	1662.8
				Double, Clear	E	1.5	11.5	20.0	42.06	0.99	831.4
				Double, Clear	E	1.5	6.5	6.0	42.06	0.93	233.8
				Double, Clear	S	47.8	10.0	30.0	35.87	0.43	464.8
				Double, Clear	S	47.8	5.0	20.0	35.87	0.43	309.8
				Double, Clear	S	1.5	11.0	18.6	35.87	0.97	649.3
				Double, Clear	S	1.5	16.0	24.8	35.87	0.99	881.8
				Double, Clear	S	1.5	8.0	20.0	35.87	0.92	662.3
				Double, Clear	W	1.5	11.5	30.0	38.52	0.99	1143.0
				Double, Clear	S	51.8	5.0	20.0	35.87	0.43	309.8
				As-Built Total:		663.4			17481.8		
WALL TYPES				Type		R-Value		Area X SPM = Points			
Adjacent	201.0	0.70	140.7	Frame, Wood, Exterior		13.0		3908.0		1.50 5862.0	
Exterior	3908.0	1.70	6643.6	Frame, Wood, Adjacent		13.0		201.0		0.60 120.6	
Base Total:		4109.0	6784.3	As-Built Total:		4109.0		5982.6			
DOOR TYPES				Type		Area X SPM = Points					
Adjacent	21.0	2.40	50.4	Adjacent Insulated		21.0		1.60		33.6	
Exterior	48.0	6.10	292.8	Exterior Insulated		48.0		4.10		196.8	
Base Total:		69.0	343.2	As-Built Total:		69.0		230.4			

SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT				
CEILING TYPES Area X BSPM = Points				Type	R-Value	Area X SPM X SCM = Points		
Under Attic	3573.0	1.73	6181.3	Under Attic	30.0	4300.0	1.73 X 1.00	7439.0
Base Total:	3573.0		6181.3	As-Built Total:		4300.0		7439.0
FLOOR TYPES Area X BSPM = Points				Type	R-Value	Area X SPM = Points		
Slab	355.0(p)	-37.0	-13135.0	Slab-On-Grade Edge Insulation	0.0	355.0(p)	-41.20	-14626.0
Raised	0.0	0.00	0.0					
Base Total:			-13135.0	As-Built Total:		355.0		-14626.0
INFILTRATION Area X BSPM = Points				Area X SPM = Points				
	3573.0	10.21	36480.3			3573.0	10.21	36480.3
Summer Base Points: 49542.6				Summer As-Built Points: 52988.1				
Total Summer Points	X System Multiplier	=	Cooling Points	Total Component	X Cap Ratio	X Duct Multiplier (DM x DSM x AHU)	X System Multiplier	X Credit Multiplier = Cooling Points
49542.6	0.4266		21134.9	52988.1	1.000	(1.090 x 1.147 x 0.91) 1.138	0.284	1.000 17146.1

WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT							
GLASS TYPES											
.18 X Conditioned X BWPM = Points Floor Area				Type/SC	Overhang Ornt Len Hgt		Area X WPM X WOF = Points				
.18	3573.0	12.74	8193.6	Double, Clear	N	1.5	11.5	20.0	24.58	1.00	491.5
				Double, Clear	N	1.5	11.5	20.0	24.58	1.00	491.5
				Double, Clear	N	1.5	6.5	6.0	24.58	1.00	147.8
				Double, Clear	N	11.0	13.5	96.0	24.58	1.02	2396.9
				Double, Clear	W	99.0	11.5	10.0	20.73	1.24	256.6
				Double, Clear	NW	4.5	11.5	20.0	24.30	1.01	490.3
				Double, Clear	N	1.5	11.5	10.0	24.58	1.00	245.7
				Double, Clear	W	1.5	13.5	48.0	20.73	1.00	996.6
				Double, Clear	W	1.5	6.7	45.0	20.73	1.02	950.1
				Double, Clear	W	1.5	5.5	36.0	20.73	1.03	767.2
				Double, Clear	N	1.5	11.5	60.0	24.58	1.00	1474.5
				Double, Clear	N	1.5	6.0	48.0	24.58	1.00	1182.6
				Double, Clear	E	1.5	11.5	15.0	18.79	1.01	284.5
				Double, Clear	E	1.5	11.5	40.0	18.79	1.01	758.7
				Double, Clear	E	1.5	11.5	20.0	18.79	1.01	379.4
				Double, Clear	E	1.5	6.5	6.0	18.79	1.03	116.2
				Double, Clear	S	47.8	10.0	30.0	13.30	3.66	1460.1
				Double, Clear	S	47.8	5.0	20.0	13.30	3.66	973.4
				Double, Clear	S	1.5	11.0	18.6	13.30	1.00	248.3
				Double, Clear	S	1.5	16.0	24.8	13.30	0.99	328.1
				Double, Clear	S	1.5	8.0	20.0	13.30	1.04	276.9
				Double, Clear	W	1.5	11.5	30.0	20.73	1.00	623.8
				Double, Clear	S	51.8	5.0	20.0	13.30	3.66	973.4
				As-Built Total:				663.4	16313.9		
WALL TYPES											
Area X BWPM = Points				Type	R-Value		Area X WPM = Points				
Adjacent	201.0	3.60	723.6	Frame, Wood, Exterior	13.0		3908.0	3.40		13287.2	
Exterior	3908.0	3.70	14459.6	Frame, Wood, Adjacent	13.0		201.0	3.30		663.3	
Base Total:				As-Built Total:				4109.0	13950.5		
DOOR TYPES											
Area X BWPM = Points				Type			Area X WPM = Points				
Adjacent	21.0	11.50	241.5	Adjacent Insulated			21.0	8.00		168.0	
Exterior	48.0	12.30	590.4	Exterior Insulated			48.0	8.40		403.2	
Base Total:				As-Built Total:				69.0	571.2		

WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT					
CEILING TYPES Area X BWPM = Points				Type	R-Value	Area X WPM X WCM =	Points		
Under Attic	3573.0	2.05	7324.6	Under Attic	30.0	4300.0 2.05 X 1.00	8815.0		
Base Total:	3573.0		7324.6	As-Built Total:		4300.0	8815.0		
FLOOR TYPES Area X BWPM = Points				Type	R-Value	Area X WPM =	Points		
Slab	355.0(p)	8.9	3159.5	Slab-On-Grade Edge Insulation	0.0	355.0(p) 18.80	6674.0		
Raised	0.0	0.00	0.0						
Base Total:			3159.5	As-Built Total:		355.0	6674.0		
INFILTRATION Area X BWPM = Points				Area X WPM = Points					
	3573.0	-0.59	-2108.1			3573.0 -0.59	-2108.1		
Winter Base Points:		32584.8		Winter As-Built Points:		44216.5			
Total Winter Points	X	System Multiplier	= Heating Points	Total Component	X Cap Ratio	X Duct Multiplier	X System Multiplier	X Credit Multiplier	= Heating Points
						(DM x DSM x AHU)			
32584.8		0.6274	20443.7	44216.5	1.000	(1.069 x 1.169 x 0.93)	0.474	1.000	24337.8
				44216.5	1.00	1.162	0.474	1.000	24337.8

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE SCORE* = 83.1

The higher the score, the more efficient the home.

Soni Fine, , , ,

1. New construction or existing	New	12. Cooling systems	
2. Single family or multi-family	Single family	a. Central Unit	Cap: 97.0 kBtu/hr
3. Number of units, if multi-family	1		SEER: 12.00
4. Number of Bedrooms	2	b. N/A	
5. Is this a worst case?	Yes	c. N/A	
6. Conditioned floor area (ft ²)	3573 ft ²		
7. Glass area & type	Single Pane Double Pane	13. Heating systems	
a. Clear - single pane	0.0 ft ² 663.4 ft ²	a. Electric Heat Pump	Cap: 97.0 kBtu/hr
b. Clear - double pane	0.0 ft ² 0.0 ft ²		HSPF: 7.20
c. Tint/other SHGC - single pane	0.0 ft ² 0.0 ft ²	b. N/A	
d. Tint/other SHGC - double pane		c. N/A	
8. Floor types		14. Hot water systems	
a. Slab-On-Grade Edge Insulation	R=0.0, 355.0(p) ft	a. Electric Resistance	Cap: 60.0 gallons
b. N/A			EF: 0.89
c. N/A		b. N/A	
9. Wall types		c. Conservation credits	
a. Frame, Wood, Exterior	R=13.0, 3908.0 ft ²	(HR-Heat recovery, Solar	
b. Frame, Wood, Adjacent	R=13.0, 201.0 ft ²	DHP-Dedicated heat pump)	
c. N/A		15. HVAC credits	
d. N/A		(CF-Ceiling fan, CV-Cross ventilation,	
e. N/A		HF-Whole house fan,	
10. Ceiling types		PT-Programmable Thermostat,	
a. Under Attic	R=30.0, 4300.0 ft ²	MZ-C-Multizone cooling,	
b. N/A		MZ-H-Multizone heating)	
c. N/A			
11. Ducts			
a. Sup: Unc. Ret: Unc. AH: Interior	Sup. R=6.0, 280.0 ft		
b. N/A			

I certify that this home has complied with the Florida Energy Efficiency Code For Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.


Builder Signature: _____ Date: _____

Address of New Home: _____ City/FL Zip: _____



NOTE: The home's estimated energy performance score is only available through the FLA/RES computer program. This is **not a Building Energy Rating. If your score is 80 or greater (or 86 for a US EPA/DOE EnergyStarTM designation), your home may qualify for energy efficiency mortgage (EEM) incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at 321/638-1492 or see the Energy Gauge web site at www.fsec.ucf.edu for information and a list of certified Raters. For information about Florida's Energy Efficiency Code For Building Construction, contact the Department of Community Affairs at 850/487-1824.*

EnergyGauge® (Version: FLRCSB v3.30)





MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING

BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

PRODUCT CONTROL NOTICE OF ACCEPTANCE

Therma-Tru Corporation
108 Mutzfeld Road (P. O. Box 338)
Butler, IN 46721

Your application for Notice of Acceptance (NOA) of:

Outswing Insulated Residential Steel Door -Large Missile Impact Resistant & Non-Impact resistant Sidelites

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

ACCEPTANCE NO.: 00-0207.05
EXPIRES: 04/05/2002

Raul Rodriguez
Chief Product Control Division

THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL
CONDITIONS
BUILDING CODE & PRODUCT REVIEW COMMITTEE

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 04/05/2001



Therma Tru Corporation

ACCEPTANCE NO.: 00-0207.05

APPROVED : April 05, 2001

EXPIRES : April 05, 2002

NOTICE OF ACCEPTANCE: SPECIFIC CONDITIONS

1. SCOPE

- 1.1 This approves a residential insulated steel door, as described in Section 2 of this Notice of Acceptance, designed to comply with the South Florida Building Code (SFBC), 1994 Edition for Miami-Dade County, for the locations where the pressure requirements, as determined by SFBC Chapter 23, do not exceed the Design Pressure Rating values indicated in the approved drawings.

2. PRODUCT DESCRIPTION

- 2.1 The **Series Outswing Insulated Residential Opaque (Embossed) Steel Door w/ wo Sidelite-Large Missile Impact Resistant (Doors)\ Non-Impact Resistant (sidelites)** and its components shall be constructed in strict compliance with the following documents: Drawing No **S-2003-0**, titled "Therma-Tru Wood edge Outswing" Sheets 1 through 6 of 6, dated 03/03/00 and last revised on 3-09-01, prepared by RW Building Consultant Inc., bearing the Miami-Dade County Product Control approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division. These documents shall hereinafter be referred to as the approved drawings.

3. LIMITATIONS

- 3.1 This approval applies to single unit applications of a double door or single opaque door with or without sidelites, as shown in approved drawings. Single door units shall include all components described in the active leaf of this approval.

4. INSTALLATION

- 4.1 The outswing residential insulated Opaque Steel door and its components shall be installed in strict compliance with the approved drawings.
- 4.2 Hurricane protection system (shutters):
Door Slab: The installation of this unit will not require a hurricane protective system.
Sidelites: The installation of these units will require a hurricane protective system.

5. LABELING

- 5.1 Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved".
- 5.2 The door slab itself shall also bear a permanent label, at the door inside edge, with the manufacturer's name or logo, city and state.

6. BUILDING PERMIT REQUIREMENTS

- 6.1 Application for building permit shall be accompanied by copies of the following:
- 6.1.1 This Notice of Acceptance
- 6.1.2 Duplicate copies of the approved drawings, as identified in Section 2 of this Notice of Acceptance, clearly marked to show the components selected for the proposed installation.
- 6.1.3 Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.

Ishaq I. Chanda
Ishaq I. Chanda, P.E., Product Control Examiner
Product Control Division

Therma Tru Corporation

ACCEPTANCE NO.: 00-0207.05

APPROVED : April 05, 2001

EXPIRES : April 05, 2002

NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
 - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
 - b) The product is no longer the same product (identical) as the one originally approved;
 - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
 - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
 - a) Unsatisfactory performance of this product or process.
 - c) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purpose.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1, 2 and this last page 3.

Ishaq I. Chanda
Ishaq I. Chanda, P.E., Product Control Examiner
Product Control Division

END OF THIS ACCEPTANCE


"CONSTRUCTION" AND "PREMIUM" SERIES
INSULATED STEEL DOOR WITH WOOD FRAMES.

1. THIS PRODUCT IS DESIGNED TO MEET THE SOUTH FLORIDA BUILDING CODE 1994 EDITION FOR MIAMI-DADE COUNTY.
2. WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.
3. PRODUCT ANCHORS SHALL BE AS LISTED AND SPACED AS SHOWN ON DETAILS. ANCHOR EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.
4. MIAMI-DADE APPROVED IMPACT RESISTANT SHUTTERS ARE REQUIRED FOR SIDELITES.
5. DESIGNED PRESSURE RATING SEE TABLE PAGE 1.
6. SIDELITES ARE AN OPTION AND CAN BE IN A SINGLE OR DOUBLE DOOR CONFIGURATION.

Door Leaf Construction:
Face sheets: 25 GA (0.018") minimum thickness, AKDQ
Galvanized steel A-525 commercial quality - AKDQ
per ASTM 620 with yield strength $F_y(\text{min.}) = 48,471 \text{ psi}$
Core design: Polyurethane foam core,
with 1.9 lbs. density by BASF.
Construction: Flush or embossed type. The vertical
edges of the skin, rolled formed to provide a
mechanical interlock with finger jointed pine stiles.
Wood composite end rails are butt jointed to styles
at corners. Panels are sandwich glazed using a two
piece PVC lite frame with mitered & welded corners.

TABLE OF CONTENTS	
SHEET #	DESCRIPTION
1	COMMON (GENERAL NOTES, TYPICAL ELEVATION)
2	VERTICAL CROSS SECTIONS & BILL OF MATERIALS
3	HORIZONTAL CROSS SECTIONS & DOOR MODELS
4	HORIZONTAL CROSS SECTIONS & GLAZING DETAILS
5	ANCHORING LOCATIONS
6	ANCHORING LOCATIONS

DESIGN PRESSURE RATING	
UNIT TYPE	WHERE WATER INFILTRATION REQUIREMENT IS NEEDED
SINGLE	+ 60.0 PSF - 60.0 PSF
DOUBLE	+ 48.0 PSF - 51.0 PSF
SINGLE OR DOUBLE WITH SLOTTES	+ 48.0 PSF - 51.0 PSF



ALL DOOR MODELS ARE VIEWED
FROM THE INTERIOR SIDE
(OUTSWING DOORS)


NOTE: SURFACE BOLTS ARE ON THE
INACTIVE DOOR PANELS ONLY

REVISIONS		
NO.	DATE	BY
1	4/11/00	JH
2	3/09/01	RW



**RW BUILDING
CONSULTANTS, INC.**
813.684.3831

DATE: 3/3/00
SCALE: N.T.S.
AWG. BY: TJH
CHK. BY: RW
DRAWING NO.: S-2003-0

THERMAID TRU®
108 MUTZFELD RD.
BUTLER, IN 46721
PH. (219) 868-5811




THERMA TRU® 108 MUTZFELD Rd. BUTLER, IN 46721 PH. (219) 868-5811		PRODUCT: THERMA TRU WOODGE OUTSWING UP TO 12'-0" x 8'-0" W/3'-0" SIDELITES PART OR ASSEMBLY: HORIZONTAL CROSS SECTIONS & DOOR MODELS		APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE DATE: 3/3/00 SCALE: N.T.S. DWG. BY: TJH CHK. BY: RW DRAWING NO.: S-2003-0 ACCEPTANCE NO.: 00-0207-05		SHEET 3 of 6	
NO. DATE REVISIONS		GENERAL REVISION RW 2 3/09/01 GENERAL REVISION TJH 1 4/11/00		DOOR PANEL MODELS FLUSH		BUILDING CONSULTANTS, INC. 813.684.3831	



NOTE:


1. SIDELITE IS DIRECT SET INTO JAMB WITH #10 x 2" PH.F.H. WOOD SCREWS AT 6" FROM EACH END AND A MAX. OF 12" O.C. ON VERTICAL LEG JAMBS ONLY.
2. SPACING OF SCREW ITEM #27 IS AS FOLLOWS FOR BOTH 6-8 AND 8-0 MODELS: FROM THE BOTTOM UP AND THE TOP DOWN SPACING IS 1", 3", 5", 7", 10" & 10".
3. SPACING OF SCREW ITEM #29 IS AS FOLLOWS FOR BOTH 6-8 AND 8-0 MODELS: FROM THE BOTTOM UP ON SIDES, 6.438" & (8-0) (7) MORE AT 9.893" & (6-8) (6) MORE AT 9.21" O.C. TOP & BOTTOM, 3.219" FROM THE END IN & (3) MORE AT 5.896" O.C.
4. SURFACE BOLT IS ON INACTIVE DOOR PANELS ONLY.

2 HORIZONTAL CROSS SECTION DOUBLE



GLAZING DETAIL SEE NOTE 3

THERMA TRU® 108 MUTZFELD RD. BUTLER, IN 46721 PH. (219) 868-5811		PRODUCT: THERMA TRU WOODEDGE OUTSWING UP TO 12-0 x 8-0 W/3-0 SIDELITES PART OR ASSEMBLY: HORIZONTAL CROSS SECTIONS & GLAZING DETAIL		REVISIONS <table border="1"> <thead> <tr> <th>NO</th> <th>DATE</th> <th>BY</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>3/09/01</td> <td>GENERAL REVISION RW</td> </tr> <tr> <td>1</td> <td>4/11/00</td> <td>GENERAL REVISION TJH</td> </tr> </tbody> </table>		NO	DATE	BY	2	3/09/01	GENERAL REVISION RW	1	4/11/00	GENERAL REVISION TJH
NO	DATE	BY												
2	3/09/01	GENERAL REVISION RW												
1	4/11/00	GENERAL REVISION TJH												
APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE DATE: 3/3/00 SCALE: N.T.S. DWG. BY: TJH CHK. BY: RW DRAWING NO.: S-2003-0 BUILDING CODE COMPLIANCE OFFICE ACCEPTANCE NO. 00-0207-05 SHEET 4 OF 6		BY: J. C. Leavelle PRODUCT CONTROL DIVISION BUILDING CODE COMPLIANCE OFFICE		DATE: 3/3/00 SCALE: N.T.S. DWG. BY: TJH CHK. BY: RW DRAWING NO.: S-2003-0 BUILDING CODE COMPLIANCE OFFICE ACCEPTANCE NO. 00-0207-05 SHEET 4 OF 6										



THERMA TRU®
 108 MUTZFELD RD.
 BUTLER, IN 46721
 PH. (219) 868-5811

PRODUCT:	
THERMA TRU WOODEDGE	
8-0 W/3-0 SIDELITES	
PART OR ASSEMBLY:	
ANCHORING LAYOUTS	
BY	TJH
DATE	4/11/00

REVISIONS	
NO.	DATE
1	4/11/00
2	3/09/01
GENERAL REVISION	
GENERAL REVISION	

DATE: 3/3/00	
SCALE: N.T.S.	
DWG. BY: TJH	
CHK. BY: RW	
DRAWING NO.: S-2003-0	
PRODUCT CONTROL DIVISION	
BUILDING CODE COMPLIANCE OFFICE	
ACCEPTANCE NO. 00-0207-05	
SHEET 5 OF 6	

APPROVED AS COMPLYING WITH THE SOUTH FLORIDA BUILDING CODE
 DATE: APRIL 05, 2001
 BY: [Signature]
 PRODUCT CONTROL DIVISION
 BUILDING CODE COMPLIANCE OFFICE
 ACCEPTANCE NO. 00-0207-05

108 MUTZFELD RD.
BUTLER, IN 46721
PH. (219) 868-5811



PRODUCT: THERMA TRU WOODEDGE
B-0 W/3-0 SIDELITES

ANCHORING LAYOUTS
PART OR ASSEMBLY:
OUTSWING UP TO 12-0 x
B-0 W/3-0 SIDELITES

NO.	DATE	REVISIONS
1	4/11/00	GENERAL REVISIONS
2	3/09/01	GENERAL REVISIONS
3		GENERAL REVISIONS
4		GENERAL REVISIONS
5		GENERAL REVISIONS
6		GENERAL REVISIONS
7		GENERAL REVISIONS
8		GENERAL REVISIONS
9		GENERAL REVISIONS
10		GENERAL REVISIONS
11		GENERAL REVISIONS
12		GENERAL REVISIONS
13		GENERAL REVISIONS
14		GENERAL REVISIONS
15		GENERAL REVISIONS
16		GENERAL REVISIONS
17		GENERAL REVISIONS
18		GENERAL REVISIONS
19		GENERAL REVISIONS
20		GENERAL REVISIONS
21		GENERAL REVISIONS
22		GENERAL REVISIONS
23		GENERAL REVISIONS
24		GENERAL REVISIONS
25		GENERAL REVISIONS
26		GENERAL REVISIONS
27		GENERAL REVISIONS
28		GENERAL REVISIONS
29		GENERAL REVISIONS
30		GENERAL REVISIONS
31		GENERAL REVISIONS
32		GENERAL REVISIONS
33		GENERAL REVISIONS
34		GENERAL REVISIONS
35		GENERAL REVISIONS
36		GENERAL REVISIONS
37		GENERAL REVISIONS
38		GENERAL REVISIONS
39		GENERAL REVISIONS
40		GENERAL REVISIONS
41		GENERAL REVISIONS
42		GENERAL REVISIONS
43		GENERAL REVISIONS
44		GENERAL REVISIONS
45		GENERAL REVISIONS
46		GENERAL REVISIONS
47		GENERAL REVISIONS
48		GENERAL REVISIONS
49		GENERAL REVISIONS
50		GENERAL REVISIONS
51		GENERAL REVISIONS
52		GENERAL REVISIONS
53		GENERAL REVISIONS
54		GENERAL REVISIONS
55		GENERAL REVISIONS
56		GENERAL REVISIONS
57		GENERAL REVISIONS
58		GENERAL REVISIONS
59		GENERAL REVISIONS
60		GENERAL REVISIONS
61		GENERAL REVISIONS
62		GENERAL REVISIONS
63		GENERAL REVISIONS
64		GENERAL REVISIONS
65		GENERAL REVISIONS
66		GENERAL REVISIONS
67		GENERAL REVISIONS
68		GENERAL REVISIONS
69		GENERAL REVISIONS
70		GENERAL REVISIONS
71		GENERAL REVISIONS
72		GENERAL REVISIONS
73		GENERAL REVISIONS
74		GENERAL REVISIONS
75		GENERAL REVISIONS
76		GENERAL REVISIONS
77		GENERAL REVISIONS
78		GENERAL REVISIONS
79		GENERAL REVISIONS
80		GENERAL REVISIONS
81		GENERAL REVISIONS
82		GENERAL REVISIONS
83		GENERAL REVISIONS
84		GENERAL REVISIONS
85		GENERAL REVISIONS
86		GENERAL REVISIONS
87		GENERAL REVISIONS
88		GENERAL REVISIONS
89		GENERAL REVISIONS
90		GENERAL REVISIONS
91		GENERAL REVISIONS
92		GENERAL REVISIONS
93		GENERAL REVISIONS
94		GENERAL REVISIONS
95		GENERAL REVISIONS
96		GENERAL REVISIONS
97		GENERAL REVISIONS
98		GENERAL REVISIONS
99		GENERAL REVISIONS
100		GENERAL REVISIONS


DATE: 3/2/00
SCALE: N.T.S.
DWG. BY: T.J.H.
CHK. BY: RW
DRAWING NO.: S-2003-0
SHEET 6 OF 6

APPROVED AS COMPLYING WITH THE
SOUTH FLORIDA BUILDING CODE
DATE: APRIL 05, 2001
BY: [Signature]
PRODUCT CONTROL DIVISION
BUILDING CODE COMPLIANCE OFFICE
ACCEPTANCE NO. 00-0207-05




DETAIL "E"
ATTACH ASTRAGAL THROW BOLT
STRIKE PLATE TO FRAME
AS SHOWN.

- NOTES: APPLICABLE TO ALL FRAMES
1. HEAD JAMBS ARE JOINED TO THE SIDE JAMBS WITH (3) 16GA. .5" CROWN x 2" LG. STAPLES EACH END.
 2. THE THRESHOLDS ARE JOINED TO THE SIDE JAMBS WITH (2) 16GA. .5" CROWN x 2" LG. STAPLES EACH END.
 3. SIDE JAMBS W/(3) 16GA. .5" CROWN x 2" LG. STAPLES.



DETAIL "D"
HINGE DETAIL



DETAIL "F"

ALL FRAMES ARE VIEWED FROM EXTERIOR SIDE
DOOR PANELS NOT SHOWN FOR
CLARITY OF ANCHORING LOCATIONS

SEE NOTE #2, TYP.
TO ALL THRESHOLDS

SEE DETAIL "D"

SEE DETAIL "E"

SEE NOTE #1, TYP.
TO ALL HEADERS

SEE DETAIL "F"

SEE NOTE #3,
THIS SHEET

**Columbia County Building Department
Culvert Permit**

**Culvert Permit No.
000000343**

DATE 06/28/2004 PARCEL ID # 03-6S-16-03767-123
APPLICANT SAMMY KEEN PHONE 961-1725
ADDRESS 764 SW RIVERSIDE AV FORT WHITE FL 32038
OWNER SONI FINE PHONE _____
ADDRESS 125 SW HEALAN CT FORT WHITE FL 32038
CONTRACTOR SAMMY KEEN PHONE _____
LOCATION OF PROPERTY 47 S, L INTO SEDGEFIELD S/D TO END GO R HEALAN CT
1ST LOT ON LEFT

SUBDIVISION/LOT/BLOCK/PHASE/UNIT SEDFIELD 23 1

SIGNATURE _____

INSTALLATION REQUIREMENTS



Culvert size will be 18 inches in diameter with a total length of 32 feet, leaving 24 feet of driving surface. Both ends will be mitered 4 foot with a 4 : 1 slope and poured with a 4 inch thick reinforced concrete slab.

INSTALLATION NOTE: Turnouts will be required as follows:

- a) a majority of the current and existing driveway turnouts are paved, or;
- b) the driveway to be served will be paved or formed with concrete.

Turnouts shall be concrete or paved a minimum of 12 feet wide or the width of the concrete or paved driveway, whichever is greater. The width shall conform to the current and existing paved or concreted turnouts.



Culvert installation shall conform to the approved site plan standards.



Department of Transportation Permit installation approved standards.



Other _____

**ALL PROPER SAFETY REQUIREMENTS SHOULD BE FOLLOWED
DURING THE INSTALLATION OF THE CULVERT.**

135 NE Hernando Ave., Suite B-21
Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160

Amount Paid 25.00



Notice of Treatment

Applicator Florida Pest Control & Chemical Co. 10954

Address BAYVIEW

City LOKE CITY

Phone 752 1703

Site Location

Subdivision Sedgefield EST

Lot# 23

Block#

Permit# 22020

Address 125 NW HEALEAN CT

AREAS TREATED

Area Treated	Date	Time	Gal.	Print Technician's Name
Main Body	<u>7/21/04</u>	<u>1145</u>	<u>583</u>	<u>Gunny F254</u>
Patio/s #				
Stoop/s #				
Porch/s #				
Brick Veneer				
Extension Walls				
A/C Pad				
Walk/s #				
Exterior of Foundation				
Driveway Apron				
Out Building				
Tub Trap/s				
(Other)				

Name of Product Applied DIMSBAN TC 005 %

Remarks

CERTIFICATE OF OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 03-6S-16-03767-123

Building permit No. 000022020

Use Classification SFD, UTILITY

Fire: 28.35

Permit Holder SAMMY KEEN

Waste: 61.25

Owner of Building SONI FINE

Total: 89.60

Location: 125 SW HEALAN COURT (SEDGEFIELD, LOT 23)

Date: 04/13/2005

Harry Dickson

Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)

