we also

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ www.floridabuilding.org


Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
1. EXTERIOR DOORS	Plastplo	Single	15213,9
A. SWINGING		Single	15213.12
B. SLIDING			
C. SECTIONAL/ROLL UP			
D. OTHER			
2. WINDOWS	Α		
A. SINGLE/DOUBLE HUNG	Ply Grem	Single hung 3°5°	FL 14911
B. HORIZONTAL SLIDER		0	
C. CASEMENT			
D. FIXED			
E. MULLION			
F. SKYLIGHTS			
G. OTHER			-
3. PANEL WALL		LAD	FI 13192.2
A. SIDING	HARdi	LAP HX8 PANEL IX6 Tag Pine	FI 13192.2 13223.3
B. SOFFITS		IX6 Tag Pine	
C. STOREFRONTS			
D. GLASS BLOCK			
E. OTHER			
4. ROOFING PRODUCTS			
A. ASPHALT SHINGLES	GAF	alchitect Shingle	FI 31588-RS
B. NON-STRUCT METAL		The street	11 2000 10
C. ROOFING TILES			
D. SINGLE PLY ROOF			
E. OTHER			
5. STRUCT COMPONENTS	Simpson Strong Tie,		
A. WOOD CONNECTORS	7111	911	
B. WOOD ANCHORS		See ATTACHED	PAGE
C. TRUSS PLATES		The tell	
D. INSULATION FORMS			1
E. LINTELS			
F. OTHERS			
6. NEW EXTERIOR			
ENVELOPE PRODUCTS			

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements.

Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.

GBC Clip F1 10447 SDWC 15600 F1 13975 SPH 4-6 Steap F1 10456 H2.5A Clip F1 10456

15 . . . P



ests or exceeds CEC & IECC Air Infiltration Requirements of 8.3 CFM/sq.ft. r lower. HDMA Hallmark Certification Program