DATE 07/18/2008		umbia County Building Permit ust Be Prominently Posted on Premises During Construction				
APPLICANT CAROLY	'N PARLATO	PHONE	963-1373	000027184		
ADDRESS 7161	152ND ST	WELLBORN		FL 32094		
	L REYES	PHONE	352 538-0809			
ADDRESS 295	SW GIDEON PLACE	FT. WHITE		FL 32038		
V	CHAEL PARLATO	PHONE	963-1373			
LOCATION OF PROPER	47S, TL ON SR 27, TR ON FRY R	D, TL ON GIDEON,				
	2ND ON LEFT					
TYPE DEVELOPMENT	MH,UTILITY EST	IMATED COST OF CON	STRUCTION	0.00		
HEATED FLOOR AREA	TOTAL AREA	A	HEIGHT	STORIES		
FOUNDATION	WALLS RO	OOF PITCH	FLOO	OR		
LAND USE & ZONING	<u>A-3</u>	MAX.	HEIGHT			
Minimum Set Back Requi	rments: STREET-FRONT 30.00	REAR 2	25.00 S	SIDE 25.00		
NO. EX.D.U. 0	FLOOD ZONE X	DEVELOPMENT PERM	IT NO.			
PARCEL ID 15-7S-16	-04226-118 SUBDIVISION	SHILOH RIDGE				
LOT 18 BLOCK	PHASEUNIT	тота	ACRES 10.00	2		
	IH0000336	1 a D	3	dedist.		
Culvert Permit No.	Culvert Waiver Contractor's License Number	ber A	pplicant/Owner/Co	ontractor		
EXISTING	08-396 BK	JH		<u>Y</u>		
Driveway Connection	Septic Tank Number LU & Zoning	g checked by Appro	oved for Issuance	New Resident		
	OT A DOME THE DOAD					
COMMENTS: ONE FO	OT ABOVE THE ROAD					
COMMENTS: ONE FO	OT ABOVE THE ROAD					
COMMENTS: ONE FO	OT ABOVE THE ROAD		Check # or Cas	h 8199		
COMMENTS: ONE FO	FOR BUILDING & ZONIN			sh 8199 (footer/Slab)		
COMMENTS: ONE FO	FOR BUILDING & ZONING Foundation	G DEPARTMENT (ONLY	(footer/Slab)		
Temporary Power	FOR BUILDING & ZONING Foundation date/app. by	G DEPARTMENT (Monolithic	(footer/Slab) date/app. by		
	FOR BUILDING & ZONING Foundation date/app. by bing Slab	G DEPARTMENT (Monolithic	(footer/Slab) date/app. by ailing		
Temporary Power Under slab rough-in plum	FOR BUILDING & ZONING Foundation date/app. by bing Slab date/app. by	date/app. by	MonolithicSheathing/Na	(footer/Slab) date/app. by		
Temporary Power Under slab rough-in plum Framing	FOR BUILDING & ZONING Foundation date/app. by bing Slab date/app. by	G DEPARTMENT (MonolithicSheathing/Na	(footer/Slab) date/app. by ailing		
Temporary Power Under slab rough-in plum Framing	FOR BUILDING & ZONING Foundation date/app. by bing Slab date/app. by Rough-in plumbing about the state of	date/app. by date/app. by ove slab and below wood	MonolithicSheathing/Na	date/app. by ailingdate/app. by date/app. by		
Temporary Power Under slab rough-in plum Framing date/a Electrical rough-in	FOR BUILDING & ZONING Foundation date/app. by bing Slab date/app. by Rough-in plumbing about ppp. by Heat & Air Duct	date/app. by date/app. by ove slab and below wood	Monolithic Sheathing/Na floor eri. beam (Lintel)	date/app. by ailing date/app. by date/app. by		
Temporary Power Under slab rough-in plum Framing date/a Electrical rough-in Permanent power	FOR BUILDING & ZONING Foundation date/app. by bing Slab date/app. by Rough-in plumbing about pp. by Heat & Air Duct date/app. by C.O. Final	date/app. by date/app. by ove slab and below wood	Monolithic Sheathing/Na floor eri. beam (Lintel) Culvert	date/app. by ailingdate/app. by date/app. by		
Temporary Power Under slab rough-in plum Framing	FOR BUILDING & ZONING Foundation date/app. by bing Slab date/app. by Rough-in plumbing about pp. by Heat & Air Duct date/app. by C.O. Final	date/app. by date/app. by ove slab and below wood by date/app. by date/app. by	Monolithic Sheathing/Na floor eri. beam (Lintel)	date/app. by ailing date/app. by date/app. by date/app. by date/app. by date/app. by		
Temporary Power Under slab rough-in plum Framing date/a Electrical rough-in Permanent power M/H tie downs, blocking,	FOR BUILDING & ZONING Foundation date/app. by bing Slab Adate/app. by Rough-in plumbing about pp. by Heat & Air Duct Adate/app. by C.O. Final Adate/app. by electricity and plumbing Pump pole	date/app. by date/app. by ove slab and below wood ate/app. by date/app. by date/app. by Utility Pole	Monolithic Sheathing/Na floor eri. beam (Lintel) Culvert	date/app. by		
Temporary Power Under slab rough-in plum Framing date/a Electrical rough-in Permanent power d M/H tie downs, blocking, Reconnection M/H Pole	FOR BUILDING & ZONING Foundation date/app. by bing Slab Adate/app. by Rough-in plumbing about Adate/app. by Heat & Air Duct Adate/app. by C.O. Final Adate/app. by date/app. by Pump pole date/app. by Travel Trailer	date/app. by date/app. by ove slab and below wood power slab and bel	Monolithic Sheathing/Na floor eri. beam (Lintel) Culvert Pool date/app. by Re-roof	date/app. by		
Temporary Power Under slab rough-in plum Framing date/a Electrical rough-in Permanent power d M/H tie downs, blocking, Reconnection	FOR BUILDING & ZONING Foundation date/app. by bing Slab Adate/app. by Rough-in plumbing about Adate/app. by Heat & Air Duct Adate/app. by C.O. Final Adate/app. by date/app. by Pump pole date/app. by Travel Trailer	date/app. by date/app. by ove slab and below wood ate/app. by date/app. by date/app. by Utility Pole	Monolithic Sheathing/Na floor eri. beam (Lintel) Culvert Pool date/app. by Re-roof	date/app. by		
Temporary Power Under slab rough-in plum Framing date/a Electrical rough-in Permanent power d M/H tie downs, blocking, Reconnection M/H Pole	FOR BUILDING & ZONING Foundation date/app. by bing Slab Adate/app. by Rough-in plumbing about Adate/app. by Heat & Air Duct Adate/app. by C.O. Final Adate/app. by electricity and plumbing date/app. by Travel Trailer date/app. date/app.	date/app. by date/app. by ove slab and below wood by date/app. by date/app. by utility Pole app. by tte/app. by	Monolithic Sheathing/Na floor eri. beam (Lintel) Culvert Pool date/app. by Re-roof	(footer/Slab) date/app. by ailing date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by		
Temporary Power Under slab rough-in plum Framing date/a Electrical rough-in Permanent power d M/H tie downs, blocking, Reconnection M/H Pole date/app. by	FOR BUILDING & ZONING Foundation date/app. by bing Slab Adate/app. by Rough-in plumbing about Adate/app. by C.O. Final Adate/app. by date/app. by clectricity and plumbing date/app. by Travel Trailer date/app. by CERTIFICATION FEE	date/app. by date/app. by ove slab and below wood by date/app. by date/app. by Utility Pole app. by te/app. by	Monolithic Sheathing/Na floor eri. beam (Lintel) Culvert Pool date/app. by Re-roof SURCHARGE F	date/app. by		
Temporary Power Under slab rough-in plum Framing date/a Electrical rough-in Permanent power M/H tie downs, blocking, Reconnection M/H Pole date/app. by BUILDING PERMIT FEE	FOR BUILDING & ZONING Foundation date/app. by bing Slab date/app. by Rough-in plumbing about pp. by Heat & Air Duct date/app. by C.O. Final date/app. by electricity and plumbing Travel Trailer date/app. by C.S. 0.00 CERTIFICATION FEE DO ZONING CERT. FEE \$ 50.00	date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by Utility Pole app. by ste/app. by FIRE FEE \$ 36.63	Monolithic Sheathing/Na floor eri. beam (Lintel) Culvert Pool date/app. by Re-roof SURCHARGE F	(footer/Slab) date/app. by ailing		

PERMIT

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.


EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED TO BE IN ACTIVE PROGESS WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

1 4/1/108
For Office Use Only (Revised 1-10-08) Zoning Official Off
AP# 0602-01 Date Received 6-2-08 By LH Permit # 27/84
Flood Zone Development Permit Zoning Zand Use Plan Map Category Zoning Zoning
Comments
FEMA Map# Elevation Finished Floor River In Floodway
Site Plan with Setbacks Shown EH# 08 -0390-N = EH Release Well letter = Existing well
Recorded Deed or Affidavit from land owner 🗆 Letter of Auth. from installer
□ Parent Parcel # □ STUP-MH □ F W Comp. letter
IMPACT FEES: EMS 29.88 Fire 78.63 Corr 442.89 Road/Code 1046 / 210
School 1500.00 = TOTAL 3097.40
* Pre-Inspection needed Lot, 18
Property ID # 15-75-16-04226-118 Subdivision 5/10h Ridge (unrecorde
New Mobile Home Used Mobile Home MH Size 25 X36 Year 1982
- Applicant assign A. Harlato Phone # 963-1373
· Address 1161 152rd Street Wellbom, FI 32094
Name of Property Owner Michael R. Ruges Phone# 352-538-0809
= (911 Address 295 SW Gideon PL Ft. White, FL 32038
Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy
Name of Owner of Mobile Home Charles R. Reues Phone #352-538-0809
Relationship to Property Owner Same
Current Number of Dwellings on Property
Lot Size 327 X 1338 Total Acreage 10 occs+-
Do you : Have Existing Drive or Private Drive or need Culvert Permit (Currently using) (Blue Road Sign) Or Culvert Waiver (Circle one) (Not existing but do not need a Culvert)
■ Is this Mobile Home Replacing an Existing Mobile Home № (UWes)
Driving Directions to the Property 47 South to F1-1 Directions to the Property
Turns (D) co to Fry Rd. VR) co to Giden place
Turne (Second on the Tax)
Name of Licensed Dealer/Installer Michael J. Raplato Phone # 386-963-1373
Installers Address 716152nd 54. Wellbonu, FI 30094
License Number <u>TH0000334</u> Installation Decal # <u>297792</u>
18H messace
* * *

	marriage wall pers within 2' of end of home per Rule 15C			Typical pier spacing 2' Show locations of Longitudinal and Lateral Systems longitudinal (use dark lines to show these locations)	I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in. Installer's initials	NOTE: if home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home	Manufacturer Fleetwood Length x width 28x36	Address of home being installed	Installer Pricing 15. tokohomense # IH0000336
Opening Longitudinal Manufacturer Longitudinal Manufacturer	Other pier pad (required by the control of the cont	I-beam pier pa	3000 psf 3500 psf * interpolated from	bearing size capacity (sq in) 1000 psf 1500 psf 2500 psf	Load Footer	Triple/Quad	Single wide Double wide	Home is insta	Home installe



PIER SPACING TABLE FOR USED HOMES

*	1	1		1	1	1	_
interpola	3500	3000	2500	2000	1500	1000	Load bearing capacity
ted from I	psf	psf	psf	psf	psf) psf	Footer size (sq in)
Rule 15C-1	ထ္	æ	7' 6"	ගු	4' 6"	ယ္	16" x 16" (256)
nterpolated from Rule 15C-1 pier spacing table.	œ	œ	ထ္	8 <u>.</u>	ගු	4'	18 1/2" x 18 1/2" (342)
	œ	8'	œ	œ	7'	5į	20" × 20" (400)
	œ	82	œ	<u>ω</u>	œ	<u>ත</u>	22" x 22" (484)*
	œ	ω_	æ	œ	œ	7"	24" X 24" (576)*
	ی	ω	ထ္	ο ο	ည့	οō	26" × 26" (676)

POPULAR PAD SIZES

Pad Size

ld sizes the mfg.) ad size pad size PIER PAD SIZES

the approximate locations of marriage penings 4 foot or greater. Use this of to show the piers.

20 x 20 7 3/16 x 25 3/16 13 1/4 × 26 1/4

18.5 x 18.5 16 x 22.5

17 1/2 × 25 1/2

676

ANCHORS

ge wall openings greater than 4 foot pad sizes below.

Pier pad size

TIEDOWN COMPONENTS

Stabilizing Device (LSD) Stabilizing Device w/ Lateral Arms ateral Arms Marriage wall
Shearwall

4 ft FRAME TIES 5 ft

within 2' of end of home spaced at 5' 4" oc

OTHER TIES

POCKET PENETROMETER TEST

or check here to declare 1000 lb. soil The pocket penetrometer tests are rounded down to without testing SBS

× Selection

Xogo

Floor

Roof Walls

POCKET PENETROMETER TESTING METHOD

- Test the perimeter of the home at 6 locations
- Take the reading at the depth of the footer
- 3. Using 500 lb. increments, take the lowest reading and round down to that increment

Sele X

x Jago

× gage

showing 275 inch pounds or less will require 4 foot anchors. The results of the torque probe test is here if you are declaring 5' anchors without testing S inch pounds or check A test

TORQUE PROBE TEST

Note: A state approved lateral arm system is being used and 4 ft. anchors are required at all centerline tie points where the torque test anchors are allowed at the sidewall locations. I understand 5 ft requires anchors with 4000 to holding capacity reading is 275 or less and where the mobile home manufacturer may Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Date Tested

Spee

Electrical

source Connect electrical conductors between multi-wide units, but not to the mi This includes the bonding wire between mult-wide units. Pg

Connect all sewer drains to an existing sewer tap or septic tank. Pg

independent water supply systems. Pg Connect all potable water supply piping to an existing water meter, water tap, or other

Plumbing

Site Preparation

Water drainage: Natural 2 Debris and organic material removed Swale

Pad

Other

Fastening multi wide units

Type Fastener Length: 3k x Spacing: 20.

Type Fastener Length: 3 Spacing: 2 Type Fastener Length: Spacing: 20.

Type Fastener Length: Spacing: 20.

For used homes a min 30 gauge, 8 wide, galvanized metal strip

roofing nails at 2" on center on both sides of the centerline

will be centered over the peak of the roof and fastened with galv

Gasket (weatherproofing requirement)

of tape will not serve as a gasket a result of a poorly installed or no gasket being installed. I understand a strip homes and that condensation, mold, meldew and buckled marriage walls are understand a properly installed gasket is a requirement of all new and used

Pg. CVP Installer's initials

Installed

Bottom of ridgebeam Yes Between Floors Yes Between Walls Yes

Weatherproofing

Fireplace chimney installed so as not to allow intrusion of rain water. Yes The bottomboard will be repaired and/or taped. Yes PSiding on units is installed to manufacturer's specifications. Yes

Miscellaneous

Dryer vent installed outside of skirting. Yes Range downflow vent installed outside of skirting. Electrical crossovers protected. Skirting to be installed. Yes Other Drain lines supported at 4 foot intervals. Yes Z_o Yes Z

Installer verifies all information given with this permit worksheet is accurate and true based on the

Installer Signature_

Date 6-2

Documentary Stamp, Intangible Tax P. Dewitt Cason

Clark of Court This document prepared by and to be returned to:

Gary D. Grunder

Gary D. Grunder Attorney at Law, P. A. P. O. Box 727

97-17939

High Springs, Florida, 32655

MECONDS OF CULUMBIA COURT !!

CLUVATANO INF

1997 DEC 10 AM NO: 09

CLERK OF COURTS DC

Grantee's Tax Identification Number: Michael R. Reyes /

WARRANTY DEED (STATUTORY FORM - SECTION 689.02, F.S.)

THIS INDENTURE made December 5, 1997.

BETWEEN Julio E. Reyes, whose post office address is RR 1, box 2440, Ft. White, Florida, 32038, herein called Grantor, and

Michael R. Reyes, whose post office address is RR 1 Box 2440, Ft. White, Florida, 32038, herein called Grantee.

Witnesseth that said grantor, for and in consideration of the sum of TEN AND NO/100 (\$10.00) Dollars, and other good and valuable considerations to said grantor in hand paid by said grantee, the receipt whereof is hereby acknowledged, has granted, bargained and sold to the said grantee, and grantee's heirs and assigns forever, the following described land, situate, lying and being in the county(ies) of state of Florida, to wit;

Parcel No./18

Commence at the Southwest corner of Section 14, Township 7 South, Range 16 East, Columbia County, Florida and run thence North 89 deg. 04 min. 40 sec. East along the South line of said Section 14, 12.01 feet, thence North 00 deg. 50 min. 20 sec. West, 666.83 feet to the Point of Beginning, thence continue North 00 deg. 50 min. 20 sec. West, 1338.40 feet, thence South 89 deg. 04 min. 44 sec. West, 327.48 feet, thence South 00 deg. 50 min. 30 sec. East, 1338.40 feet, thence North 89 deg. 04 min. 44 sec. East, 327.42 feet to the Point of Beginning. The South 30 feet of said lands being subject to an easement for ingress and egress. Containing 10.06 acres more of less. more or less.

Parcel No. 19.

Commence at the Southeast corner of Section 15, Township 7 South, Range 16 East, Columbia County, Florida and run thence South 89 deg. 07 min. 44 sec. West along the South line of said Section 15, 642.77 feet, thence North 00 deg. 50 min. 39 sec. West, 666.27 feet to the Point of Beginning, thence continue North 00 deg. 50 min. 39 sec. West, 1338.40 feet, thence North 89 deg. 04 min. 44 sec. East, 327.49 feet, thence South 00 deg. 50 min. 30 sec. East. 1338.40 feet, thence South 89 sec.. 04 min. 44 sec. West, 327.43 feet to the Point of Beginning. The South 30 feet of said lands being subject to an easement for ingress and egress. Containing 10.06 acres. more or less.

Existing

TOGETHER WITH AN EASEMENT FOR INGRESS AND EGRESS DESCRIBED AS FOLLOWS: BK 0850 PG0174

Easement A:

OFFICIAL RECORDS

A strip of land 60 feet in width being 30 feet each side of a centerline described at follows:
Commence at the Southeast corner of the Southwest 1/4, Section 14, Township 7 South, Range 16 East Columbia County, Florida and run thence North 00 deg. 50 min. 04 sec. West along the East line of said Southwest 1/4, 666.66 feet, thence South 89 deg. 04 min. 44 sec. West, 620.60 feet to the radius point of a cul-de-sac having a radius of 50 feet and to the Point of Beginning, thence continue South 89 deg. 04 min. 44 sec. West along said centerline, 3320.28 feet to the East maintained right-of-way line of Fry Road and to the Point of Termination.

Easement B:

A strip of land 60 feet in width being 30 feet each side of a centerline described as follows: Commence at the Southeast corner of the Southwest 1/4, Section 14, Township 7 South, Range 16 East Columbia County. Florida and run thence North 00 deg. 50 min. 04 sec. West along the East line of said Southwest 1/4, 666.66 feet, thence South 89 deg. 04 min. 44 sec. West, 1321.20 feet to the East line of the West 1/2 of said Southwest 1/4 and to the Point of Beginning, thence continue North 00 deg. 50 min. 20 sec. West along said centerline along said East line of West 1/2 of Southwest 1/4, 1986.71 feet to the Northeast corner of the Northwest 1/4 of said Southwest

Warranty Deed from Julio E. Reyes to Michael R. Reyes Page 2

BK 0850 PE0175

(10A/200 126 412)

OFFICIAL RECORDS

1/4, thence North 00 deg. 50 min. 22 sec. West, along the East line of the Southwest 1/4 of Northwest 1/4 of said Section 14, 14.50 feet to the South maintained right-of-way line of Shiloh Road and to the Point of Termination.

N.B. Subject to that mortgage from Julio E. Reyes to The Shiloh Ridge Company dated August 27, 1996 recorded September 3, 1996 in O.R. Book 0827, Page 1119, Public Records of Columbia County, Florida, which mortgage the Grantee assumes and agrees to pay.

The property described herein is not the homestead property of the Grantor.

The legal description contained herein was provided by the Grantor. The preparer has not made a search of the public records and makes no opinion as to the marketability of title.

AND SAID GRANTOR does hereby fully warrant the title to said land, and will defend the same against the lawful claims of all persons whomsoever.

Grantor and grantee are used for singular or plural, as context requires.

In Witness Whereof, grantor has hereunto set grantor's hand and seal the day and year first above written.

JULIA H. WOOD

LYNCH WELL DRILLING, INC.

RT. 6 BOX 464 LAKE CITY, FL 32025 PHONE (386) 752-6677 FAX (386) 752-1477

RESIDENTIAL WATER WELL BUILDING PERMIT INFORMATION

Building Permit #	Owners Name
Well Depth 180 Ft. Casing D	epth 130 Ft. Water Level 120 Ft.
Casing Size 4 PVC	Steel_ X
Pump Installation: Submersible_X	Deep Well Jet Shallow Well
Pump Make Aermotor Pump N	Model # \$20-100 Hp 1
System Pressure (PSI)(PSI)	On 30 Off 50 Avg. Pressure
Pumping System GPM at average pre	essure and pumping level 20 (GPM)
Tank Installation: Precharged (Balde	der) X Atmospheric (Galvanized)
Make Challenger Model	PC 244 Size 81 Gallon
Tank Draw-down per cycle at system	pressure 25.1 Gallons
I HEREBY CERTIFY THAT THIS V INSTALLED AS PER ABOVE INFO	water well system has been prmation.
Funch Will Driller	g Lynch Well Drilling, Inc.
Signature (Print Name
1274 or 2609	E.
License Number	Date

Columbia County Property Appraiser DB Last Updated: 4/15/2008

2008 Proposed Values

Property Card Tax Record

Interactive GIS Map


Search Result: 1 of 1

Parcel: 15-7S-16-04226-118

Owner & Property Info

Owner's Name	REYES MICHAEL R					
Site Address	SHILOH RIDGI	SHILOH RIDGE S/D UNR				
Mailing Address		6728 NW 41 PL GAINESVILLE, FL 32606				
Use Desc. (code)	IMPROVED A (005000)					
Neighborhood	15716.01	Tax District	3			
UD Codes	MKTA02	Market Area	02			
Total Land Area	20.120 ACRES					
Description	COMM SW COR OF SEC 14, RUN E 12.01 FT, N 666.83 FT FOR POB, CONT N 1338.40 FT, W 654.97 FT, S 1338.40 FT, E 654.85 FT TO POB. (AKA LOTS 18 & 19 SHILOH RIDGE S/D UNREC) ORB 827-1117, 850-174,					

GIS Aerial



Property & Assessment Values

Mkt Land Value	cnt: (2)	\$14,339.00
Ag Land Value	cnt: (1)	\$4,244.00
Building Value	cnt: (1)	\$27,405.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$45,988.00

Just Value	\$139,256.00		
Class Value	\$45,988.00		
Assessed Value	\$45,988.00		
Exempt Value	\$0.00		
Total Taxable Value	\$45,988.00		

Sales History

Sale Date	Book/Page	Inst. Type	Sale Vimp	Sale Qual	Sale RCode	Sale Price
12/5/1997	850/174	WD	V	U	01	\$30,000.00
9/1/1996	827/1117	WD	V	U	35	\$75,000.00

Building Characteristics


Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
1	SFR MANUF (000200)	1999	Vinyl Side (31)	924	924	\$27,405.00
	Note: All S.F. calculations are based on exterior building dimensions.					

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
				NONE		

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000200	MBL HM (MKT)	1.000 AC	1.00/1.00/1.00/1.00	\$12,339.60	\$12,339.00
005500	TIMBER 2 (AG)	19.120 AC	1.00/1.00/1.00/1.00	\$222.00	\$4,244.00
009910	MKT.VAL.AG (MKT)	19.120 AC	1.00/1.00/1.00/1.00	\$0.00	\$97,512.00



This information, GIS Map Updated: 4/15/2008, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32036-1787 PHONE: (386) 758-1125 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfle.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED:

6/2/2008

DATE ISSUED:

6/4/2008

ENHANCED 9-1-1 ADDRESS:

295

SW GIDEON

PL

FORT WHITE

FL 32038

PROPERTY APPRAISER PARCEL NUMBER:

15-7S-16-04226-118

Remarks:

LOT 18 SHILOH RIDGE S/D UNREC

Address Issued By:

Colombia County 9-1-1 Addressing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.

1213

App.# oleda-d

Reyes 15-75-16-04226-11 Application for Onsite Sewage Disposal System Construction Permit. Part II Site Plan Permit Application Number:

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT

