


SECTION 30, TOWNSHIP 3 SOUTH, RANGE 17 EAST  
LAKE CITY, COLUMBIA COUNTY, FLORIDA



PROJECT SITE

LOCATION MAP  
NOT TO SCALE

## NOTES

1. SITE PARCEL: 30-35-17-05842-002
2. FUTURE LAND USE: COMMERCIAL
3. ZONING: CI: COMMERCIAL INTENSIVE
4. SITE ADDRESS: 1143 LAKE JEFFERY ROAD, LAKE CITY, FL 32055

OWNER:

CITADEL I HOLDING CO., LLC  
726 SOMERSET LANDING LN.  
LEAGUE CITY, TX 77573  
CONTACT: CHUCK STRINGHAM  
413.388.5480  
info@lakecityselfstorage.com

CIVIL ENGINEER:

CAROL CHADWICK, P.E.  
1208 S.W. FAIRFAX GLEN  
LAKE CITY, FL 32025  
307.680.1772  
ccpewyo@gmail.com

SURVEYOR:

BRITT SURVEY & MAPPING, INC.  
2086 S.W. MAIN BLVD., STE. 112  
LAKE CITY, FL 32025  
386.752.7163

## SHEET INDEX


- |   |                         |
|---|-------------------------|
| 1 | COVER SHEET             |
| 2 | NOTES, LEGEND & DETAILS |
| 3 | SITE PLAN               |
| 4 | GRADING & BASIN PLAN    |



Digitally signed by  
Carol Chadwick  
DN: c=US,  
o=Florida,  
dnQualifier=A0141  
0D0000017EB6D92  
4CE0005954C,  
cn=Carol Chadwick  
Date: 2022.03.10  
11:26:35 -05'00'

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

ENGINEER OF RECORD: CAROL CHADWICK, P.E.  
P.E. NO.: 82560


[illegible]

PREPARED FOR  
CITADELLI HOLDING CO., LLC  
726 SOMERSET LANDING LN.  
LEAGUE CITY, TX 77573  
CONTACT: CHUCK STRINGHAM  
413.388.5480  
info@lakecityselfstorage.com

LAKE CITY SELF STORAGE PHASE 2

COVER SHEET

|               |               |
|---------------|---------------|
| PROJECT NO.   | FL21227       |
| DATE          | MAR. 10, 2022 |
| REVISION DATE |               |
| SHEET         | 1             |
| SHEETS        | 4             |



## ENGINEER'S NOTES

1. CONTRACTOR SHALL VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS AT THE JOB SITE PRIOR TO CONSTRUCTION TO ENSURE THAT ALL WORK WILL FIT IN THE MANNER INTENDED ON THE PLANS. SHOULD ANY CONDITIONS EXIST THAT ARE CONTRARY TO THOSE SHOWN ON THE PLANS, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF SAID DIFFERENCES IMMEDIATELY AND PRIOR TO PROCEEDING WITH THE WORK.
2. ALL DISTURBED AREAS SHALL BE SEEDED WITH A MIXTURE OF LONG-TERM VEGETATION AND SHORT-TERM VEGETATION. THE LONG-TERM VEGETATION SHALL BE APPLIED AT A MINIMUM RATE OF 70 POUNDS PER ACRE. THE SHORT-TERM VEGETATION SHALL BE APPLIED AT A MINIMUM RATE OF 20 POUNDS PER ACRE AND SHALL CONSIST OF WINTER RYE FROM SEPTEMBER THROUGH MARCH OR MILLET FROM APRIL THROUGH AUGUST.
3. THE PERMITTEE/CONTRACTOR SHALL INSTITUTE NECESSARY MEASURES DURING CONSTRUCTION TO MINIMIZE EROSION, TURBIDITY, NUTRIENT LOADING, AND SEDIMENTATION TO ADJACENT LANDS AND IN THE RECEIVING WATER.
4. ALL GRADES MAY BE ADJUSTED IN THE FIELD A MAXIMUM OF SIX (6) INCHES AS LONG AS THE FLOW OF WATER IS NOT CHANGED.
5. WHERE DITCH MUST BE DEEPER THAN NORMAL TO ACCOMMODATE A PIPE, THE TRANSITION FROM NORMAL DITCH GRADE TO PIPE FLOW LINE SHALL BE A MINIMUM LENGTH OF 100 FEET.
6. THE CONTRACTOR SHALL ADHERE TO THE EROSION AND SEDIMENTATION CONTROL PLAN PRIOR TO THE COMMENCEMENT OF ANY CONSTRUCTION UNTIL THE AS-BUILTS ARE COMPLETED.
7. QUANTITIES ARE ESTIMATES ONLY. CONTRACTOR SHALL VERIFY QUALITIES PRIOR TO BID AND CONSTRUCTION.
8. NO FILL SHALL BE PLACED ON EXISTING GROUND UNTIL THE GROUND HAS BEEN CLEARED OF WEEDS, DEBRIS, TOPSOIL AND OTHER DELETERIOUS MATERIAL.

UNAUTHORIZED CHANGES AND USES CAUTION:

THE ENGINEER PREPARING THESE PLANS WILL NOT BE RESPONSIBLE FOR, OR LIABLE FOR, UNAUTHORIZED CHANGES TO OR USES OF THESE PLANS. ALL CHANGES TO THE PLANS MUST BE IN WRITING AND MUST BE APPROVED BY THE PREPARER OF THESE PLANS.

THE PRIVATE ENGINEER SIGNING THESE PLANS IS RESPONSIBLE FOR ASSURING THE ACCURACY AND ACCEPTABILITY OF THE DESIGN HEREON. IN THE EVENT OF DISCREPANCIES ARISING DURING CONSTRUCTION, THE PRIVATE ENGINEER SHALL BE RESPONSIBLE FOR DETERMINING AN ACCEPTABLE SOLUTION AND REVISING THE PLANS FOR APPROVAL BY THE GOVERNING AGENCIES.

PRIVATE ENGINEER'S NOTICE TO CONTRACTOR:

THE CONSTRUCTION CONTRACTOR AGREES THAT IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, HE/SHE WILL BE REQUIRED TO ASSUME SOLE AND COMPLETE RESPONSIBILITY FOR JOB SITE CONDITIONS DURING THE COURSE OF CONSTRUCTION OF THE PROJECT, INCLUDING THE SAFETY OF ALL PERSONS AND PROPERTY. THIS REQUIREMENT SHALL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS. THE CONSTRUCTION CONTRACTOR FURTHER AGREES TO DEFEND, INDEMNIFY AND HOLD DESIGN PROFESSIONAL HARMLESS FROM ANY AND ALL LIABILITY, REAL OR ALLEGED, IN CONNECTION WITH THE PERFORMANCE OF WORK ON THIS PROJECT, EXCEPTING LIABILITY ARISING FROM THE SOLE NEGLIGENCE OF THE DESIGN PROFESSIONAL.

## EROSION CONTROL NOTES

1. EROSION AND SEDIMENTATION CONTROL SHALL COMPLY WITH THE REQUIREMENTS OF THE "FLORIDA DEVELOPMENT MANUAL" AND THE "FLORIDA EROSION AND SEDIMENT CONTROL INSPECTOR'S MANUAL"
2. THE CONTRACTOR SHALL ADHERE TO THE FLORIDA DEPARTMENT OF TRANSPORTATION, SUWANNEE RIVER WATER MANAGEMENT DISTRICT, CITY OF LAKE CITY, COLUMBIA COUNTY AND OTHER GOVERNING AUTHORITIES FOR EROSION AND SEDIMENT CONTROL REGULATIONS.
3. THE CONTRACTOR SHALL ADJUST AND REVISE CONTROL MEASURES SHOWN ON THESE PLANS TO MEET ACTUAL FIELD CONDITIONS. ANY REVISIONS SHALL BE APPROVED BY THE REVIEWING AGENCIES.
4. EROSION AND SEDIMENT CONTROL MEASURES SHALL BE INSTALLED PRIOR TO ANY OTHER CONSTRUCTION.
5. EROSION AND SEDIMENT CONTROL MEASURES SHALL NOT BE REMOVED UNTIL ALL CONSTRUCTION IS COMPLETE AND UNTIL A PERMANENT GROUND COVER HAS BEEN ESTABLISHED.
6. ALL OPEN DRAINAGE SWALES SHALL BE GRASSED AND RIPRAP SHALL BE PLACED AS REQUIRED TO CONTROL EROSION.
7. SILT FENCES SHALL BE LOCATED ON SITE TO PREVENT SEDIMENT FROM LEAVING PROJECT LIMITS.
8. CONTRACTOR SHALL PLACE A DOUBLE ROW OF SILT FENCE IN AREAS WHERE RUNOFF FROM DISTURBED AREAS MAY ENTER WETLANDS.
9. DURING CONSTRUCTION AND AFTER CONSTRUCTION IS COMPLETE, ALL STRUCTURES SHALL BE CLEANED OF ALL DEBRIS AND EXCESS SEDIMENT.
10. ALL GRADED AREAS SHALL BE STABILIZED IMMEDIATELY WITH A TEMPORARY FAST-GROWING COVER AND/OR MULCH.
11. A PAD OF RUBBLE RIP RAP SHALL BE PLACED AT THE BOTTOM OF ALL COLLECTION FLUMES AND COLLECTION PIPE OUTLETS. GRANITE OR LIMESTONE RIPRAP IS REQUIRED, NO BROKEN CONCRETE WILL BE ACCEPTED.
12. ALL SIDE SLOPES STEEPER THAN 3:1 SHALL BE ADEQUATELY PROTECTED FROM EROSION THROUGH THE USE OF HAY BALES OR SODDING.
13. ALL STABILIZATION PRACTICES SHALL BE INITIATED AS SOON AS PRACTICABLE IN AREAS OF THE JOB WHERE CONSTRUCTION ACTIVITIES HAVE TEMPORARILY OR PERMANENTLY STOPPED, BUT IN NO CASE SHALL THE DISTURBED AREA BE LEFT UNPROTECTED FOR MORE THAN SEVEN DAYS.
14. ALL WASTE GENERATED ON THE PROJECT SHALL BE DISPOSED OF BY THE CONTRACTOR IN AREAS PROVIDED BY CONTRACTOR.
15. LOADED HAUL TRUCKS SHALL BE COVERED WITH TARPS.
16. EXCESS DIRT SHALL BE REMOVED DAILY.
17. THIS PROJECT SHALL COMPLY WITH ALL WATER QUALITY STANDARDS.
18. QUALIFIED PERSONNEL SHALL INSPECT THE AREA USED FOR STORAGE OF STOCKPILES, THE SILT FENCE AND STRAW BALES, THE LOCATION WHERE VEHICLES ENTER OR EXIT THE SITE, AND THE DISTURBED AREAS THAT HAVE NOT BEEN FINALLY STABILIZED, AT LEAST ONCE EVERY SEVEN CALENDAR DAYS AND WITHIN 24 HOURS OF THE END OF A STORM OF 0.25 INCHES OR GREATER.
19. SITES THAT HAVE BEEN FINALLY STABILIZED WITH SOD OR GRASSING SHALL BE INSPECTED AT LEAST ONCE EVERY WEEK.

## LEGEND

|      |                                   |
|------|-----------------------------------|
| F.S. | - FINISHED SURFACE                |
| E.S. | - EXISTING SURFACE                |
|      | - PROPOSED CONTOUR (2' INTERVALS) |
|      | - EXISTING CONTOUR (2' INTERVALS) |
|      | - DAYLIGHT LINE                   |
|      | - EXISTING FENCE                  |
|      | - PROPERTY LINE                   |
|      | - CENTER LINE                     |
|      | - SILT FENCE                      |
|      | - EXISTING OVERHEAD UTILITIES     |
|      | - EXISTING OVERHEAD ELECTRIC      |


NOTE: ALL UTILITY PROVIDERS  
MUST BE CONTACTED PRIOR  
TO DIGGING IN ACCORDANCE  
TO CHAPTER 556 "SUNSHINE  
STATE ONE CALL"  
CALL 811 48 HOURS PRIOR  
TO DIGGING



Digitally signed by  
Carol Chadwick  
DN: c=US,  
o=Florida,  
dnQualifier=A01410  
D0000017EB6D924  
CE0005954C,  
cn=Carol Chadwick  
Date: 2022.03.10  
11:27:03 -05'00'



**CAROL CHADWICK, P.E.**  
*Professional Engineer*  
 2008 SW Jefferson, Clatsop  
 Lake City, OR 97123  
 360.683.1712  
[carol@carolchadwick.com](mailto:carol@carolchadwick.com)  
 5148 POWAY, carolchadwick.com  
 OREGON • FLORIDA • WYOMING  
 OREGON • CALIFORNIA • N.C.E.E.S.


[illegible]

PREPARED FOR  
CITICADEL I HOLDING CO., LLC  
726 SOMERSET LANDING LN.  
EAGUE CITY, TX 77573  
CONTACT: CHUCK STRINGHAM  
409.413.388.5480  
info@lakecityselfstorage.com

# LAKE CITY SELF STORAGE PHASE 2

NOTES, LEGEND &amp; DETAILS

|               |               |
|---------------|---------------|
| PROJECT NO.   | FL21227       |
| DATE          | MAR. 10, 2022 |
| REVISION DATE |               |
| SHEET         | 2 OF 4        |
| SHEETS        |               |




| DEVELOPMENT INFORMATION                                                                                                             |                                          |       |           |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------|-----------|
| CONSTRUCTION OF THREE ADDITIONAL BUILDINGS FOR STORAGE WITH PAVED DRIVEWAYS. BASIN SHALL BE CONSTRUCTED TO ORIGINAL PERMITTED SIZE. |                                          |       |           |
| PARCEL NUMBER                                                                                                                       | 30-35-17-03542-002                       |       |           |
| ZONING                                                                                                                              | C1 COMMERCIAL INTENSIVE                  |       |           |
| LAND USE                                                                                                                            | COMMERCIAL                               |       |           |
| ADDRESS                                                                                                                             | 1143 NW LAKE JEFFERY ROAD, LAKE CITY, FL |       |           |
| PROPERTY AREA                                                                                                                       | SQUARE FEET                              | ACRES | % OF SITE |
| PARCEL AREA                                                                                                                         | 100624                                   | 2.31  | 100.00    |
| ON SITE DISTURBANCE AREA                                                                                                            | 38890                                    | 0.89  | 38.65     |
| TOTAL DISTURBANCE AREA                                                                                                              | 38890                                    | 0.89  | 38.65     |
| EXISTING IMPERVIOUS AREA                                                                                                            |                                          |       |           |
| TOTAL EXISTING IMPERVIOUS                                                                                                           | 48.28                                    | 1.10  | 47.83     |
| PROPOSED IMPERVIOUS AREA                                                                                                            |                                          |       |           |
| NEW BUILDINGS & CANOPIES                                                                                                            | 8400                                     | 0.19  | 8.35      |
| ASPHALT PAVEMENT                                                                                                                    | 10860                                    | 0.25  | 10.79     |
| CONCRETE                                                                                                                            | 112                                      | 0.00  | 0.11      |
| TOTAL PROPOSED IMPERVIOUS                                                                                                           | 19372                                    | 0.44  | 19.25     |
| TOTAL IMPERVIOUS AREA                                                                                                               |                                          |       |           |
| TOTAL IMPERVIOUS                                                                                                                    | 67600                                    | 1.55  | 67.08     |

CONSTRUCTION NOTES & ESTIMATED QUANTITIES

- 1 1-1/2" AC PAVEMENT OVER 6" LIMEROCK BASE 10,680 S.F.
- 2 CONCRETE FLUME PER DETAIL ON SHEET 4 5 EA.
- 3 SILT FENCE PER DETAIL ON SHEET 2 678 L.F.

DEMOLITION NOTES & ESTIMATED QUANTITIES

- 10 REMOVE EXISTING AC PAVEMENT - SAWCUT END OF REMOVAL 1,667 S.F.
- 11 REMOVE CONCRETE FLUME 3 EA.



Digitally signed  
by Carol  
Chadwick  
DN: c=US,  
o=Florida,  
dnQualifier=A014  
10D0000017EB6D  
924CE0005954C,  
cn=Carol  
Chadwick  
Date: 2022.03.10  
11:27:18 -05'00'


CAROL CHADWICK  
Professional Engineer  
No. 82560  
STATE OF FLORIDA

REVISION DESCRIPTION  
DATE

PREPARED FOR  
CITADEL HOLDING CO., LLC  
726 SOMERSET LANDING LN.  
LEAGUE CITY, TX 77573  
CONTACT: CHUCK STRINGHAM  
413.388.5480  
info@lakecityselfstorage.com

LAKE CITY SELF STORAGE PHASE 2  
SITE & LANDSCAPE PLAN

PROJECT NO. FL21227  
DATE MAR. 10, 2022  
REVISION DATE  
SHEET 3 of 4



Digitally signed by  
Carol Chadwick  
DN: c=US,  
o=Florida,  
dnQualifier=A014  
10D0000017EB6D  
924CE0005954C,  
cn=Carol  
Chadwick  
Date: 2022.03.10  
11:27:39 -05'00'

# LAKE CITY SELF STORAGE PHASE 2

# GRADING & BASIN PLAN

PREPARED FOR  
CITADEL I HOLDING CO., LLC  
726 SOMERSET LANDING LN.  
LEAGUE CITY, TX 77573  
CONTACT: CHUCK STRINGHAM  
413.388.5480  
[info@lakecityselfstorage.com](mailto:info@lakecityselfstorage.com)

[illegible]

A circular professional engineer seal for Carol J. Chadwick, State of Florida, License No. 82560. The seal features the text "CAROL J. CHADWICK" on the left, "PROFESSIONAL ENGINEER" on the right, and "STATE OF FLORIDA" at the bottom. The license number "No. 82560" is in the center, flanked by two stars.

CAROL CHADWICK RE  
 2002  
 2003  
 2004  
 2005  
 2006  
 2007  
 2008  
 2009  
 2010  
 2011  
 2012  
 2013  
 2014  
 2015  
 2016  
 2017  
 2018  
 2019  
 2020  
 2021  
 2022  
 2023  
 2024  
 2025  
 2026  
 2027  
 2028  
 2029  
 2030  
 2031  
 2032  
 2033  
 2034  
 2035  
 2036  
 2037  
 2038  
 2039  
 2040  
 2041  
 2042  
 2043  
 2044  
 2045  
 2046  
 2047  
 2048  
 2049  
 2050  
 2051  
 2052  
 2053  
 2054  
 2055  
 2056  
 2057  
 2058  
 2059  
 2060  
 2061  
 2062  
 2063  
 2064  
 2065  
 2066  
 2067  
 2068  
 2069  
 2070  
 2071  
 2072  
 2073  
 2074  
 2075  
 2076  
 2077  
 2078  
 2079  
 2080  
 2081  
 2082  
 2083  
 2084  
 2085  
 2086  
 2087  
 2088  
 2089  
 2090  
 2091  
 2092  
 2093  
 2094  
 2095  
 2096  
 2097  
 2098  
 2099  
 2100  
 2101  
 2102  
 2103  
 2104  
 2105  
 2106  
 2107  
 2108  
 2109  
 2110  
 2111  
 2112  
 2113  
 2114  
 2115  
 2116  
 2117  
 2118  
 2119  
 2120  
 2121  
 2122  
 2123  
 2124  
 2125  
 2126  
 2127  
 2128  
 2129  
 2130  
 2131  
 2132  
 2133  
 2134  
 2135  
 2136  
 2137  
 2138  
 2139  
 2140  
 2141  
 2142  
 2143  
 2144  
 2145  
 2146  
 2147  
 2148  
 2149  
 2150  
 2151  
 2152  
 2153  
 2154  
 2155  
 2156  
 2157  
 2158  
 2159  
 2160  
 2161  
 2162  
 2163  
 2164  
 2165  
 2166  
 2167  
 2168  
 2169  
 2170  
 2171  
 2172  
 2173  
 2174  
 2175  
 2176  
 2177  
 2178  
 2179  
 2180  
 2181  
 2182  
 2183  
 2184  
 2185  
 2186  
 2187  
 2188  
 2189  
 2190  
 2191  
 2192  
 2193  
 2194  
 2195  
 2196  
 2197  
 2198  
 2199  
 2200  
 2201  
 2202  
 2203  
 2204  
 2205  
 2206  
 2207  
 2208  
 2209  
 2210  
 2211  
 2212  
 2213  
 2214  
 2215  
 2216  
 2217  
 2218  
 2219  
 2220  
 2221  
 2222  
 2223  
 2224  
 2225  
 2226  
 2227  
 2228  
 2229  
 2230  
 2231  
 2232  
 2233  
 2234  
 2235  
 2236  
 2237  
 2238  
 2239  
 2240  
 2241  
 2242  
 2243  
 2244  
 2245  
 2246  
 2247  
 2248  
 2249  
 2250  
 2251  
 2252  
 2253  
 2254  
 2255  
 2256  
 2257  
 2258  
 2259  
 2260  
 2261  
 2262  
 2263  
 2264  
 2265  
 2266  
 2267  
 2268  
 2269  
 2270  
 2271  
 2272  
 2273  
 2274  
 2275  
 2276  
 2277  
 2278  
 2279  
 2280  
 2281  
 2282  
 2283  
 2284  
 2285  
 2286  
 2287  
 2288  
 2289  
 2290  
 2291  
 2292  
 2293  
 2294  
 2295  
 2296  
 2297  
 2298  
 2299  
 2300  
 2301  
 2302  
 2303  
 2304  
 2305  
 2306  
 2307  
 2308  
 2309  
 2310  
 2311  
 2312  
 2313  
 2314  
 2315  
 2316  
 2317  
 2318  
 2319  
 2320  
 2321  
 2322  
 2323  
 2324  
 2325  
 2326  
 2327  
 2328  
 2329  
 2330  
 2331  
 2332  
 2333  
 2334  
 2335  
 2336  
 2337  
 2338  
 2339  
 2340  
 2341  
 2342  
 2343  
 2344  
 2345  
 2346  
 2347  
 2348  
 2349  
 2350  
 2351  
 2352  
 2353  
 2354  
 2355  
 2356  
 2357  
 2358  
 2359  
 2360  
 2361  
 2362  
 2363  
 2364  
 2365  
 2366  
 2367  
 2368  
 2369  
 2370  
 2371  
 2372  
 2373  
 2374  
 2375  
 2376  
 2377  
 2378  
 2379  
 2380  
 2381  
 2382  
 2383  
 2384  
 2385  
 2386  
 2387  
 2388  
 2389  
 2390  
 2391  
 2392  
 2393  
 2394  
 2395  
 2396  
 2397  
 2398  
 2399  
 2400  
 2401  
 2402  
 2403  
 2404  
 2405  
 2406  
 2407  
 2408  
 2409  
 2410  
 2411  
 2412  
 2413  
 2414  
 2415  
 2416  
 2417  
 2418  
 2419  
 2420  
 2421  
 2422  
 2423  
 2424  
 2425  
 2426  
 2427  
 2428  
 2429  
 2430  
 2431  
 2432  
 2433  
 2434  
 2435  
 2436  
 2437  
 2438  
 2439  
 2440  
 2441  
 2442  
 2443  
 2444  
 2445  
 2446  
 2447  
 2448  
 2449  
 2450  
 2451  
 2452  
 2453  
 2454  
 2455