

## COLUMBIA READY MIX CONCRETE

P.O. Box 2101 Lake City, Florida 32056 Lake City(386)755-2458 | Live Oak(386)362-4422



CUSTOMER: LITTLE AND WILLIAMS, INC 319 SW SOLSTICE COURT LAKE CITY FL 32024 DELIVERY INSTRUCTIONS:
525 SW PINEHURST DR
247 S PAST 252-B TO FOREST
COUNTRY TL STOP TR TO END TL
ON SW PINEHURST TO #525 ON L

			TION		UNIT PRICE		AMOUNT
P.O. NUMBER		JOB NAME FORESTCOUNTRY			ORDERED 31.00	DELIVERED 31.00	SLUMP 5.00
PLANT 4	TIME 10:31 AM	DATE 12/08/2021	ACCOUNT	CUSTOMER CODE LITWIL	TRUCK 49	DRIVER CARL	136709

1.00 CY 3000 GBM 3000 PSI Reg Rock 1.00 EA RFM Residential Fibe 1.00 EA EF Environmental Fe 1.00 EA FUEL CHG Fuel Surcharge P

	LEAVE PLANT A	EAVE PLANT ARRIVE JOB SITE		E JOB SITE   START DISCHARGE   FINISH DESICHARGE				
			Caution:		Sub-Total			
	May cause eye or skin injury. Contains Portland coment.	1. Avoid all conta		contact directly with skin or through	Tax			
	Fresh mixed cement, mortar, concret	porous materials. te 3. In case of contr	OUGHLY WITH WATER.	Ticket Total				
	or grout may cause eye or skin injury	y. 4. If irritation per 5. Keep children		Grand Total				
_	equipment. Drivers are not permitted to add	d water to the mix to exceed maxin	power, and where site conditions permit the sa num slump nor to go beyond the curb line, exc	cept upon the authorization of the	Additional water added to this concrete will reduce its strength. Any water	Water Added:	Gallons X	
	relieves producer of responsibility for design		designed in accordance to customer's specifica	itions. Any alteration at the job	added is at customer's own risk.	-		Customer's Re



25.00

EA

AB510-06

## COLUMBIA READY MIX CONCRETE

P.O. Box 2101 Lake City, Florida 32056 Lake City(386)755-2458 | Live Oak(386)362-4422



CUSTO	MER:			DELIVERY INSTRUCTIONS:				
319 9	LE AND WILI SW SOLSTIC CITY FL 32	CE COURT						
PLANT	TIME	DATE	CUST CODE		TRUCK	DRIVER	TICKET	
06	10:21	12/08/2021	LITWIL			990 1184, 2 0000045	67424	
P.O. NUMBER		JOB NAME		ORDERED	DELIV	ERED	SLUMP	
		FOREST COU	NTRY					
QTY		PRODUCT CODE	DESCRIPTION		UNIT PRICE		AMOUNT	

5/8" x 10" Anchor Bolt

					Sub-Total		7
					Tax		
LEAVE PLANT	ARRIVE JOB	START POUR	FINISH POUR	ARRIVE PLANT	Ticket Total		
					Grand Total		
		TION - TAKE THESE PRECA					
<ol> <li>Avoid all contact with</li> <li>Wear rubber boots and</li> <li>In case of contact with</li> </ol>	eyes	ed contact directly with skin o		grout may cause eye or skin in	july.	Additional water added to this concrete will reduce it's strength. Any water added is at customer's risk.  Water Added: (Gallons)_X_	(Representative)
of his equipment. Drivers authorization of the custo	are not permitted to add o mer and his acceptance of	water to the mix to exceed m	aximum slump nor to go bey	permit the safe and proper oper ond the curb line, except upon th accordance to customer's specific	e		
No credit allowed for retu FERMS: Stand-by and o per hour unless otherv	or unloading time in exce	ess of 10 minutes per yard	(1 hour maximum) will be	charged at the current rental	rate		



## COLUMBIA READY MIX CONCRETE

P.O. Box 2101 Lake City, Florida 32056 Lake City(386)755-2458 | Live Oak(386)362-4422



CUSTOMER: LITTLE AND WILLIAMS, INC 319 SW SOLSTICE COURT LAKE CITY FL 32024 DELIVERY INSTRUCTIONS:
525 SW PINEHURST DR
247 S PAST 252-B TO FOREST
COUNTRY TL STOP TR TO END TL
ON SW PINEHURST TO #525 ON L

PLANT 4	TIME 8:02	AM	DATE 12/08/2021	ACCOUNT	CUSTOMER CODE LITWIL	TRUCK 55	DRIVER DAVID P.	, TICKET 136705
P.O. NUMBER		JOB NAME FORESTCOUNTRY		ORDERED* 30.00	30.00	<b>SLUMP</b> 5.00		
QTY.		DESCRIPTION		UNIT PRICE		AMOUNT		
1.	00 CY 00 EA 00 EA 00 EA	300 RFM EF FUE	Resid	PSI Reg R ential Fi onmental Surcharge	be Fe			

LEAVE PLANT	ARRIVE JOB SITE START DISCHARGE FINISH DESICHARGE		ARRIVE PLANT		
		Caution:		Sub-Total	
May cause eye or skin injury. Contains Portland cement.	1. Avoid all conta	E PRECAUSTIONS act with eyes bots and gloves, and avoid prolonged of	contact directly with skin or through	Tax	
Fresh mixed cement, mortar, concre	porous materials. 3. In case of cont	act with skin or eyes, FLUSH THORO		Ticket Total	
or grout may cause eye or skin injur	y. 4. If irritation per 5. Keep children	sists, get medical attention promptly. away.		Grand Total	<b>\)</b>
equipment. Drivers are not permitted to ad	d water to the mix to exceed maxing loss or damage. This concrete is o	power, and where site conditions permit the sa num slump nor to go beyond the curb line, ex- designed in accordance to customer's specifica-	cept upon the authorization of the	Additional water added to this concrete will reduce its strength. Any water added is at customer's own risk.	Water Added: Gallons X



## COLUMBIA READY MIX CONCRETE

P.O. Box 2101 Lake City, Florida 32056 Lake City(386)755-2458 | Live Oak(386)362-4422



CUSTOMER: LITTLE AND WILLIAMS, INC 319 SW SOLSTICE COURT LAKE CITY FL 32024 DELIVERY INSTRUCTIONS:
525 SW PINEHURST DR
247 S PAST 252-B TO FOREST
COUNTRY TL STOP TR TO END TL
ON SW PINEHURST TO #525 ON L

PLANT 4	6:35	AM	DATE 12/08/2021	ACCOUNT	CUSTOMER CODE LITWIL	TRUCK 73	DRIVER FRED	тіскет 136700
P.O. NUMBER			JOB NAME FORESTCOUNTRY			ORDERED 30.00	DELIVERED 10.00	<b>SLUMP</b> 5.00
QTY. DESCRIPTION					UNIT PRICE		AMOUNT	
10.00 CY 300 10.00 EA RFM				PSI Reg F ential Fi				

0.00 EA RFM Residential Fibe 1.00 EA EF Environmental Fe 1.00 EA FUEL CHG Fuel Surcharge P

LEAVE PLANT	ARRIVE JOB SITE	RRIVE JOB SITE   START DISCHARGE   FINISH DESICHARGE		ARRIVE PLANT		
	TAVE THES	Caution: E PRECAUSTIONS		Sub-Total		
May cause eye or skin injury. Contains Portland cement.	1. Avoid all conta	contact directly with skin or through	Tax			
Fresh mixed cement, mortar, conce		act with skin or eyes, FLUSH THORO	THOROUGHLY WITH WATER.	Ticket Total		
or grout may cause eye or skin injury. 4. If irritation persists, get medical attention promptly. 5. Keep children away.				Grand Total		
equipment. Drivers are not permitted to a	dd water to the mix to exceed maxin ny loss or damage. This concrete is d	ower, and where site conditions permit the sa num slump nor to go beyond the curb line, exc esigned in accordance to customer's specifica	cept upon the authorization of the	Additional water added to this concrete will reduce its strength. Any water added is at customer's own risk.	Water Added: Gillon	ns <b>X</b> Customer's R