



73



1
S1
1/4" = 1'-0"

PROVIDE L3X3X1/4X0'-6" CLIP ANGLE, ANCHOR TO EX. GIRT W/ 3-#10 TEK SCREWS TYP.

CUT EX. GIRT & RELOCATE TO NEW HEADER HEIGHT



2
S1
1/4" = 1'-0"

NEW DOOR

Chad Stewart
6-26-12

DATE: 06/25/12

S1
EX. DOOR

DOOR MODIFICATION
FORT WHITE, FLORIDA

CSA **ENGINEERING**

Chad Stewart & Associates, Inc.
8370 Highway 51 North, Suite 116 Millington, TN 38053
Phone 901-872-7800 Fax 901-872-7826

EXISTING
WALL GIRT

EXISTING SLAB

EXISTING DOOR

EXISTING
DOOR JAMB

F.F.E.
0"

1

EXISTING DOOR

S1 1/4" = 1'-0"

PROVIDE L3X3X1/4X0'-6"
CLIP ANGLE, ANCHOR TO
EX. GIRT W/ 3-#10 TEK
SCREWS TYP.

CUT EX. GIRT &
RELOCATE TO NEW
HEADER HEIGHT

EXISTING
WALL GIRT

8'-0"

C8X11.5
DOOR JAMB

F.F.E.
0"

PROVIDE L3X3X1/4X0'-6" CLIP
ANGLE, ANCHOR TO SLAB W/
(2) 1/2" DIA. HILTI HY150 EPOXY
ANCHOR TYP.

2

NEW DOOR

S1 1/4" = 1'-0"

DATE: 06/25/12

S1

EX. DOOR

DOOR MODIFICATION

FORT WHITE, FLORIDA

CSA ENGINEERING

Chad Stewart & Associates, Inc.
8370 Highway 51 North, Suite 116 Millington, TN 38053
Phone 901-872-7800 Fax 901-872-7826

EXISTING
WALL GIRT

EXISTING SLAB

EXISTING DOOR

EXISTING
DOOR JAMB

F.F.E.
0"

1

EXISTING DOOR

S1 1/4" = 1'-0"

PROVIDE L3X3X1/4X0'-6"
CLIP ANGLE, ANCHOR TO
EX. GIRT W/ 3-#10 TEK
SCREWS TYP.

CUT EX. GIRT &
RELOCATE TO NEW
HEADER HEIGHT

EXISTING
WALL GIRT

8'-0"

C8X11.5
DOOR JAMB

F.F.E.
0"

PROVIDE L3X3X1/4X0'-6" CLIP
ANGLE, ANCHOR TO SLAB W/
(2) 1/2" DIA. HILTI HY150 EPOXY
ANCHOR TYP.

2

NEW DOOR

S1 1/4" = 1'-0"

DATE: 06/25/12

DOOR MODIFICATION

S1

FORT WHITE, FLORIDA

EX. DOOR

CSA ENGINEERING

Chad Stewart & Associates, Inc.
8370 Highway 51 North, Suite 116 Millington, TN 38053
Phone 901-872-7800 Fax 901-872-7826