

P#51987

P#5198



A close-up photograph of a piece of corrugated cardboard with red ink markings. The markings include a large, stylized 'X' or 'H' shape, a smaller 'X' or 'H' shape, and a large 'R' or 'P' shape. The cardboard is placed on a wooden surface.



P#51987




P#51987



R#516987

P#51987



P#51987

PRO GRADE SY

PLASTIC ROOF UNDERLAYMENT



PLASTIC CAP NAILS / ROOFING NAILS



PLASTIC CAP NAILS / ROOFING NAILS



Be aware that slip resistance may vary dependent on weather, surface conditions or footwear being used.

ICC-ES AC-108

FBC Approved
#FL46488



ASTM E108
CLASS A

TDI listed
CCRR #0482



P#51987

inentalmater

ENTAL MATER
C ROOF UNDER



PLASTIC CAP NAILS / ROOFING NAILS



ICC-ES AC-108

FBC Approved
#FL46488

conditions or footwear being used.



PRO GRADE SY

PLASTIC ROOF UNDERLAYMENT



PLASTIC CAP NAILS / ROOFING NAILS



PLASTIC CAP NAILS / ROOFING NAILS



Be aware that slip resistance may vary dependent on weather, surface conditions or footwear being used.

ICC-ES AC-108

FBC Approved
#FL46488



ASTM E108
CLASS A

TDI listed
CCRR #0482



P#51987

inentalmater

ENTAL MATER
C ROOF UNDER



PLASTIC CAP NAILS / ROOFING NAILS



ICC-ES AC-108

FBC Approved
#FL46488

conditions or footwear being used.



P#51987





SETS THE
ELEMENTS OF
AC-188
& ASTM D827
LS / ROOFING NAILS
WWW.COM
CONTIN
SYNTH
MATERIALS, IN
OF UNDERLAYER

InterTel
Conditions or footwe
InterTel

#5 T5 27



P#51987

FBC Approved
#FL46488

Meets ASTM D226, ASTM D4869 & ASTM

PLASTIC CAP NAIL

PLASTIC CAP NAILS / RO



FBC Approved
#FL46488

er, surface conditions or footwear being used.

THE TIC RO



PH51987