

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ [www.floridabuilding.org](http://www.floridabuilding.org)

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
<b>1. EXTERIOR DOORS</b>			
A. SWINGING			
B. SLIDING			
C. SECTIONAL/ROLL UP	CLOPAY	CAN221CMW4 18X7	15279.27
D. OTHER			
<b>2. WINDOWS</b>			
A. SINGLE/DOUBLE HUNG			
B. HORIZONTAL SLIDER			
C. CASEMENT			
D. FIXED			
E. MULLION			
F. SKYLIGHTS			
G. OTHER			
<b>3. PANEL WALL</b>			
A. SIDING			
B. SOFFITS			
C. STOREFRONTS			
D. GLASS BLOCK			
E. OTHER			
<b>4. ROOFING PRODUCTS</b>			
A. ASPHALT SHINGLES			
B. NON-STRUCT METAL			
C. ROOFING TILES			
D. SINGLE PLY ROOF			
E. OTHER			
<b>5. STRUCT COMPONENTS</b>			
A. WOOD CONNECTORS			
B. WOOD ANCHORS			
C. TRUSS PLATES			
D. INSULATION FORMS			
E. LINTELS			
F. OTHERS			
<b>6. NEW EXTERIOR ENVELOPE PRODUCTS</b>			

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements.

Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.

NOTES: \_\_\_\_\_



[BCIS Home](#) | 
 [Log In](#) | 
 [User Registration](#) | 
 [Hot Topics](#) | 
 [Submit Surcharge](#) | 
 [Stats & Facts](#) | 
 [Publications](#) | 
 [Contact Us](#) | 
 [BCIS Site Map](#) | 
 [Links](#) | 
 [Search](#)



**Product Approval**  
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE  
SECRETARY

FL #	FL15279-R6												
Application Type	Revision												
Code Version	2020												
Application Status	Approved												
	*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.												
Comments													
Archived	<input type="checkbox"/>												
Product Manufacturer	Clopay Building Products Company												
Address/Phone/Email	8585 Duke Blvd. Mason, OH 45040 (513) 770-6062 mwesterfield@clopay.com												
Authorized Signature	Scott Hamilton shamilton@clopay.com												
Technical Representative													
Address/Phone/Email													
Quality Assurance Representative													
Address/Phone/Email													
Category	Exterior Doors												
Subcategory	Sectional Exterior Door Assemblies												
Compliance Method	Certification Mark or Listing												
Certification Agency	Intertek Testing Services NA, Inc.												
Validated By	Gary Pfuehler <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received												
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th><u>Standard</u></th> <th><u>Year</u></th> </tr> </thead> <tbody> <tr> <td>ANSI/DASMA 108</td> <td>2005</td> </tr> <tr> <td>ANSI/DASMA 115</td> <td>2005</td> </tr> <tr> <td>ASTM E1886</td> <td>2002</td> </tr> <tr> <td>ASTM E1996</td> <td>2002</td> </tr> <tr> <td>ASTM E330</td> <td>2002</td> </tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	ANSI/DASMA 108	2005	ANSI/DASMA 115	2005	ASTM E1886	2002	ASTM E1996	2002	ASTM E330	2002
<u>Standard</u>	<u>Year</u>												
ANSI/DASMA 108	2005												
ANSI/DASMA 115	2005												
ASTM E1886	2002												
ASTM E1996	2002												
ASTM E330	2002												
Equivalence of Product Standards Certified By	Florida Licensed Professional Engineer or Architect <a href="#">FL15279 R6 Equiv 20200812 - FBC - ASTM 1886-1996 equiv.pdf</a> <a href="#">FL15279 R6 Equiv 20200812 - FBC - DASMA 108 ASTM E330 equiv.pdf</a>												

Product Approval Method

Method 1 Option A

2/22/22, 9:30 AM

Florida Building Code Online

Date Submitted	12/11/2020
Date Validated	12/29/2020
Date Pending FBC Approval	
Date Approved	12/29/2020



15279.27	027 W4-18 DSIUO-1K479: Canyon Ridge/Brookstone	Double Skin Insulated PUR (exterior skin 27 ga. min.; interior skin 27ga. min.) with Overlay WINDCODE® W4 Garage Door 16'2" to 18'0" wide
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> No <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> N/A <b>Design Pressure:</b> +25 PSF/-25 PSF <b>Other:</b> The OPTIONAL glazing available for this product meets the wind load requirements of the building code but DOES NOT meet the impact resistant requirement for windborne debris regions. The product without glazing DOES comply with the impact resistant requirement for windborne debris regions (ref 1609.1.2 FBC).		<b>Certification Agency Certificate</b> <a href="#">FL15279_R6_C_CAC_Letter_with_proof_of_contract_and_proof_of_inspection.pdf</a> <a href="#">FL15279_R6_C_CAC_W4_Listing_Intertek.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 05/21/2028 <b>Installation Instructions</b> <a href="#">FL15279_R6_II_104458-Rev03.pdf</a> Verified By: Intertek Testing Services NA, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:

CLOPAY CANYON RIDGE SERIES: CAN2nn-XX  
HOLMES GLENMOOR SERIES: GLN2nn-XX  
IDEAL WOODLOOK SERIES: MWL2nn-XX

MODEL DESIGNATION NOTE 1: "nn" REPRESENTS THE ARRANGEMENT OF THE DECORATIVE OVERLAYS. THE FIRST DIGIT WILL HAVE A VALUE FROM 1 TO 3 AND THE SECOND DIGIT WILL HAVE A VALUE FROM 1 TO 8.  
MODEL DESIGNATION NOTE 2: "XX" REPRESENTS THE TYPE OF CLADDING. IF "XX" IS "NM" OR "NC" THE DOOR HAS NO CLADDING (JUST OVERLAYS) AND IS 2-1/2" THICK OVERALL. ANY OTHER VALUE FOR "XX" INDICATES THAT THE DOOR HAS CLADDING AND OVERLAYS ON THE 2" BASE DOUBLE-SKIN INSULATED DOOR AND IS 3" THICK OVERALL.




DOOR HEIGHT	# OF SECTIONS
UP TO 6'-0"	3
6'-3" TO 6'-6"	4
6'-9" TO 10'-0"	5
10'-3" TO 12'-0"	6
12'-3" TO 14'-0"	7
14'-3" TO 16'-0"	8
MAX SECTION HEIGHT: 8'-4"	

REV	DATE	DESCRIPTION
00	02/03/11	INITIAL RELEASE
01	01/31/12	REVISED WIND SPEED TABLE FOR ASCET-10.
02	11/9/20	UPDATED TITLE BLOCK AND REMOVED WIND CHART.
03	12/28/20	REVISED MAX WIDTH ON ELEVATION VIEW (WAS 16'-2").




VERTICAL JAMB ATTACHMENT (WOOD FRAME BUILDINGS): 1/2"x3" LAG SCREWS ON 18" CENTERS, 1" O.D. MIN. WASHER REQUIRED. LAG SCREWS MAY BE COUNTERSUNK (BUT NOT REQUIRED) TO PROVIDE A FLUSH MOUNTING SURFACE. HORIZONTAL JAMBS DO NOT TRANSFER LOAD.

NOTE: THE DESIGN OF THE SUPPORTING STRUCTURAL ELEMENTS SHALL BE THE RESPONSIBILITY OF THE PROFESSIONAL OF RECORD FOR THE BUILDING OR STRUCTURE AND IN ACCORDANCE WITH CURRENT BUILDING CODES FOR THE LOADS LISTED ON THIS DRAWING.



DOOR HEIGHT	"L"
6'-6"	79"
7'-0"	76"
7'-6"	82"
8'-0"	88"
8'-6"	94"
9'-0"	100"
10'-0"	112"
10'-6"	118"
11'-0"	124"
11'-6"	130"
12'-0"	136"
12'-6"	142"
13'-0"	148"
13'-6"	154"
14'-0"	160"
14'-6"	166"
15'-0"	172"
15'-6"	178"
16'-0"	184"



DESIGN ENGINEER:  
MARK W. WESTERFIELD, P.E.  
FLORIDA P.E. #43485  
NC P.E. #23852, TEXAS P.E. #91613

DESIGN LOADS: +25.0, -25.0 PSF  
TEST LOADS: +37.5, -37.5 PSF

**Clopay**  
CORPORATION

CLOPAY CORPORATION  
8585 DUKE BLVD.  
MASON, OH 45040

(513) 770-4800

Clopay Corporation All Rights Reserved.

MANUFACTURING PRODUCT CODE  
DSUJC-1K479

DATE  
10/05/07

DRAWN BY  
BFA

CHECKED BY

VEHICLE RATING	MAX. SIZE
W4	18'0" x 16'0"
DESCRIPTION	VEH.
CANYON RIDGE TBW +25.0/-25.0 PSF	
B	104458
BRANZING NUMBER	IBC

FLORIDA PRODUCT APPROVAL 15279