



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafia.com
Measure Tech: Jeffrey Galdikas,

James Alden & Christine Alden
3276 Herlong
Fort White, FL 32038

FLOORPLAN - 1ST FLOOR



UNIT NOTES

Front door with storm door
11784312

Outside painted white inside painted white

- 101** Drywall sill
Drywall return
Blinds
- 102** Drywall sill
Drywall return
Blinds
- 103** Drywall sill
Drywall return
Blinds
- 104** Drywall sill
Drywall return
Blinds
- 105** ***INSTALL NEW WOODEN SILL***
Drywall sill
Drywall return
- 106** Drywall sill
Drywall return
Blinds
- 107** Drywall sill
Drywall return
Blinds

JOB PHOTOS



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Jeffrey Galdikas,

James Alden & Christine Alden
3276 Herlong
Fort White, FL 32038

ID#	ROOM	SIZE		DETAILS
JOB				
101	livibg room	48" 46-3/8"	59" 58-3/4"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Half Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Colonial 4w x 2h Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
102	guesr room	48" 46-1/4"	59" 58-3/4"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Colonial 4w x 2h Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
103	guest room 2	36" 34-1/4"	59" 58-5/8"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Colonial 3w x 2h Misc: None Construction:



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Jeffrey Galdikas,

James Alden & Christine Alden
3276 Herlong
Fort White, FL 32038

ID#	ROOM	SIZE		DETAILS
				None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
104	guest room 2	36" 34-1/4"	59" 58-3/4"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Colonial 3w x 2h Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
105	kitchen	36" 34-1/4"	36" 34-3/4"	Window: Acclaim™ Gliding Double, 1:1, Active / Passive, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Colonial 2w x 4h Misc: None Construction: None Material: F-Trim, (12 ft), White (1), Glider Clips (8), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Jeffrey Galdikas,

James Alden & Christine Alden
3276 Herlong
Fort White , FL 32038

ID#	ROOM	SIZE		DETAILS
106	kitchen	48" 34-1/4"	59" 58-5/8"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Colonial 3w x 2h Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
107	Primary Bedroom	48" 46-3/8"	59" 58-3/4"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 119, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Colonial 4w x 2h Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
	front door	0"	0"	Misc: Misc, Entry door, Provia Door, Quantity 1, Front door with storm door11784312 Construction: ProVia Entry Door (Single Panel 6'8") (1) Material: 2.25" x 5/8" L-Trim, (12 ft), White (1), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 3.25" X 3/16"



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Jeffrey Galdikas,

James Alden & Christine Alden
3276 Herlong
Fort White, FL 32038

ID#	ROOM	SIZE	DETAILS	
			Tap-Con (Masonry) (0.25), Power Grab Adhesive (1)	
	back porch	0"	0"	Misc: Misc, Entry door, Provia Door, Quantity 1, Outside painted white inside painted white Construction: ProVia Entry Door (Single Panel 6'8") (1) Material: 2.25" x 5/8" L-Trim, (12 ft), White (1), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Power Grab Adhesive (1)
108	storm door	0"	0"	Misc: Misc, Entry door, Provia Door, Quantity 1 Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (1), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
109	back porch storm door	0"	0"	Misc: Misc, Entry door, Provia Door, Quantity 1 Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (1), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)

PRODUCTS: 11 WINDOWS: 7 PATIO DOORS: 0 ENTRY DOORS: 0 SPECIALTY: 0 MISC: 4

Updated 6/21/24

JOB NOTES

Hardie lap siding

Drywall return

Drywall sill

Blinds

Concrete sill

Estimated Duration: 2 days