



NOTE: IF ANY PART OF THE POOL
ENCROACHES UPON THE ANGLE OF
REPOSE, PLACE STEEL @ 6" o.c. EA WAY
IN AREAS OF QUESTION

ANY METAL PARTS OF THE POOL, INCLUDING METAL STRUCTURAL SUPPORTS, SHALL BE BONDED IN ACCORDANCE WITH 680.26(B). POURED CONCRETE, PNEUMATICALLY-APPLIED CONCRETE, AND CONCRETE BLOCK SHALL BE CONSIDERED CONDUCTIVE MATERIAL

Riddle Consulting Engineers, Inc.  structural civil mechanical Paul D. Riddle, P.E. Senior Engineer COA: 00004759 Paul A. Riddle, Jr. Structural Engineer E-MAIL ADDRESS PHONE FAX WEBSITE RIDDLEENG@AOL.COM 1720 SE CITY HWY 484 BELLEVUE, FL 34402 (352) 245-7041 (352) 245-5458 WWW.RIDDLEENGINEERING.COM	ENGINEER'S SEAL PAUL D. RIDDLE, P.E. P.E. 36989
A CUSTOM DESIGN FOR THE ZECHER / HUTCHINSON RESIDENCE ATQUATIC ART	DRAWN: JASON R. RIDDLE DATE 11/18/2020 COPYRIGHT © 2020 THESE PLANS ARE PROTECTED BY COPYRIGHT LAWS. ANY UNAUTHORIZED USES MAY RESULT IN LEGAL ACTION. SCALE 1/4" = 1'-0" 1 OF 1 JOB NUMBER 2200689
REVISIONS, NOTES	