# Bailey Bishop & Lane, Inc.

P.O. Box 3717 1923
Lake City, FL 32056 Taila
Ph. 386-752-5640 Ph. 8
Eng. Lic. 7362 Surve
BBL Job Number: 060213JOR

1923 Capital Cir.NE Suite A Tallahassee, FL 12308 Ph. 850-894-1200 Survey Lic. LB-006685

# TURKEY CREEK, UNIT 1

PLANNED RESIDENTIAL DEVELOPMENT

THE NW 1/4 OF SECTION 23, TOWNSHIP 3 SOUTH, RANGE 16 EAST COLUMBIA COUNTY, FLORIDA

LEGAL DESCRIPTION:

A PORTION OF THOSE PARCELS OF LAND RECORDED IN OFFICIAL RECORD BOOK 1070, P.GE 560 AND OFFICIAL RECORD BOOK 1070, PAGE 565 IN THE PUBLIC RECORDS OF COLUMBIA COUNTY, FLORIDA, BEING MORE PARTICULARY DESCRIBED AS FOLLOWS:

A TRACT OF LAND LYING IN THE NW 1/4 OF SECTION 23, TOWNSHIP 3 SOUTH, RANGE 16 E&T, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: BEGIN AT THE INTERSECTION OF THE EAST LINE OF SAID NW 1/4 AND THE NORTH RIGHT OF WAY LINE OF SW LAKE JEFFERY ROAD (COUNTY ROAD NO. C-250) AND RUN THENCE N 51°22'20" W, ALONG SAID NORTH RIHT OF WAY LINE, 269.12 FEET; THENCE N 50°11'11" W, ALONG SAID NORTH RIGHT OF WAY LINE, 1221.95 FEET; THENCE DEPARTING AID RIGHT OF WAY LINE N 43°58'58" E, 112.56 FEET; THENCE N 44°08'05" E, 60.00 FEET; THENCE S 45°53'56" E, 9.22 FEET; THENCE N 44°49'33" E,141.20 FEET; THENCE N 44°54'05" W, 58.11 FEET; THENCE N 87"08'49" E, 90.84 FEET; THENCE N 38"55'18" E, 162.00 FEET; THENCE S 62"45'10"E, 43.64 FEET; THENCE N 27"14'50" E, 125.92 FEET; THENCE N 24"32'55" E, 60.00 FEET TO A POINT ON A CURVE CONCAVE TO THE NORTHEAST THENCE SOUTHEASTERLY, 63.08 FEET ALONG THE ARC OF A CURVE, HAVING A RADIUS OF 770.00 FEET, A CENTRAL ANGLE OF 04°41'37", CHORD BEARING AND DISTANCE OF S 67°47'53" E. 63.06 FEET; THENCE N 19°51'18" E, 155.59 FEET; THENCE N 70°30'41" W, 37.73 FEET; THEICE N 62°45'10" W, 373.21 FEET; THENCE S 27°14'50" W, 155.80 FEET; THENCE N 62°45'10" W, 70.00 FEET; THENCE N 27°14'50" E, 155.60 FEET; THINCE N 62°45'10" W, 180.50 FEET; THENCE N 54°23'37"E, 78.80 FEET; THENCE S 80°28'52" E, 38.64 FEET; THENCE S 48°37'35" E, 56.48 FEE; THENCE S 47°0813" E, 88.50 FEET; THENCE N 60°37'35°E, 71.91 FEET; THENCE N 29°30'04" E, 59.62 FEET; THENCE N 24°02'05" E, 48.26 FEE; THENCE N 17°08'08" E, 109.64 FEET; THENCE N 40°05'42" E, 38.67 FEET; THENCE N 23°36'31" E, 85.81 FEET; THENCE N 52°08'13" E, 115.97 FET; THENCE N 17°26'17" E, 114.13 FEET; THENCE N 22°36'27" E, 150.92 FEET; THENCE N 81°29'11" E, 104.98 FEET; THENCE N 17°55'21" E, 116.70 EET TO THE NORTH LINE OF SAID NW 1/4; THENCE N 89°36'15" E, ALONG SAID NW 1/4, 11.93 FEET; THENCE S 00°32'28" E, 1083.18 FEET; THENŒ S 74°22'43" E, 22.49 FEET; THENCE S 00°32'28" E, 35.91 FEET; THENCE S 89°27'33" W 134.22 FEET; THENCE S 89°30'07" W, 60.00 FEET; THENC S 00°29'53" E, 14.56 FEET; THENCE S 84°32'13" E, 143.58 FEET TO THE EAST LINE OF THE NW 1/4 OF SAID SECTION 23; THENCE S 00°32'28" EALONG SAID EAST LINE, 1484.87 FEET TO THE

AND

COMMENCE AT THE NORTHEAST CORNER OF THE NW 1/4 OF SECTION 23, TOWNSHIP 3 SCJTH, RANGE 16 EAST AND RUN THENCE S 89°36'15" W, ALONG THE NORTH LINE OF SAID NW 1/4, 9.68 FEET TO THE POINT OF BEGINNING; THEICE S 45°46'48" W, 164.47 FEET TO A POINT ON A CURVE CONCAVE TO THE SOUTHWEST; THENCE NORTHWESTERLY, 46.13 FEET ALONG THE ARC OF A CURVE, HAVING A RADIUS OF 60.00 FEET, A CENTRAL ANGLE OF 44°02'55" AND A CHORD BEARING AND DISTANCE OF N 66°11'3" W, 45.00 FEET; THENCE N 01°12'15" W, 95.45 FEET TO THE NORTH LINE OF SAID NW 1/4; THENCE N 89°36'15" E, ALONG SAID NORTH LINI, 161.05 FEET TO THE POINT OF BEGINNING.

AND

COMMENCE AT THE INTERSECTION OF THE EAST LINE OF SAID NW 1/4 AND THE NORTH RBHT OF WAY LINE OF SW LAKE JEFFERY ROAD (COUNTY ROAD NO. C-250) AND RUN THENCE N 51°22'20" W, ALONG SAID NORTH RIGHT OF WAY LINE, 269.12 FEET; THENCE N 50°11'11" W, ALONG SAID NORTH RIGHT OF WAY LINE, 1514.54 FEET TO THE POINT OF BEGINNING; THINCE CONTINUE N 50°11'11" W, ALONG SAID NORTH RIGHT OF WAY LINE, 234.45 FEET; THENCE DEPARTING SAID RIGHT OF WAY LINE N 45°55'4" E, 82.55 FEET; THENCE N 65°47'04" E, 30.82 FEET; THENCE N 77°29'47" E, 59.51 FEET; THENCE S 08°02'55" E, 4.46 FEET TO A POINT ON A CURVE CONCAVE TO THE SOUTHWEST; THENCE SOUTHEASTERLY, 28.37 FEET ALONG THE ARC OF A CURVE, HAVING A RADIUS OF 28.00 FEET, A CENTRAL ANGLE OF 62°30'49" AND A CHORD BEARING AND DISTANCE OF S 37°18'19" E, 26.98 FEET TO A POINT ON TANGENCY; THENCES 08°02'55" E, 17.87 FEET; THENCE N 83°57'05" E, 119.95 FEET TO A POINT ON A CURVE CONCAVE TO THE EAST; THENCE SOUTHERLY, 129.6 FEET ALONG THE ARC OF A CURVE, HAVING A RADIUS OF 260.00 FEET, A CENTRAL ANGLE OF 28°33'32" AND A CHORD BEARING AND DISTANCE OF S 20°19'41" E, 128.26 FEET; THENCE S 64°13'32" W, 148.53 FEET TO THE POINT OF BEGINNING.

AND

BEGIN AT THE NORTHWEST CORNER OF SECTION 23, TOWNSHIP 3 SOUTH, RANGE 16 EAS, COLUMBIA COUNTY, FLORIDA AND RUN THENCE N 89°36′15″ E, ALONG THE NORTH LINE OF THE NW 1/4 OF SAID SECTION 23, 558.29 FEET TO THE POINT OF A CURVE CONCAVE TO THE NORTHEAST; THENCE SOUTHEASTERLY, 26.98 FEET ALONG THE ARC OF A CURVE, HAVING A RADIUS OF 260.00 FEET, A CENTRAL ANGLE OF 05°56′43° AND A CHORD BEARING AND DISTANCE OF S 44°00′00″ E, 26.97 FEET TO A POINT OF A CURVE CONCAVE TO THE SOUTHWEST; THENCE SOUTHEASTERLY, 98.96 FEET ALONG THE ARC OF A CURVE, HAVING A RADIUS O 200.00 FEET, A CENTRAL ANGLE OF 28°21′02″ AND A CHORD BEARING AND DISTANCE OF S 32°47′51″ E, 97.96 FEET; THENCE N 34°50′12″ W, 5618 FEET; THENCE N 78°44′17″ W, 194.41 FEET; THENCE S 76°16′54″ W, 142.70 FEET; THENCE S 25°52′23″ W, 104.69 FEET; THENCE S 10°48′2″ E, 117.33 FEET; THENCE S 51°14′09″ E, 109.68 FEET; THENCE S 39°48′49″ W, 77.09 FEET; THENCE N 50°11′11″ W, 85.92 FEET TO A POINT OFA CURVE CONCAVE TO THE NORTHEAST; THENCE NORTHWESTERLY, 28.67 FEET ALONG THE ARC OF A CURVE, HAVING A RADIUS OF 200.00 FEET, A CENTRAL ANGLE OF 7°38′27″, A CHORD BEARING AND DISTANCE OF N 46°21′57″ W, 26.65 FEET TO THE POINT OF A CURVE CONCAVE TO THE NORTHEAST; THENCE NORTHERLY AND EASTERLY, 30.58 FEET ALONG THE ARC OF A CURVE, HAVING A RADIUS OF 200.00 FEET, A CENTRAL ANGLE OF 87°36′43″, A CHORD BEARING AND DISTANCE OF N 01°16′38″ W, 27.69 FEET TO A POINT OF A CURVE CONCAVE TO THE NORTHERLY THENCE NORTHERLY AND WESTERLY, 165.63 FEET ALONG THE ARC OF A CURVE, HAVING A RADIUS OF 60.00 FEET, A CENTRAL ANGLE OF 158°10′02″, A CHORD BEARING AND DISTANCE OF N 34°01′02″ W, 117.83 FEET; THENCE S 89°31′48″ W, 127.71 FEET TO THE WES' LINE OF AFORESAID SECTION 23; THENCE N 00°49′54″ W, ALONG SAID WEST LINE, 191.44 FEET TO THE POINT OF BEGINNING.

SUBJECT TO EASEMENTS AND RESTRICTIONS OF RECORD.

CONTAINING 34.44 ACRES, MORE OR LESS.

## CERTIFICATE OF DEDICATION & OWNERSHIP:

KNOW ALL MEN BY THESE PRESENTS THAT JORDAN & FAISAL DEVELOPMENT, LLC AND JORDAN & FAISA. ACQUISTION CORPORATION, AS OWNERS HAVE CAUSED THE LANDS HEREON SHOWN TO BE SURVEYED, SUBDIVIDED AND PLATTED, TOSE KNOWN AS "TURKEY CREEK, UNIT 1", AND THAT ALL ROAD RIGHTS-OF-WAY ARE HEREBY DEDICATED TO COLUMBIA COUNTY FOR THE PERPEUAL USE OF THE PUBLIC FOR USES AS SHOWN HEREON, WITH THE OWNERS RETAINING A NON-EXCLUSIVE EASEMENT OVER THE RIGHTS-OF-WAY WHICH WILL BE USED FOR THE SUWANNEE RIVER WATER MANAGEMENT DISTRICT IRRIGATION SYSTEM AND ANY OTHER UTILITIES AN(WHICH WILL BE AT A LATER DATE CONVEYED TO THE TURKEY CREEK COLUMBIA COUNTY HOMEOWNERS ASSOCIATION, INC. THE RETENTON AREAS, STORMWATER BASINS, WETLANDS AND RELATED DRAINAGE EASEMENTS SHOWN HEREON ARE RETAINED BY THE OWNERS AN WILL BE AT A LATER DATE CONVEYED TO THE TURKEY CREEK COLUMBIA COUNTY HOMEOWNERS ASSOCIATION, INC., AND ARE SPECIFICALL WOT DEDICATED TO OR ACCEPTED BY COLUMBIA COUNTY. ADDITIONALLY, OWNERS HEREBY RETAIN A NON-EXCLUSIVE EASEMENT COEXISTET WITH THE UTILITY EASEMENTS AND RIGHT-OF-WAYS FOR "TURKEY CREEK, UNIT 1" AS SHOWN ON THE PLAT AND WILL AT A LATER DATE CONVEY SUCH NON-EXCLUSIVE FASEMENTS TO THE TURKEY CREEK, COLUMBIA COUNTY HOMEOWNERS ASSOCIATION, INC.

JORDAN & FAISAL DEVELOPMENT, LLC/

ORDAN & FAISAL DEVELOPMENT, LLC/


PLANT F L PLO


ORDAN & FAISAL ACQUISTION CORPORATION

WITNESS HOLLS
WI

## CERTIFICATE OF COUNTY SURVEYOR

KNOW ALL MEN BY THESE PRESENTS, THAT THE UNDERSIGNED, BEING A LICENSED AND REGISTERED AND SURVEYOR AND MAPPER, AS PROVIDED UNDER CHAPTER 472, FLORIDA STATUTES AND IS IN GOOD STANDING WITH THE BOARD OF AND SURVEYORS, DOES HEREBY CERTIFY THAT ON BEHALF OF COLUMBIA COUNTY, FLORIDA, THE UNDERSIGNED REVIEWED THIS PLAT OR CONFORMITY TO CHAPTER 177, FLORIDA STATUTES; AND HEREBY STATE THAT THIS PLAT CONFORMS TO ALL REQUIREMENTS OF CHAITER 177, FLORIDA STATUTES.





VICINITY MAP SCALE: 1" = 2000'

ACKNOWLEDGEMENT: STATE OF FLORIDA, COUNTY OF COLUMBIA

THE FOREGOING DEDICATION WAS ACKNOWLEDGED BEFORE ME THIS 22 DAY OF VOV BY
ROBERT JORDAN, TRUSTEE OF JORDAN & FAISAL DEVELOPMENT, LLC. HE IS PERSONALLY KNOWN TO ME
OR HAS PRODUCED \_\_\_\_\_\_\_AS IDENTIFICATION.

VERALISAHICKS

MY COMMISSION # GG 236506

EXPIRES: August 23, 2022

Bonded Thru Notary Public Underwriter

VERALISA HICKS MY COMMISSION # GG 236506

EXPIRES: August 23, 2022

Sonded Thru Notary Public Underwrite

MY COMMISSION EXPIRES: 8-23-22

ACKNOWLEDGEMENT: STATE OF FLORIDA, COUNTY OF COLUMBIA

THE FOREGOING DEDICATION WAS ACKNOWLEDGED BEFORE ME THIS \_\_\_\_\_ DAY OF \_\_\_\_\_ BY \_\_\_\_\_\_ HE IS PERSONALLY KNOWN TO ME OR HAS PRODUCED \_\_\_\_\_\_ AS IDENTIFICATION.

SIGNED: \_\_\_\_\_\_ NOTARY PUBLIC \_\_\_\_\_\_ NOTARY PUBLIC \_\_\_\_\_\_ AS IDENTIFICATION.

ACKNOWLEDGEMENT: STATE OF FLORIDA, COUNTY OF COLUMBIA

THE FOREGOING DEDICATION WAS ACKNOWLEDGED BEFORE ME THIS \_\_\_\_ DAY OF \_\_\_\_\_ BY \_\_\_\_ HE IS PERSONALLY KNOWN TO ME OR HAS PRODUCED \_\_\_\_\_ AS IDENTIFICATION.

SIGNED:

ACKNOWLEDGEMENT: STATE OF FLORIDA, COUNTY OF COLUMBIA

THE FOREGOING DEDICATION WAS ACKNOWLEDGED BEFORE ME THIS 22 DAY OF NOV 2019

BEHALF OF SAID

AS IDENTIFICATION.

HE IS PERSONALLY KNOWN TO ME OR HAS PRODUCED

NOTARY PUBLIC

MY COMMISSION EXPIRES: 8-23-22

SPECIAL NOTE

MY COMMISSION EXPIRES:\_

NOTICE: THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE DECLARATION OF RESTRICTIONS AND PROTECTIVE COVENANTS AS RECORDED IN ORB. \_\_\_\_\_ AT PAGE(S) \_\_\_\_\_ OF THE PUBLIC RECORDS OF COLUMBIA COUNTY, FLORIDA AND IN OTHER RECORDS OF THE PUBLIC RECORDS OF SAID COUNTY.

SPECIAL NOTE

NOTICE: ALL PLATTED UTILITY EASEMENTS SHALL PROVIDE THAT SUCH EASEMENTS SHALL ALSO BE EASEMENTS FOR THE CONSTRUCTION, INSTALLATION, MAINTENANCE AND OPERATION OF CABLE TELEVISION SERVICES PROVIDED. HOWEVER, NO SUCH CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES SHALL INTERFERE WITH THE FACILITIES AND SERVICES OF ELECTRIC, TELEPHONE, GAS, OR OTHER PUBLIC UTILITY. IN THE EVENT THAT A CABLE TELEVISION COMPANY DAMAGES THE FACILITIES OF A PUBLIC UTILITY, IT SHALL BE SOLELY RESPONSIBLE FOR THE DAMAGES.

PLAT BOOK \_\_\_ PAGE \_\_ PAGE 1 OF 7

SUBDIVIDER:
JORDAN & FAISAL
AQUISITION CORPORATION
934 NE LAKE DESOTO CIRCLE

LAKE CITY, FL 32055

(386) 755-3456

ENGINEER: R.P. BISHOP, JR P.O. BOX 3717 LAKE CITY, FL 32056 (386) 752-5640 SURVEYOR: MARY E. O'NEAL P.O. BOX 3717 LAKE CITY, FL 32056 (386) 752-5640

NOTTES:

1. BE ARINGS ARE BASED ON THE NORTH LINE OF THE NW 1/4, SECTION 23, TOWNSHIP 3 SOUTH, RANGE 16 EAST, BEING N 89\*38\*15\* W. %

2. SUJBJECT PROPERTY LIES IN ZONE "X", AN AREA OUTSIDE OF THE 500-YEAR FLOOD PLAIN AND ZONE "A", AN AREA INSIDIJE OF THE 500-YEAR FLOOD PLAIN PER FLOOD INSURANCE RATE MAP COMMUNITY PANEL NO. 120070 0125 B. LAST REVISSION DATE JANUARY 6, 1988. FLOOD ZONE LINES, IF ANY, ARE SCALED FROM FLOOD INSURANCE RATE MAPS, PROVIDED BY FEMA.

3. WEETLANDS WERE DELINEATED BY DENNIS J. PRICE, P.G. OF SOUTH EAST ENVIRONMENTAL GEOLOGY, RESTRICTIONS FOR LLOTS ABUTTING WETLANDS CAN BE FOUND IN THE COVENANTS AND RESTRICTIONS FOR TURKEY CREEK, UNIT ONE, A PLANNED RESIDENTIAL DEVELOPMENT.

4. ELLEVATIONS ARE BASED ON AN IRON ROAD & CAP (LB8885) IN THE SOUTHWEST CORNER OF LOT 1, COBBLESTONE, UNIT 1 WITH ELEVATION OF 160,38 FEET. ELEVATIONS ARE BASED ON NGVD 1929 DATUM. ELEVATIONS WERE NOT COLLL ECTED WITHIN THE WETLAND BOLINDARIES.

5, ALL CABLE TELEVISION, TELEPHONE, AND POWER LINES SHALL BE LOCATED WITHIN DEDICATED UTILITY EASEMENT AND I NOT WITHIN THE PUBLIC RIGHT-OF-WAY, RIGHT-OF-WAY SHALL BE RESERVED FOR THE INSTALLATION OF CITY POTABLE WATER, RECLAIMED WATER AND GAS ONLY EXCEPT IN CITY APPROVED CROSSING AREAS.

6. PRRELIMINARY PLAT WAS APPROVED ON SEPTEMBER 21, 2006.

7. FINAL PLAT WAS DRAWN ON APRIL 2, 2009.

8. MAXIMUM BUILDING COVERAGE PER LOT OF SINGLE-FAMILY HOMES IS APPROXIMATELY 20 % (DEPENDING ON THE ! SIZE OF THE LOT), BUT NOT TO EXCEED 35 %.

9. WAATER SUPPLY IS TO BE CONNECTED TO CITY OF LAKE CITY.

10. THE EXISTING ZONING DESIGNATION ON THE PROPERTY IS PLANNED RESIDENTIAL DEVELOPMENT (PRD).

11. ALLL RIGHT OF WAYS ARE TO BE PUBLIC.

12. LCOT LINES ARE NON-RADIAL, UNLESS OTHERWISE INDICATED.

13. ALLL LOT CORNERS ARE SET 5/8" X 20" REBAR & CAP (LB6685), UNLESS OTHERWISE INDICATED.

14, BLUILDING SETBACKS ARE AS FOLLOWS: FRONT - 20 FEET SIDE : - 10 FEET REARR - 20 FEET

CERTIFICATE OF APPROVAL BY THE BOARD OF COUNTY COMMISIONERS OF COLUMBIA COUNTY, FLORIDA:

THIS IS TO CERTIFY THAT ON \_\_\_\_\_ THE AFOREGOING PLAT WAS APPROVED BY THE BOARD OF COUNTY COMMISSIONERS FOR COLUMBIA COUNTY, FLORIDA.

ATTEST: CLERK OF CIRCUIT COURT

CERTIFICATE OF SUBDIVIDER'S ENGINEER:

THIS I IS TO CERTIFY THAT ON **NOVEMBER 9, 2009**, R.P. BISHOP JR, REGISTERED FLORIDA ENGINEER, AS SPECIFIED WITHIN CHAPTER 471, FLORIDA STATUES, LICENSE NO. 38546, DOES HEREBY CERTIFY THAT ALL FREQUIRED IMPROVEMENTS HAVE BEEN INSTALLED IN COMPLIANCE WITH THE APPROVED CONSTRUCTION PLANS AND I IF APPLICABLE, ANY SUBMITTED "AS-BUILT" BLUEPRINTS IN ACCORDANCE WITH THE REQUIREMENTS OF THE BOARRD OF COUNTY COMMISIONERS OF COLUMBIA COUNTY, FLORIDA.

REGISTERED ENGINEER

CERTIFICATE OF ACCEPTANCE FOR MAINTENANCE

I HERGEBY CERTIFY THAT THE IMPROVEMENTS HAVE BEEN CONSTRUCTED IN AN ACCEPTABLE MANNER AND IN ACCCORDANCE WITH COUNTY SPECIFICATIONS OR THAT A PERFORMANCE BOND OR INSTRUMENT IN THE AMOUNT OF HAS BEEN POSTED TO ASSURE COMPLETION OF ALL REQUIRED IMPROVEMENTS AND MAINTENANCE IN

THE CASE OF DEFAULT.

SIGNIFIED:
DIRECTOR OF PUBLIC WORKS

PRINTTED NAME:

COUNTY ATTORNEY CERTIFICATE

I HERGEBY CERTIFY THAT I HAVE EXAMINED THE FOREGOING PLAT AND FIND THAT IT COMPLIES IN FORM AND IS CONSSISTENT WITH THE COLUMBIA COUNTY LAND DEVELOPMENT REGULATIONS AND CHAPTER 177 FLORIDA STATUES.

HED: DATE 10-23-19

CLERK'S CERTIFICATE:
THIS I PLAT HAVING BEEN APPROVED BY THE COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS IS ACCEPTED FOR FILES AND REGORDING THIS DAY OF NAME OF THE PROPERTY OF THE PROPERT

CERTIFICATE OF SURVEYOR:

CLERK OF CIRCUIT COURT

I HERGEBY CERTIFY THIS TO BE A TRUE AND CORRECT REPRESENTATION OF THE LANDS SURVEYED AND SHOWN HEREEON, THAT THE SURVEY WAS MADE UNDER MY RESPONSIBLE SUPERVISION, DIRECTION, AND CONTROL, THAT PERMANENT REFERENCE MONUMENTS HAVE BEEN SET AS SHOWN AND THAT THE SURVEY DATA COMPLIES WITH THE COLLUMBIA COUNTY LAND DEVELOPMENT BEGULATIONS AND CHAPTER 177 OF THE FLORIDA STATUTES.

SIGNIED:	OKB 1402+6 1572	DATE	
	MARY E. O'NEAL, P.S.M.		of H WAN I
	FLORIDA REGISTERED CERTIFICATION NO. 6414		
	BAILEY BISHOP & LANE, INC. LB6685		
	871 SW STATE ROAD 47		
	LAKE CITY ELOPIDA 32025		

Page 1 of 1 B: 1402 P: 1571, P.DeWitt Cason, Clerk of Columbia, County, By: KV



# Bailey Bishop & Lane, Inc.

P.O. Box 3717 1923
Lake City, FL 32056 Talia
Ph. 386-752-5640 Ph. 8
Eng. Lic. 7362 Surve
BBL Job Number: 060213JOR

1923 Capital Cir. NE Suite A
056 Tallahassee, FL 32:08
Ph. 850-894-1200
Survey Lic. LB-0006:85

# TURKEY CREEK, UNIT 1

PLAT BOOK \_\_\_ PAGE \_\_ PAGE 2 OF 7

PLANNED RESIDENTIAL DEVELOPMENT

THE NW 1/4 OF SECTION 23, TOWNSHIP 3 SOUTH, RANGE 16 EAST COLUMBIA COUNTY, FLORIDA

IN ACCORDANCE WITH COUNTY ORDINANCE NO. 98-1 WHICH ENACTED SECTION 4.18 OF THE COLUMBIA COUNTY LAND DEVELOPMENT REGULATIONS, THE UNDERSIGNED DEVELOPERS HEREBY PROPOSE AID REQUEST APPROVAL OF THE PLANNED RESIDENTIAL DEVELOPMENT DESCRIBED HEREIN TO BE KNOWN AS TURKEY CREEK, UNIT 1.

#### STATEMENT OF OBJECTIVES

THE DEVELOPMENT CONSISTS OF APPROXIMATELY 92.5 ACRES (OF WHICH APPROXIMATELY 34 ACRES ARE CONTAINED IN UNIT 1), LOCATED APPROXIMATELY THREE MILES NORTHWEST OF LAKE CITY, JOINING THE NORTH RIGHT-OF-WAY OF NW LAKE JEFFERY ROAD (COUNTY ROAD 250) FOR APPROXIMATELY 3,455 FEET.

UNIT 1 OF THE DEVELOPMENT INCLUDES 35 LOTS RANGING IN SIZE FROM A MINIMUM OF 0.250 ACRES TO 0.442 ACRES AND A COMMON AREA OF APPROXIMATELY 10 ACRES WHICH WILL BE USED FOR THIS UNIT AND FUTURE UNITS AS SHOWN ON THE APPROVED PRELIMINARY PLAN OF SAID DEVELOPMENT. THE DEVELOPMENT ALLOWS ONLY SINGLE FAMILY HOMES AND APPERTINENT STRUCTURES. THERE WILL BE AN ATTRACTIVELY LANDSCAPED ENTRANCE. THE ROADS WILL BE PUBLICLY OWNED AND MAINTAINED BY THE COUNTY.

THE PROPERTY IS BORDERED ON THE EAST, WEST AND SOUTH BY RESDENTIAL LAND AND ON THE NORTH BY AGRICULTURAL LAND.

- 1. THE EXISTING ZONING DESIGNATION ON THE PROPERTY IS PLANNE! RURAL DEVELOPMENT (PRD).
- BUILDING SETBACKS: BUILDING SETBACKS SHALL BE AS FOLLOWS FRONT - 20 FEET SIDE - 10 FEET FOR EACH SIDE YARD. REAR - 20 FEET
- 3. MAXIMUM HEIGHT OF BUILDINGS: THE MAXIMUM HEIGHT OF BUILDINGS SHALL BE 35 FEET. HEIGHT OF BUILDING IS THE VERTICAL DISTANCE MEASURED FROM THE ESTABLISHED GRADE AT A CORNER OF THE FRONT OF THE BUILDING TO THE HIGHEST POINT OF THE ROOF SURFACE OF A FLAT ROOF, TO THE DECK LINE OF A MANSARD OR BERMUDA ROCF, TO THE MEAN HEIGHT LEVEL BETWEEN EAVES AND RIDGE OF GABLE, HIP, CONE, GAMBREL AND SHED ROOFS, AND TO A HEIGHT THREE-FOURTHS (3/4) THE DISTANCE FROM THE GROUND TO THE APEX OF A-FRAME AND DOME ROOFS.
- 4. ACCESS STREETS: THE COLLECTOR STREET FROM WHICH THERE B DIRECT ACCESS TO THE DEVELOPMENT IS NW LAKE JEFFERY ROAD (COUNTY ROAD NO. 250) TO THE SOUTH.
- 5. COMMON OUTSIDE STORAGE AREAS: THERE WILL BE NO PROVISION MADE FOR COMMON OUTSIDE STORAGE AREAS. EACH LOT IS LARGE ENOUGH THAT THE HOMEOWNER CAN PROVIDE HIS OR HER OWN STORAGE AREA.
- 6. SCREENING, BUFFERING AND LANDSCAPING: SCREENING, BUFFEIING AND LANDSCAPE BUFFERED AREAS SHALL BE IN COMPLIANCE WITH CHAPTER 20-A, COLUMBIA COUNTY ZONING REGULATIONS, OR SUCH REGULATIONS IN EFFECT AT THE TIME EACH HOME IS BUILT, WHICHEVER IS LESS RESTRICTIVE.
- 7. ADDITIONAL SETBACK REQUIREMENTS: THE LOCATION OF ANY STRUCTURE (EXCEPT PERMITTED DOCKS, WALKWAYS AND PIERS) SHALL BE SET BACK A MINIMUM OF THIRTY-FIVE (35) FEET FROM WETLANDS AND FIFTY (50) FEET FROM ALL PERENNIAL RIVERS, CREEKS AND STREAMS.

### STATISTICAL INFORMATION

- TOTAL ACREAGE OF UNIT 1 IS APPROXIMATELY 334.44 ACRES.
- 2. MAXIMUM BUILDING COVERAGE PER LOT OF SIN(GLE-FAMILY HOMES IS APPROXIMATELY 20% (DEPENDING ON THE SIZE OF THE LOT), BUT NOT TO EXCEED 35%.
- 3. GROSS RESIDENTIAL DENSITY (SINGLE FAMILY HOMES) = 35 HOMES/34.44 ACRES = 1.02 UNITS/ACRE.
- 4. NET RESIDENTIAL ACREAGE (SINGLE FAMILY HO)MES): 9.60 ACRES.
- 5. SUMMARY OF UNIT 1 ACREAGE OF 34.44 ACRES:

(A) LOTS FOR SINGLE FAMILY HON	MES 9.6(0 ACRES
(B) RETENTION AREA	3.74 ACRES
(C) ROADS	3.413 ACRES
(D) COMMON AREA	9.78 ACRES
(E) WETLANDS	5.46 ACRES
(F) FUTURE DEVELOPMENT	2.453 ACRES

#### UTILITY SERVICE PLAN

THE LOTS WILL BE SERVED BY POTABLE WATER PRIOVIDED BY THE CITY OF LAKE CITY, RECLAIMED WATER WILL BE PROVIDED BY A COMMUNITY WATER SYSTEM OWNED AND OPERATED BY THE PROPERTY OWNERS ASSOCIATION AND INDIVIDUAL SEPTIC TANKS. THE PROPERTY OWNERS ASSOCIATION WILL BE GRANTED THE NECESSARY EASEMENTS WITHIN THE PROJECT SITE TO CONSTRUCT THE UTILITY FACILITIES.

BELLSOUTH/AT&T AND FLORIDA POWER AND LIGHT COMPANY WILL BE GRANTED EASEMENTS WITHIN THE PROJECT SITE TO CONSTRUCT UTILITY FACILITIES. SAID EASEMENTS SHALL BE ON THE FRONT 10 FEET OF EACH LOT.

# STATEMENT INDICATING TYPE OF LEGAL INSTRUMENT TO PROVIDE FOR MANAGEMENT OF COMMON AREAS

THE COMMON AREAS IN THE DEVELOPMENT WILL BIE PRIVATELY OWNED BY THE PROPERT OWNERS ASSOCIATION. TITLE TO THESE AREAS WILL BE HELD BY A FLORIDA NOT-FOIR-PROFIT HOMEOWNERS ASSOCIATION, TURKEY CREEK COLUMBIA COUNTY HOMEOWNERS ASSOCIATION, INC. WHICH \U00f3WILL OWN, MANAGE AND CONTROL SAID COMMON ELEMENTS IN ACCORDANCE WITH DECLARATIONS AND RESTRICT IONS ARTICLES OF INCORPORATION AND BYLAWS. EACH LOT OWNER WILL BE A MEMBER OF THE HOMEOWNERS ASSOCIATION; THE ASSOCIATION WILL GOVERN BY MAJORITY RULE AND HAS THE AUTHORITY TO ASSESS FOR MAINTENANCE AND IMPROVEMENTS OF THE COMMON ELEMENTS.

THE DEVELOPMENT IS LIMITED TO SINGLE FAMILY RESIDENCES. NO MOBILE HOMES, CAMPERS, MOTOR HOMES, OR SIMILAR ARRANGEMENTS CAN BE USED FOR A DWELLING.

REFER TO BOUNDARY SURVEY BY BAILEY BISHOP AIND LANE, DATED 03/27/06.

REFER TO UNITED STATES GEOLOGICAL SURVEY 7.55 MINUTE QUADRANGLE MAP, LAKE CITY WEST, FLORIDA, QUADRANGLE.

## SUMMARY OF SINGLE FAMILY RESIDENTIAL LOTS BY UNITS

UNIT NO.	NO. OF LOTS	
1	35	
TOTAL	35	

