



400 WEST WASHINGTON AVENUE, SUITE 100
 MIAMI, FL 33136
 PH: 305.375.1111
 WWW.CKARCHITECTS.COM



LIFE SAFETY PLAN
 MODULAR STRUCTURE
 WILSCOT MODULAR

PERMIT NO.
 20034-09
 DATE
 02.14.22
 EXPIRES
 02.14.23

A102

GENERAL NOTES

- A. WORKMAN PROVISIONS FOR LIFE SAFETY PLAN INDICATE EGRESS REQUIREMENTS, THIS INFORMATION IS NOT TO BE CONSIDERED AS A SUBSTITUTE FOR THE SUBMITTED WORK.
- B. FIRE ALARM DEVICES SHOWN FOR REFERENCE ONLY. FIRE ALARM DESIGN TO BE SUBMITTED UNDER SEPARATE PERMIT APPLICATION.
- C. THE WORKMAN SHALL VERIFY ALL EGRESS REQUIREMENTS AND PROVIDE ALL NECESSARY WORK TO AVOID OBSTRUCTING EGRESS PATHS.
- D. FIRE RISK ANALYSIS, SINGLE EXIT CLASSROOMS ALLOWED WITH A MAXIMUM OCCUPANCY OF 40 PEOPLE AND EXIT WIDTHS OF TRAVEL LESS THAN 10'-0".

APPLICABLE BUILDING CODES


BUILDING CODE: FLORIDA BUILDING CODE, THE 2010 (L2000) EDITION
 FIRE ALARM CODE: FLORIDA FIRE PREVENTION CODE, THE 2010 (L2000) EDITION
 LIFE SAFETY CODE: FLORIDA LIFE SAFETY CODE, THE 2010 (L2000) EDITION

CODE SUMMARY

AREA	BT	FLORIDA
AREA	ASB	ASB 2017
BUILDING TYPE	FIRE TYPE V	FIRE TYPE V (0,0,0)
OCCUPANCY	EDUCATION	EDUCATION
PLANNING AREA (TOTAL AREA)	4000 SF	4000 SF
AUTOMATIC SPRINKLER SYSTEM (TYPE & SIZE)	NO	NO
MAXIMUM ALLOWABLE TRAVEL DISTANCE	200'-0" FIRE	200'-0" FIRE
OCCUPANCY LOAD	30	30
REQUIRED NUMBER OF EXITS	1	1
REQUIRED GATED WIDTH LEVEL (L7)	7'-6"	7'-6"
EGRESS WIDTH PROVIDED	1 EXIT DOORS AT 34' x 34'	1 EXIT DOORS AT 34' x 34'

LIFE SAFETY LEGEND

SYMBOL	DESCRIPTION	LINE TYPE
T.D.	TRAVEL DISTANCE (NOT POST) EXIT POINT	-----
P.E.P.	POST EXIT POINT	-----
EXIT	EXIT	-----
TOILET	TOILET	-----
CLASSROOM	CLASSROOM	-----
FIRE DETECTOR	FIRE DETECTOR	-----
EXIT LIGHT	EXIT LIGHT	-----
EMERGENCY LIGHT	EMERGENCY LIGHT	-----



LIFE SAFETY PLAN
 SCALE: 1/4" = 1'-0"