

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE SCORE* = 83.4

The higher the score, the more efficient the home.

Richard & Rena Scaff, , , FL,

1. New construction or existing	New	12. Cooling systems	
2. Single family or multi-family	Single family	a. Central Unit	Cap: 35.0 kBtu/hr
3. Number of units, if multi-family	1		SEER: 10.00
4. Number of Bedrooms	3	b. N/A	
5. Is this a worst case?	Yes	c. N/A	
6. Conditioned floor area (ft ²)	2386 ft ²		
7. Glass area & type		13. Heating systems	
a. Clear - single pane	0.0 ft ²	a. Electric Heat Pump	Cap: 40.0 kBtu/hr
b. Clear - double pane	261.0 ft ²		HSPF: 6.80
c. Tint/other SHGC - single pane	0.0 ft ²	b. N/A	
d. Tint/other SHGC - double pane	0.0 ft ²	c. N/A	
8. Floor types			
a. Slab-On-Grade Edge Insulation	R=0.0, 284.0(p) ft	14. Hot water systems	
b. N/A		a. Electric Resistance	Cap: 40.0 gallons
c. N/A			EF: 0.89
9. Wall types		b. N/A	
a. Frame, Wood, Exterior	R=11.0, 1590.0 ft ²	c. Conservation credits	
b. Frame, Wood, Adjacent	R=11.0, 344.2 ft ²	(HR-Heat recovery, Solar	
c. N/A		DHP-Dedicated heat pump)	
d. N/A		15. HVAC credits	
e. N/A		(CF-Ceiling fan, CV-Cross ventilation,	
10. Ceiling types		HF-Whole house fan,	
a. Under Attic	R=30.0, 2478.0 ft ²	PT-Programmable Thermostat,	
b. N/A		MZ-C-Multizone cooling,	
c. N/A		MZ-H-Multizone heating)	
11. Ducts			
a. Sup: Unc. Ret: Unc. AH: Garage	Sup. R=6.0, 220.0 ft		
b. N/A			

I certify that this home has complied with the Florida Energy Efficiency Code For Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature: _____ Date: _____

Address of New Home: _____ City/FL Zip: _____



**NOTE: The home's estimated energy performance score is only available through the FLA/RES computer program. This is not a Building Energy Rating. If your score is 80 or greater (or 86 for a US EPA/DOE EnergyStarTM designation), your home may qualify for energy efficiency mortgage (EEM) incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at 321/638-1492 or see the Energy Gauge web site at www.fsec.ucf.edu for information and a list of certified Raters. For information about Florida's Energy Efficiency Code For Building Construction, contact the Department of Community Affairs at 850/487-1824.*

EnergyGauge® (Version: FLR1PB v3.22)

Residential System Sizing Calculation

Summary

Richard & Rena Scaff
 , FL

Project Title:
 302132ScaffRes.

Class 3 Rating
 Registration No. 0
 Climate: North


3/28/2003

Location for weather data: Gainesville - Defaults: Latitude(29) Temp Range(M)			
Humidity data: Interior RH (50%) Outdoor wet bulb (77F) Humidity difference(51gr.)			
Winter design temperature	31 F	Summer design temperature	93 F
Winter setpoint	70 F	Summer setpoint	75 F
Winter temperature difference	39 F	Summer temperature difference	18 F
Total heating load calculation	33872 Btuh	Total cooling load calculation	29516 Btuh
Submitted heating capacity	40000 Btuh	Submitted cooling capacity	35000 Btuh
Submitted as % of calculated	118.1 %	Submitted as % of calculated	118.6 %

WINTER CALCULATIONS

Winter Heating Load (for 2386 sqft)


Load component	Load
Window total 261 sqft	7387 Btuh
Wall total 1934 sqft	6185 Btuh
Door total 65 sqft	1022 Btuh
Ceiling total 2478 sqft	3221 Btuh
Floor total 284 ft	8974 Btuh
Infiltration 128 cfm	5470 Btuh
Subtotal	32259 Btuh
Duct loss	1613 Btuh
TOTAL HEAT LOSS	33872 Btuh



SUMMER CALCULATIONS

Summer Cooling Load (for 2386 sqft)

Load component	Load
Window total 261 sqft	10211 Btuh
Wall total 1934 sqft	3477 Btuh
Door total 65 sqft	663 Btuh
Ceiling total 2478 sqft	3519 Btuh
Floor total	0 Btuh
Infiltration 112 cfm	2209 Btuh
Internal gain	2400 Btuh
Subtotal(sensible)	22479 Btuh
Duct gain	2248 Btuh
Total sensible gain	24727 Btuh
Latent gain(infiltration)	3869 Btuh
Latent gain(internal)	920 Btuh
Total latent gain	4789 Btuh
TOTAL HEAT GAIN	29516 Btuh



EnergyGauge® System Sizing based on ACCA Manual J.

PREPARED BY: *Erin O'Sullivan*

DATE: *28 Mar. 03*

System Sizing Calculations - Winter

Residential Load - Component Details

Richard & Rena Scaff

Project Title:
302132ScaffRes.

Class 3 Rating
Registration No. 0
Climate: North

, FL

Reference City: Gainesville (Defaults) Winter Temperature Difference: 39.0 F

3/28/2003

Window	Panes/SHGC/Frame/U	Orientation	Area X	HTM=	Load
1	2, Clear, Metal, DEF	N	16.0	28.3	453 Btuh
2	2, Clear, Metal, DEF	E	15.0	28.3	424 Btuh
3	2, Clear, Metal, DEF	E	12.0	28.3	340 Btuh
4	2, Clear, Metal, DEF	S	6.3	28.3	177 Btuh
5	2, Clear, Metal, DEF	S	40.0	28.3	1132 Btuh
6	2, Clear, Metal, DEF	S	28.7	28.3	811 Btuh
7	2, Clear, Metal, DEF	S	21.5	28.3	608 Btuh
8	2, Clear, Metal, DEF	S	12.0	28.3	340 Btuh
9	2, Clear, Metal, DEF	W	60.0	28.3	1698 Btuh
10	2, Clear, Metal, DEF	W	33.6	28.3	951 Btuh
11	2, Clear, Metal, DEF	W	16.0	28.3	453 Btuh
Window Total			261		7387 Btuh
Walls	Type	R-Value	Area X	HTM=	Load
1	Frame - Exterior	11.0	1590	3.5	5565 Btuh
2	Frame - Adjacent	11.0	344	1.8	620 Btuh
Wall Total			1934		6185 Btuh
Doors	Type		Area X	HTM=	Load
1	Insulated - Exter		26	18.3	473 Btuh
2	Insulated - Exter		20	18.3	363 Btuh
3	Insulated - Adjac		20	9.4	186 Btuh
Door Total			65		1022Btuh
Ceilings	Type	R-Value	Area X	HTM=	Load
1	Under Attic	30.0	2478	1.3	3221 Btuh
Ceiling Total			2478		3221Btuh
Floors	Type	R-Value	Size X	HTM=	Load
1	Slab-On-Grade Edge Insul	0	284.0 ft(p)	31.6	8974 Btuh
Floor Total			284		8974 Btuh
Infiltration	Type	ACH X	Building Volume	CFM=	Load
	Natural	0.40	19088(sqft)	128	5470 Btuh
	Mechanical			0	0 Btuh
Infiltration Total				128	5470 Btuh

Totals for Heating	Subtotal	32259 Btuh
	Duct Loss(using duct multiplier of 0.05)	1613 Btuh
	Total Btuh Loss	33872 Btuh

Manual J Winter Calculations

Residential Load - Component Details (continued)

Richard & Rena Scaff

Project Title:
302132ScaffRes.

Class 3 Rating
Registration No. 0
Climate: North

3/28/2003

Key: Window types (SHGC - Shading coefficient of glass as SHGC numerical value or as clear or tint)

(Frame types - metal, wood or insulated metal)

(U - Window U-Factor or 'DEF' for default)

(HTM - ManualJ Heat Transfer Multiplier)

Key: Floor size (perimeter(p) for slab-on-grade or area for all other floor types)

System Sizing Calculations - Summer

Residential Load - Component Details

Richard & Rena Scaff

Project Title:
302132ScaffRes.

Class 3 Rating
Registration No. 0
Climate: North

, FL

Reference City: Gainesville (Defaults)

Summer Temperature Difference: 18.0 F

3/28/2003

Window	Type	Overhang		Window Area(sqft)			HTM		Load		
	Panes/SHGC/U/InSh/ExSh Ornt	Len	Hgt	Gross	Shaded	Unshaded	Shaded	Unshaded			
1	2, Clear, DEF, N, N	N	1.5	4.5	16.0	0.0	16.0	22	22	352	Btuh
2	2, Clear, DEF, N, N	E	1.5	5.5	15.0	0.0	15.0	22	72	1080	Btuh
3	2, Clear, DEF, N, N	E	1.5	3.5	12.0	4.2	7.8	22	72	655	Btuh
4	2, Clear, DEF, N, N	S	1.5	3.5	6.3	6.3	0.0	22	37	138	Btuh
5	2, Clear, DEF, N, N	S	1.5	11	40.0	30.6	9.4	22	37	1021	Btuh
6	2, Clear, DEF, N, N	S	1.5	7.66	28.7	14.3	14.3	22	37	846	Btuh
7	2, Clear, DEF, N, N	S	1.5	7.66	21.5	21.5	0.0	22	37	473	Btuh
8	2, Clear, DEF, N, N	S	4	7	12.0	12.0	0.0	22	37	264	Btuh
9	2, Clear, DEF, N, N	W	1.5	5.5	60.0	13.6	46.4	22	72	3641	Btuh
10	2, Clear, DEF, N, N	W	11.1	6.5	33.6	33.6	0.0	22	72	739	Btuh
11	2, Clear, DEF, N, N	W	1.5	4.5	16.0	3.0	13.0	22	72	1003	Btuh
Window Total					261					10211 Btuh	
Walls	Type	R-Value			Area			HTM		Load	
1	Frame - Exterior	11.0			1590.0			1.9		3085 Btuh	
2	Frame - Adjacent	11.0			344.2			1.1		392 Btuh	
Wall Total					1934.2					3477 Btuh	
Doors	Type	R-Value			Area			HTM		Load	
1	Insulated - Exter				25.8			10.1		262 Btuh	
2	Insulated - Exter				19.8			10.1		201 Btuh	
3	Insulated - Adjac				19.8			10.1		201 Btuh	
Door Total					65.4					663 Btuh	
Ceilings	Type/Color	R-Value			Area			HTM		Load	
1	Under Attic/Dark	30.0			2478.0			1.4		3519 Btuh	
Ceiling Total					2478.0					3519 Btuh	
Floors	Type	R-Value			Size			HTM		Load	
1	Slab-On-Grade Edge Insulation	0.0			284.0 ft(p)			0.0		0 Btuh	
Floor Total					284.0					0 Btuh	
Infiltration	Type	ACH			Volume			CFM=		Load	
	Natural	0.35			19088			111.6		2209 Btuh	
	Mechanical							0		0 Btuh	
Infiltration Total								112		2209 Btuh	

Internal gain	Occupants	Btuh/occupant	Appliance	Load
	4	X 300 +	1200	2400 Btuh

Manual J Summer Calculations

Residential Load - Component Details (continued)

Richard & Rena Scaff

Project Title:
302132ScaffRes.

Class 3 Rating
Registration No. 0
Climate: North

, FL

3/28/2003

Totals for Cooling	Subtotal	22479 Btuh
	Duct gain(using duct multiplier of 0.10)	2248 Btuh
	Total sensible gain	24727 Btuh
	Latent infiltration gain (for 51 gr. humidity difference)	3869 Btuh
	Latent occupant gain (4 people @ 230 Btuh per person)	920 Btuh
	Latent other gain	0 Btuh
	TOTAL GAIN	29516 Btuh

Key: Window types (SHGC - Shading coefficient of glass as SHGC numerical value or as clear or tint)
(U - Window U-Factor or 'DEF' for default)
(InSh - Interior shading device: none(N), Blinds/Daperies(B) or Roller Shades(R))
(ExSh - Exterior shading device: none(N) or numerical value)
(Ornt - compass orientation)

Code Compliance Checklist

Residential Whole Building Performance Method A - Details

ADDRESS: , , FL,

PERMIT #:

6A-21 INFILTRATION REDUCTION COMPLIANCE CHECKLIST

COMPONENTS	SECTION	REQUIREMENTS FOR EACH PRACTICE	CHECK
Exterior Windows & Doors	606.1.ABC.1.1	Maximum: .3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.	
Exterior & Adjacent Walls	606.1.ABC.1.2.1	Caulk, gasket, weatherstrip or seal between: windows/doors & frames, surrounding wall; foundation & wall sole or sill plate; joints between exterior wall panels at corners; utility penetrations; between wall panels & top/bottom plates; between walls and floor. EXCEPTION: Frame walls where a continuous infiltration barrier is installed that extends from, and is sealed to, the foundation to the top plate.	
Floors	606.1.ABC.1.2.2	Penetrations/openings >1/8" sealed unless backed by truss or joint members. EXCEPTION: Frame floors where a continuous infiltration barrier is installed that is sealed to the perimeter, penetrations and seams.	
Ceilings	606.1.ABC.1.2.3	Between walls & ceilings; penetrations of ceiling plane of top floor; around shafts, chases, soffits, chimneys, cabinets sealed to continuous air barrier; gaps in gyp board & top plate; attic access. EXCEPTION: Frame ceilings where a continuous infiltration barrier is installed that is sealed at the perimeter, at penetrations and seams.	
Recessed Lighting Fixtures	606.1.ABC.1.2.4	Type IC rated with no penetrations, sealed; or Type IC or non-IC rated, installed inside a sealed box with 1/2" clearance & 3" from insulation; or Type IC rated with < 2.0 cfm from conditioned space, tested.	
Multi-story Houses	606.1.ABC.1.2.5	Air barrier on perimeter of floor cavity between floors.	
Additional Infiltration reqts	606.1.ABC.1.3	Exhaust fans vented to outdoors, dampers; combustion space heaters comply with NFPA, have combustion air.	

6A-22 OTHER PRESCRIPTIVE MEASURES (must be met or exceeded by all residences.)

COMPONENTS	SECTION	REQUIREMENTS	CHECK
Water Heaters	612.1	Comply with efficiency requirements in Table 6-12. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required.	
Swimming Pools & Spas	612.1	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spa & pool heaters must have a minimum thermal efficiency of 78%.	
Shower heads	612.1	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	
Air Distribution Systems	610.1	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated, and installed in accordance with the criteria of Section 610. Ducts in unconditioned attics: R-6 min. insulation.	
HVAC Controls	607.1	Separate readily accessible manual or automatic thermostat for each system.	
Insulation	604.1, 602.1	Ceilings-Min. R-19. Common walls-Frame R-11 or CBS R-3 both sides. Common ceiling & floors R-11.	

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs Residential Whole Building Performance Method A

Project Name: **302132ScaffRes.**
 Address:
 City, State: **, FL**
 Owner: **Richard & Rena Scaff**
 Climate Zone: **North**

Builder:
 Permitting Office:
 Permit Number:
 Jurisdiction Number:

- | | | | | | |
|--|--------------------------------|-----|--|-------------------|-----|
| 1. New construction or existing | New | ___ | 12. Cooling systems | | |
| 2. Single family or multi-family | Single family | ___ | a. Central Unit | Cap: 35.0 kBtu/hr | ___ |
| 3. Number of units, if multi-family | 1 | ___ | | SEER: 10.00 | ___ |
| 4. Number of Bedrooms | 3 | ___ | b. N/A | | ___ |
| 5. Is this a worst case? | Yes | ___ | c. N/A | | ___ |
| 6. Conditioned floor area (ft ²) | 2386 ft ² | ___ | 13. Heating systems | | |
| 7. Glass area & type | | ___ | a. Electric Heat Pump | Cap: 40.0 kBtu/hr | ___ |
| a. Clear - single pane | 0.0 ft ² | ___ | | HSPF: 6.80 | ___ |
| b. Clear - double pane | 261.0 ft ² | ___ | b. N/A | | ___ |
| c. Tint/other SHGC - single pane | 0.0 ft ² | ___ | c. N/A | | ___ |
| d. Tint/other SHGC - double pane | 0.0 ft ² | ___ | 14. Hot water systems | | |
| 8. Floor types | | ___ | a. Electric Resistance | Cap: 40.0 gallons | ___ |
| a. Slab-On-Grade Edge Insulation | R=0.0, 284.0(p) ft | ___ | | EF: 0.89 | ___ |
| b. N/A | | ___ | b. N/A | | ___ |
| c. N/A | | ___ | c. Conservation credits | | ___ |
| 9. Wall types | | ___ | (HR-Heat recovery, Solar | | ___ |
| a. Frame, Wood, Exterior | R=11.0, 1590.0 ft ² | ___ | DHP-Dedicated heat pump) | | ___ |
| b. Frame, Wood, Adjacent | R=11.0, 344.2 ft ² | ___ | 15. HVAC credits | | ___ |
| c. N/A | | ___ | (CF-Ceiling fan, CV-Cross ventilation, | | ___ |
| d. N/A | | ___ | HF-Whole house fan, | | ___ |
| e. N/A | | ___ | PT-Programmable Thermostat, | | ___ |
| 10. Ceiling types | | ___ | MZ-C-Multizone cooling, | | ___ |
| a. Under Attic | R=30.0, 2478.0 ft ² | ___ | MZ-H-Multizone heating) | | ___ |
| b. N/A | | ___ | | | ___ |
| c. N/A | | ___ | | | ___ |
| 11. Ducts | | ___ | | | ___ |
| a. Sup: Unc. Ret: Unc. AH: Garage | Sup. R=6.0, 220.0 ft | ___ | | | ___ |
| b. N/A | | ___ | | | ___ |

Glass/Floor Area: 0.11

Total as-built points: 32040

Total base points: 33143

PASS

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

PREPARED BY: Evan Beamsley

DATE: 26 Mar 03 Evan Beamsley

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.

OWNER/AGENT: _____

DATE: _____

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.

BUILDING OFFICIAL: _____

DATE: _____



SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , FL,

PERMIT #:

BASE				AS-BUILT							
GLASS TYPES .18 X Conditioned X BSPM = Points Floor Area				Overhang Type/SC Ornt Len Hgt Area X SPM X SOF = Points							
.18	2386.0	20.04	8606.8	Double, Clear	SW	1.5	4.5	16.0	38.46	0.80	495.4
				Double, Clear	NW	1.5	5.5	15.0	25.46	0.91	348.2
				Double, Clear	NW	1.5	3.5	12.0	25.46	0.82	250.6
				Double, Clear	NE	1.5	3.5	6.3	28.72	0.80	143.8
				Double, Clear	NE	1.5	11.0	40.0	28.72	0.99	1135.0
				Double, Clear	NE	1.5	7.7	28.7	28.72	0.96	787.4
				Double, Clear	NE	1.5	7.7	21.5	28.72	0.96	590.6
				Double, Clear	NE	4.0	7.0	12.0	28.72	0.72	248.5
				Double, Clear	SE	1.5	5.5	60.0	40.86	0.86	2110.9
				Double, Clear	SE	11.2	6.5	33.6	40.86	0.41	568.4
				Double, Clear	SE	1.5	4.5	16.0	40.86	0.80	524.7
				As-Built Total: 261.0 7203.5							
WALL TYPES Area X BSPM = Points				Type R-Value Area X SPM = Points							
Adjacent	344.2	0.70	240.9	Frame, Wood, Exterior			11.0	1590.0	1.70		2703.0
Exterior	1590.0	1.70	2703.0	Frame, Wood, Adjacent			11.0	344.2	0.70		240.9
Base Total: 1934.2 2943.9				As-Built Total: 1934.2 2943.9							
DOOR TYPES Area X BSPM = Points				Type Area X SPM = Points							
Adjacent	19.8	2.40	47.5	Exterior Insulated				25.8	4.10		105.8
Exterior	45.6	6.10	278.2	Exterior Insulated				19.8	4.10		81.2
				Adjacent Insulated				19.8	1.60		31.7
Base Total: 65.4 325.7				As-Built Total: 65.4 218.6							
CEILING TYPES Area X BSPM = Points				Type R-Value Area X SPM X SCM = Points							
Under Attic	2386.0	1.73	4127.8	Under Attic			30.0	2478.0	1.73 X 1.00		4286.9
Base Total: 2386.0 4127.8				As-Built Total: 2478.0 4286.9							
FLOOR TYPES Area X BSPM = Points				Type R-Value Area X SPM = Points							
Slab	284.0(p)	-37.0	-10508.0	Slab-On-Grade Edge Insulation			0.0	284.0(p)	-41.20		-11700.8
Raised	0.0	0.00	0.0								
Base Total: -10508.0				As-Built Total: 284.0 -11700.8							

SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , FL,	PERMIT #:
------------------	-----------

BASE				AS-BUILT						
INFILTRATION Area X BSPM = Points				Area X SPM = Points						
2386.0 10.21 24361.1				2386.0 10.21 24361.1						
Summer Base Points: 29857.2				Summer As-Built Points: 27313.2						
Total Summer Points	X	System Multiplier	= Cooling Points	Total Component	X	Cap Ratio	X Duct Multiplier (DM x DSM x AHU)	X System Multiplier	X Credit Multiplier	= Cooling Points
29857.2		0.4266	12737.1	27313.2 27313.2	1.000 1.00	(1.090 x 1.147 x 1.00) 1.250	0.341 0.341	1.000 1.000		11654.7 11654.7

WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , FL,

PERMIT #:

BASE				AS-BUILT							
GLASS TYPES											
.18 X Conditioned X BWPM = Points Floor Area				Type/SC	Overhang Ornt Len Hgt		Area X WPM X WOF = Points				
.18	2386.0	12.74	5471.6	Double, Clear	SW	1.5	4.5	16.0	7.17	1.11	127.7
				Double, Clear	NW	1.5	5.5	15.0	14.03	1.00	211.3
				Double, Clear	NW	1.5	3.5	12.0	14.03	1.01	170.1
				Double, Clear	NE	1.5	3.5	6.3	13.40	1.02	85.4
				Double, Clear	NE	1.5	11.0	40.0	13.40	1.00	535.5
				Double, Clear	NE	1.5	7.7	28.7	13.40	1.00	385.0
				Double, Clear	NE	1.5	7.7	21.5	13.40	1.00	288.8
				Double, Clear	NE	4.0	7.0	12.0	13.40	1.03	165.4
				Double, Clear	SE	1.5	5.5	60.0	5.33	1.11	356.6
				Double, Clear	SE	11.2	6.5	33.6	5.33	2.41	431.1
				Double, Clear	SE	1.5	4.5	16.0	5.33	1.18	100.3
				As-Built Total:				261.0	2857.0		
WALL TYPES Area X BWPM = Points				Type	R-Value		Area X WPM = Points				
Adjacent	344.2	3.60	1239.1	Frame, Wood, Exterior	11.0		1590.0	3.70		5883.0	
Exterior	1590.0	3.70	5883.0	Frame, Wood, Adjacent	11.0		344.2	3.60		1239.1	
Base Total:				As-Built Total:				1934.2	7122.1		
DOOR TYPES Area X BWPM = Points				Type			Area X WPM = Points				
Adjacent	19.8	11.50	227.7	Exterior Insulated			25.8	8.40		216.7	
Exterior	45.6	12.30	560.9	Exterior Insulated			19.8	8.40		166.3	
				Adjacent Insulated			19.8	8.00		158.4	
Base Total:				As-Built Total:				65.4	541.4		
CEILING TYPES Area X BWPM = Points				Type	R-Value		Area X WPM X WCM = Points				
Under Attic	2386.0	2.05	4891.3	Under Attic	30.0		2478.0	2.05 X 1.00		5079.9	
Base Total:				As-Built Total:				2478.0	5079.9		
FLOOR TYPES Area X BWPM = Points				Type	R-Value		Area X WPM = Points				
Slab	284.0(p)	8.9	2527.6	Slab-On-Grade Edge Insulation	0.0		284.0(p)	18.80		5339.2	
Raised	0.0	0.00	0.0								
Base Total:				As-Built Total:				284.0	5339.2		

WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , FL,	PERMIT #:
------------------	-----------

BASE				AS-BUILT					
INFILTRATION Area X BWPM = Points				Area X WPM = Points					
2386.0 -0.59 -1407.7				2386.0 -0.59 -1407.7					
Winter Base Points: 19393.4				Winter As-Built Points: 19532.0					
Total Winter Points	X	System Multiplier	= Heating Points	Total Component	X	Cap Ratio	X Duct Multiplier (DM x DSM x AHU)	X System Multiplier	X Credit Multiplier = Heating Points
19393.4		0.6274	12167.4	19532.0	1.000	(1.069 x 1.169 x 1.00)	0.501	1.000	12240.1
				19532.0	1.00	1.250	0.501	1.000	12240.1

WATER HEATING & CODE COMPLIANCE STATUS

Residential Whole Building Performance Method A - Details

ADDRESS: , , FL,

PERMIT #:

BASE				AS-BUILT					
WATER HEATING									
Number of Bedrooms	X	Multiplier	= Total	Tank Volume	EF	Number of Bedrooms	X Tank X Ratio	Multiplier X Credit	= Total Multiplier
3		2746.00	8238.0	40.0	0.89	3	1.00	2715.15	8145.4
				As-Built Total:					8145.4


CODE COMPLIANCE STATUS													
BASE					AS-BUILT								
Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points	Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points
12737		12167		8238		33143	11655		12240		8145		32040

PASS

SCAFF

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509179
L45316	CJ1	ROOF TRUSS	14	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:22:40 2003 Page 1



LOADING (psf)	SPACING	2'-0'-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.19	Vert(LL)	0.00	B	>999	M1120	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.00	Vert(TL)	0.04	A-B	>557		
BCLL 0.0	Rep Stress Incr	YES	WB 0.00	Horz(TL)	0.00	C	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240			Weight: 7 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 1'-0'-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10'-0'-0 oc bracing.

REACTIONS (lb/size) C = -90/Mechanical, B = 261/0-3-8, D = 10/Mechanical

Max Horz B = 73(load case 4)

Max Uplift C = -90(load case 1), B = -259(load case 4), D = -7(load case 2)

Max Grav C = 131(load case 4), B = 261(load case 1), D = 10(load case 1)

FORCES (lb) - First Load Case Only


TOP CHORD A-B = 47, B-C = -69

BOT CHORD B-D = 0

NOTES

- 1) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 2) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 90 lb uplift at joint C, 259 lb uplift at joint B and 7 lb uplift at joint D.


LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509180
L45316	CJ3	ROOF TRUSS	14	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:22:41 2003 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.21	Vert(LL)	0.00	B-D	> 999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.03	Vert(TL)	0.08	A-B	> 312		
BCLL 0.0	Rep Stress Incr	YES	WB 0.00	Horz(TL)	-0.00	C	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	= 240			Weight: 13 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 3-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) C=31/Mechanical, B=264/0-3-8, D=28/Mechanical

Max Horz B=98(load case 4)

Max Uplift C=-56(load case 5), B=-197(load case 4), D=-20(load case 2)

FORCES (lb) - First Load Case Only


TOP CHORD A-B=47, B-C=-57

BOT CHORD B-D=0

NOTES


- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 56 lb uplift at joint C, 197 lb uplift at joint B and 20 lb uplift at joint D.

LOAD CASE(S) Standard



Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509181
L45316	CJ5	ROOF TRUSS	8	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:22:41 2003 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in (loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.21	Vert(LL) 0.03	B-D	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.09	Vert(TL) 0.09	A-B	>287		
BCLL 0.0	Rep Stress Incr	YES	WB 0.00	Horz(TL) -0.00	C	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240		Weight: 19 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 5-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) C = 103/Mechanical, B = 319/0-3-8, D = 48/Mechanical
Max Horz B = 130(load case 5)
Max Uplift C = -106(load case 5), B = -197(load case 4), D = -34(load case 2)


FORCES (lb) - First Load Case Only

TOP CHORD A-B = 47, B-C = 36
BOT CHORD B-D = 0

NOTES

- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 106 lb uplift at joint C, 197 lb uplift at joint B and 34 lb uplift at joint D.


LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509182
L45316	EJ5	ROOF TRUSS	10	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLIN HOLDING CO. Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:22:42 2003 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.21	Vert(LL)	n/a	-	n/a	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.09	Vert(TL)	0.09	A-B	> 287		
BCLL 0.0	Rep Stress Incr	YES	WB 0.00	Horz(TL)	-0.00	C	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	=	240		Weight: 19 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 5-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) C = 103/Mechanical, B = 319/0-3-8, D = 48/Mechanical
Max Horz B = 130(load case 5)
Max Uplift C = -106(load case 5), B = -139(load case 4)


FORCES (lb) - First Load Case Only

TOP CHORD A-B = 47, B-C = 36
BOT CHORD B-D = 0

NOTES

- 1) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 2) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 106 lb uplift at joint C and 139 lb uplift at joint B.


LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. - SCAFF RES.	A509183
L45316	EJ7	ROOF TRUSS	25	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:22:43 2003 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.40	Vert(LL)	0.13	B-D	> 641	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.18	Vert(TL)	0.22	A-B	> 117		
BCLL 0.0	Rep Stress Incr	YES	WB 0.00	Horz(TL)	-0.00	C	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	=	240		Weight: 26 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 6-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) C = 165/Mechanical, B = 385/0-3-8, D = 68/Mechanical
Max Horz B = 174(load case 5)
Max Uplift C = -153(load case 5), B = -211(load case 4), D = -48(load case 2)


FORCES (lb) - First Load Case Only

TOP CHORD A-B = 47, B-C = 59
BOT CHORD B-D = 0

NOTES

- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 153 lb uplift at joint C, 211 lb uplift at joint B and 48 lb uplift at joint D.


LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFFRES.	A509184
L45316	EJ7A	ROOF TRUSS	10	1	(optional)	

Builder's First Source, Lake City, FL 32056, KIMBERLIN HOLDINGS, Inc. Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:22:44 2003 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.40	Vert(LL)	n/a	-	n/a	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.18	Vert(TL)	0.22	A-B	>116		
BCLL 0.0	Rep Stress Incr	YES	WB 0.00	Horz(TL)	-0.00	C	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	=	240		Weight: 26 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 6-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) C = 165/Mechanical, B = 385/0-3-8, D = 68/Mechanical
Max Horz B = 175(load case 5)
Max Uplift C = -154(load case 5), B = -129(load case 4)


FORCES (lb) - First Load Case Only

TOP CHORD A-B = 46, B-C = 59
BOT CHORD B-D = 13

NOTES

- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Bearing at joint(s) B considers parallel to grain value using ANSI/TPI 1-1995 angle to grain formula. Building designer should verify capacity of bearing surface.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 154 lb uplift at joint C and 129 lb uplift at joint B.


LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509185
L45316	EJ7B	MONO TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:22:45 2003 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.17	Vert(LL)	0.03	A-E	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.56	Vert(TL)	-0.05	A-E	>999		
BCLL 0.0	Rep Stress Incr	NO	WB 0.53	Horz(TL)	0.01	D	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	=	240		Weight: 40 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 6 SYP No.1D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 4-8-3 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) A = 1576/0-3-8, D = 1576/Mechanical
Max Horz A = 129(load case 4)
Max Uplift A = -490(load case 4), D = -555(load case 4)

FORCES (lb) - First Load Case Only


TOP CHORD A-B = -1817, B-C = 21, C-D = -63
BOT CHORD A-E = 1593, D-E = 1593
WEBS B-E = 1649, B-D = -1908

NOTES

- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 490 lb uplift at joint A and 555 lb uplift at joint D.

LOAD CASE(S) Standard


- Regular: Lumber Increase = 1.25, Plate Increase = 1.25
Uniform Loads (plf)
Vert: A-D = -416.0, A-C = -54.0



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. - SCAFF RES.	A509186
L45316	HJ7	ROOF TRUSS	3	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:22:47 2003 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.47	Vert(LL)	0.00	G	> 999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.12	Vert(TL)	0.28	A-B	> 132		
BCCL 0.0	Rep Stress Incr	NO	WB 0.06	Horz(TL)	0.00	E	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	=	240		Weight: 33 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 6-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) D = 138/Mechanical, B = 355/0-4-15, E = 125/Mechanical

Max Horz B = 142(load case 2)

Max Uplift D = -102(load case 3), B = -212(load case 2), E = -3(load case 3)

FORCES (lb) - First Load Case Only

TOP CHORD A-B = 50, B-C = -272, C-D = 35

BOT CHORD B-G = 219, F-G = 219, E-F = 0

WEBS C-G = 77, C-F = -236

NOTES

- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 102 lb uplift at joint D, 212 lb uplift at joint B and 3 lb uplift at joint E.

LOAD CASE(S) Standard


1) Regular: Lumber Increase = 1.25, Plate Increase = 1.25

Uniform Loads (plf)

Vert: A-B = -54.0

Trapezoidal Loads (plf)


Vert: B = -2.8-to-D = -95.5, B = -0.0-to-E = -35.4



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509187
L45316	HJ9	ROOF TRUSS	4	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLIN HOLDINGS, Inc. Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:22:48 2003 Page 1



		4-9-0				9-10-13									
		4-9-0				5-1-13									
LOADING (psf)		SPACING		2-0-0		CSI		DEFL		in (loc) l/defl		PLATES		GRIP	
TCLL 20.0		Plates Increase		1.25		TC 0.47		Vert(LL) 0.06		F-G >999		MII20		249/190	
TCDL 7.0		Lumber Increase		1.25		BC 0.36		Vert(TL) 0.20		A-B >182					
BCLL 0.0		Rep Stress Incr		NO		WB 0.34		Horz(TL) 0.01		E n/a					
BCDL 10.0		Code		FBC2001		(Matrix)		1st LC LL Min l/defl = 240				Weight: 44 lb			

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 6-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 9-6-6 oc bracing.

REACTIONS (lb/size) D=250/Mechanical, B=493/0-4-15, E=317/Mechanical
Max Horz B=235(load case 2)
Max Uplift D=-200(load case 5), B=-342(load case 2), E=-157(load case 3)

FORCES (lb) - First Load Case Only


TOP CHORD A-B=50, B-C=-718, C-D=61
BOT CHORD B-G=658, F-G=658, E-F=0
WEBS C-G=113, C-F=-697

NOTES

- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 200 lb uplift at joint D, 342 lb uplift at joint B and 157 lb uplift at joint E.

LOAD CASE(S) Standard



- Regular: Lumber Increase = 1.25, Plate Increase = 1.25
Uniform Loads (plf)
Vert: A-B=-54.0
Trapezoidal Loads (plf)
Vert: B=-2.8-to-D=-133.6, B=-0.0-to-E=-49.5



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509188
L45316	T01	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLTZMAN Oct 17 2001 Mittek Industries, Inc. Wed Apr 30 13:22:49 2003 Page 1



7-0-0	14-0-0	14-3-8	19-4-13	24-2-4	28-11-12	34-5-8
7-0-0	7-0-0	0-3-8	5-1-4	4-9-7	4-9-8	5-5-12

Plate Offsets (X,Y): [B:0-1-12,0-1-8], [D:0-3-8,0-2-4], [H:0-3-0,0-3-0], [L:0-4-8,0-2-8]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.66	Vert(LL)	0.18	N	>999	MI120	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.94	Vert(TL)	-0.26	N	>923		
BCLL 0.0	Rep Stress Incr	NO	WB 0.92	Horz(TL)	0.08	S	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240			Weight: 207 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 6 SYP No.1D
WEBS 2 X 4 SYP No.3
OTHERS 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 3-1-14 oc purlins.
BOT CHORD Rigid ceiling directly applied or 6-6-10 oc bracing.
WEBS 1 Row at midpt G-P


REACTIONS (lb/size) S = 1496/0-3-8, B = 813/0-3-0, Q = 3186/0-3-8
Max Horz Q = 238(load case 4)
Max Uplift S = -617(load case 2), B = -550(load case 4), Q = -1514(load case 4)

FORCES (lb) - First Load Case Only

TOP CHORD A-B = 51, B-C = -1248, C-D = -1061, D-E = -922, E-F = 785, F-G = 1178, G-H = -2347,
H-I = -3835, I-J = -3126, J-K = -189, L-S = -1496, K-L = -243
BOT CHORD B-R = 1073, Q-R = 214, P-Q = -2037, F-P = -518, O-P = 1673, N-O = 3510, M-N = 3854,
L-M = 2600
WEBS C-R = -168, D-R = 108, E-R = 997, E-Q = -1442, G-P = -3120, G-O = 1066, H-O = -1396,
H-N = 422, I-N = -25, I-M = -873, J-M = 833, J-L = -2647

NOTES

- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, the left is exposed and the right is not exposed. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide adequate drainage to prevent water ponding.
- Bearing at joint(s) S considers parallel to grain value using ANSI/TPI 1-1995 angle to grain formula. Building designer should verify capacity of bearing surface.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 617 lb uplift at joint S, 550 lb uplift at joint B and 1514 lb uplift at joint Q.
- Girder carries hip end with 7-0-0 end setback



May 2, 2003

LOAD CASE(S) Standard

- Regular: Lumber Increase = 1.25, Plate Increase = 1.25
Uniform Loads (plf)
Vert: A-D = -54.0, D-K = -117.6, B-R = -20.0, Q-R = -43.5, L-P = -43.5

Continued on page 2

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509188
L45316	T01	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLMES, Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:22:49 2003 Page 2

LOAD CASE(S) Standard
Concentrated Loads (lb)
Vert: R=-474.8

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509189
L45316	T02	ROOF TRUSS	1	1	(optional)	

Builder's First Source, Lake City, FL 32056, KIMBERLY HOLSINGER, Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:22:51 2003 Page 1





Plate Offsets (X,Y): [D:0-7-8,0-2-4], [F:0-3-0,0-3-0], [I:0-4-8,0-1-8]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.39	Vert(LL)	0.15	B-M	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.49	Vert(TL)	-0.20	I-J	>999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.59	Horz(TL)	0.06	N	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240			Weight: 176 lb	

LUMBER
TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3 *Except*
H-N 2 X 4 SYP No.2D

BRACING
TOP CHORD Sheathed or 5-1-15 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 9-0-8 oc bracing.
WEBS 1 Row at midpt F-K, G-I


REACTIONS (lb/size) N=719/0-3-8, B=595/0-3-0, L=1331/0-3-8
Max Horz L=232(load case 4)
Max Uplift N=-246(load case 4), B=-430(load case 4), L=-611(load case 4)

FORCES (lb) - First Load Case Only
TOP CHORD A-B=47, B-C=-671, C-D=-401, D-E=106, E-F=80, F-G=-1500, G-H=-153, I-N=-719,
H-I=-186
BOT CHORD B-M=564, L-M=317, K-L=-937, E-K=-350, J-K=1315, I-J=1409
WEBS C-M=-283, D-M=296, D-L=-568, F-K=-1475, F-J=225, G-J=114, G-I=-1327

NOTES


- 1) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, the left is exposed and the right is not exposed. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 2) Provide adequate drainage to prevent water ponding.
- 3) Bearing at joint(s) N considers parallel to grain value using ANSI/TPI 1-1995 angle to grain formula. Building designer should verify capacity of bearing surface.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 246 lb uplift at joint N, 430 lb uplift at joint B and 611 lb uplift at joint L.

LOAD CASE(S) Standard



May 2, 2003

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER, Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:22:52 2003 Page 1



LUMBER		BRACING	
TOP CHORD	2 X 4 SYP No.2D	TOP CHORD	Sheathed or 4-0-9 oc purlins.
BOT CHORD	2 X 4 SYP No.2D	BOT CHORD	Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS	2 X 4 SYP No.3		
OTHERS	2 X 4 SYP No.2D		

FORCES (lb) - First Load Case Only	
TOP CHORD	A-B = 47, B-C = 829, C-D = -1505, D-E = -2399, E-F = -2454, F-G = -2528, G-H = -1428, H-I = -1635, J-R = -1174, I-J = -1125
BOT CHORD	B-Q = -682, P-Q = 1088, O-P = 69, N-O = 0, M-O = 71, E-M = -173, L-M = 2629, K-L = 2292, J-K = 144
WEBS	C-Q = -2294, C-P = 261, D-P = -660, M-P = 1599, D-M = 1247, F-M = -212, F-L = -186, G-L = 398, G-K = -1048, H-K = 428, I-K = 1299

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, the left is exposed and the right is not exposed. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Bearing at joint(s) R considers parallel to grain value using ANSI/TPI 1-1995 angle to grain formula. Building designer should verify capacity of bearing surface.
- 5) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 322 lb uplift at joint B, 480 lb uplift at joint Q and 314 lb uplift at joint R.

A circular professional engineer seal for Lawrence A. Paine, State of Florida, Registered Engineer No. 21475. The seal features the text "LAWRENCE A. PAINE" at the top, "CERTIFICATE" below it, "NO. 21475" in the center, "STATE OF FLORIDA" below the number, and "REGISTERED ENGINEER" at the bottom. A signature is written across the center of the seal.

May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509191
L45316	T04	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBER 20 HOLLOWAY Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:22:54 2003 Page 1





Plate Offsets (X,Y): [C:0-4-0,0-2-8], [F:0-3-8,0-2-4]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.41	Vert(LL)	0.14	J-K	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.48	Vert(TL)	-0.27	J-K	>999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.61	Horz(TL)	0.11	O	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	=	240		Weight: 201 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3
OTHERS 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 3-11-12 oc purlins.
BOT CHORD Rigid ceiling directly applied or 7-3-1 oc bracing.
Except:
1 Row at midpt D-K
1 Row at midpt C-N, E-K, E-I


REACTIONS (lb/size) A = 1266/0-4-3, O = 1265/0-3-8
Max Horz A = 184(load case 4)
Max Uplift A = -389(load case 4), O = -314(load case 4)

FORCES (lb) - First Load Case Only

TOP CHORD A-B = -2393, B-C = -2192, C-D = -2065, D-E = -2103, E-F = -1437, F-G = -1678, H-O = -1265,
G-H = -1189
BOT CHORD A-N = 2091, M-N = 91, L-M = 0, K-M = 62, D-K = -14, J-K = 2101, I-J = 2101, H-I = 186
WEBS B-N = -315, C-N = -95, K-N = 1904, C-K = 610, E-K = 3, E-J = 141, E-I = -838, F-I = 346,
G-I = 1275

NOTES

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Bearing at joint(s) O considers parallel to grain value using ANSI/TPI 1-1995 angle to grain formula. Building designer should verify capacity of bearing surface.
- 5) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 389 lb uplift at joint A and 314 lb uplift at joint O.



May 2, 2003

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509192
L45316	T05	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLLAND Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:22:55 2003 Page 1




Plate Offsets (X,Y): [D:0-4-0,0-1-0], [F:0-3-8,0-2-4], [K:0-6-0,0-3-4], [N:0-3-8,0-2-0]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.35	Vert(LL)	0.14	J-K	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.56	Vert(TL)	-0.42	J-K	>968		
BCLL 0.0	Rep Stress Incr	YES	WB 0.66	Horz(TL)	0.10	O	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240			Weight: 208 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
 BOT CHORD 2 X 4 SYP No.2D
 WEBS 2 X 4 SYP No.3 *Except*
 H-O 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 3-11-3 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
 Except:
 1 Row at midpt C-K
 1 Row at midpt E-K, E-J, G-I


REACTIONS (lb/size) A=1267/0-3-8, O=1266/0-3-8
 Max Horz A=203(load case 4)
 Max Uplift A=-377(load case 4), O=-289(load case 4)

FORCES (lb) - First Load Case Only

TOP CHORD A-B=-2381, B-C=-2061, C-D=-1997, D-E=-1667, E-F=-1322, F-G=-1516, G-H=-174,
 I-O=-1266, H-I=-185
 BOT CHORD A-N=2050, M-N=21, L-M=0, K-M=77, C-K=-213, J-K=1597, I-J=1136
 WEBS B-N=-134, K-N=2049, B-K=-307, D-K=734, E-K=102, E-J=-447, F-J=389, G-J=251,
 G-I=-1440

NOTES

- This truss has been checked for unbalanced loading conditions.
- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide adequate drainage to prevent water ponding.
- Bearing at joint(s) O considers parallel to grain value using ANSI/TPI 1-1995 angle to grain formula. Building designer should verify capacity of bearing surface.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 377 lb uplift at joint A and 289 lb uplift at joint O.



May 2, 2003

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFFRES.	A509194
L45316	T07	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mittek Industries, Inc. Wed Apr 30 13:22:58 2003 Page 1





Plate Offsets (X,Y): [C:0-3-0,0-3-0], [D:0-3-8,0-2-4], [E:0-4-0,0-2-8], [J:0-2-12,0-3-0]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.29	Vert(LL)	0.12	A-K	>999	M1120	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.65	Vert(TL)	-0.29	J-K	>999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.69	Horz(TL)	0.07	H	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	=	240		Weight: 207 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
 BOT CHORD 2 X 4 SYP No.2D
 WEBS 2 X 4 SYP No.3 *Except*
 G-H 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 3-11-13 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 7-3-14 oc bracing.
 WEBS 1 Row at midpt C-J, E-I, F-H

REACTIONS

(lb/size) A = 1267/Mechanical, H = 1267/0-3-8
 Max Horz A = 263(load case 4)
 Max Uplift A = -344(load case 4), H = -271(load case 5)


FORCES (lb) - First Load Case Only

TOP CHORD A-B = -2380, B-C = -2162, C-D = -1367, D-E = -1149, E-F = -1311, F-G = -158, G-H = -185
 BOT CHORD A-K = 2077, J-K = 1608, I-J = 1083, H-I = 1034
 WEBS B-K = -320, C-K = 523, C-J = -645, D-J = 360, E-J = 263, E-I = 30, F-I = 130, F-H = -1370

NOTES

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals or cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 344 lb uplift at joint A and 271 lb uplift at joint H.

LOAD CASE(S) Standard




May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509195
L45316	T08	RQOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER, Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:00 2003 Page 1

4-2-10	8-0-9	11-10-7	15-11-4	19-5-10	23-0-0	26-9-0	30-6-0	34-6-0	37-6-0
4-2-10	3-9-15	3-9-14	4-0-13	3-6-6	3-6-6	3-9-0	3-9-0	4-0-0	3-0-0

Scale = 1:67.9



5-6-3	10-6-15	15-11-4	23-0-0	26-9-0	30-6-0	34-6-0	37-6-0
5-6-3	5-0-13	5-4-5	7-0-12	3-9-0	3-9-0	4-0-0	3-0-0

Plate Offsets (X,Y): [D:0-3-0,0-3-0], [J:0-4-0,0-2-8]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.95	Vert(LL)	0.52	P-R	>860	MI20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.70	Vert(TL)	-0.95	P-R	>472	MI20H	187/143
BCLL 0.0	Rep Stress Incr	NO	WB 0.99	Horz(TL)	0.17	L	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	=	240		Weight: 255 lb	


LUMBER
TOP CHORD 2 X 4 SYP No.2D *Except*
D-G 2 X 4 SYP No.1D
BOT CHORD 2 X 6 SYP SS
WEBS 2 X 4 SYP No.3 *Except*
H-O 2 X 4 SYP No.2D, K-L 2 X 4 SYP No.2D

BRACING
TOP CHORD Sheathed or 1-4-10 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 5-8-12 oc bracing.
WEBS 1 Row at midpt I-M
2 Rows at 1/3 pts B-U, G-O

REACTIONS (lb/size) U = 3367/0-4-0 (input: 0-3-8), L = 2337/Mechanical
Max Horz U = -100(load case 5)
Max Uplift U = -695(load case 4), L = -496(load case 4)

FORCES (lb) - First Load Case Only
TOP CHORD A-U = -241, A-B = -81, B-C = -4514, C-D = -7579, D-E = -9511, E-F = -9511, F-G = -7492,
G-H = -4380, H-I = -4383, I-J = -1951, J-K = -2177, K-L = -2289
BOT CHORD T-U = 3577, S-T = 6203, R-S = 8185, Q-R = 8578, P-Q = 8578, O-P = 7443, N-O = 4081,
M-N = 4080, L-M = 56
WEBS B-U = -4596, B-T = 2680, C-T = -2867, C-S = 2335, D-S = -1744, D-R = 1743, E-R = -304,
F-R = 1309, F-P = -1555, G-P = 1174, G-O = -4815, H-O = 3605, I-O = -237, I-N = -19,
I-M = -2863, J-M = 745, K-M = 2250

- NOTES**
- 1) This truss has been checked for unbalanced loading conditions.
 - 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001 If end verticals or cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60
 - 3) Provide adequate drainage to prevent water ponding.
 - 4) All plates are MI20 plates unless otherwise indicated.
 - 5) WARNING: Required bearing size at joint(s) U greater than input bearing size. Refer to Detail ST-BLCK1.
 - 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 695 lb uplift at joint U and 496 lb uplift at joint L.



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509195
L45316	T08	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLLOWAY Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:00 2003 Page 2

LOAD CASE(S) Standard

1) Regular: Lumber Increase = 1.25, Plate Increase = 1.25

Uniform Loads (plf)


Vert: A-E = -117.6, E-G = -54.0, G-H = -54.0, H-I = -54.0, I-J = -54.0, J-K = -54.0, R-U = -43.5, L-R = -20.0

Concentrated Loads (lb)

Vert: R = -1576.0

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES	A509196
L45316	T09	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:23:02 2003 Page 1



9-5-7	18-9-0	26-9-0	32-6-0	37-6-0
9-5-7	9-3-9	8-0-0	5-9-0	5-0-0

Plate Offsets (X,Y): [C:0-3-0,0-3-0], [H:0-4-0,0-2-8]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.36	Vert(LL)	0.18	N	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.62	Vert(TL)	-0.38	N-O	>999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.74	Horz(TL)	0.09	J	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240			Weight: 221 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3 *Except*
I-J 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 3-7-12 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 7-5-7 oc bracing.
WEBS 1 Row at midpt B-P

REACTIONS

(lb/size) P = 1377/0-3-8, J = 1377/Mechanical
Max Horz P = -125(load case 5)
Max Uplift P = -430(load case 4), J = -278(load case 4)


FORCES (lb) - First Load Case Only

TOP CHORD A-P = -134, A-B = -45, B-C = -2108, C-D = -2871, D-E = -2871, E-F = -2206, F-G = -2177,
G-H = -1337, H-I = -1539, I-J = -1319
BOT CHORD O-P = 1489, N-O = 2574, M-N = 2513, L-M = 2513, K-L = 2035, J-K = 74
WEBS B-P = -1848, B-O = 998, C-O = -751, C-N = 381, D-N = -323, E-N = 443, E-L = -1542,
F-L = 1775, G-L = -212, G-K = -1080, H-K = 387, I-K = 1358

NOTES

- This truss has been checked for unbalanced loading conditions.
- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001 If end verticals or cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60
- Provide adequate drainage to prevent water ponding.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 430 lb uplift at joint P and 278 lb uplift at joint J.

LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	City	Ply	NORTON BLDG.- SCAFF RES.	A509197
L45316	T10	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:03 2003 Page 1






Plate Offsets (X,Y): [C:0-3-0,0-3-0], [F:0-4-0,0-2-8]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.35	Vert(LL)	0.13	J-L	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.51	Vert(TL)	-0.26	J-L	>999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.87	Horz(TL)	0.08	H	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	=	240		Weight: 220 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
 BOT CHORD 2 X 4 SYP No.2D
 WEBS 2 X 4 SYP No.3 *Except*
 G-H 2 X 4 SYP No.2D

BRACING

TOP CHORD Sheathed or 4-3-4 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 7-10-7 oc bracing.
 WEBS 1 Row at midpt B-N, E-I

REACTIONS (lb/size) N=1377/0-3-8, H=1377/Mechanical
 Max Horz N=-153(load case 5)
 Max Uplift N=-455(load case 2), H=-339(load case 2)


FORCES (lb) - First Load Case Only

TOP CHORD A-N=-155, A-B=-34, B-C=-1515, C-D=-2225, D-E=-2211, E-F=-1457, F-G=-1701,
 G-H=-1304
 BOT CHORD M-N=1308, L-M=2051, K-L=2321, J-K=2321, I-J=2137, H-I=137
 WEBS B-N=-1714, B-M=825, C-M=-839, C-L=376, D-L=-210, D-J=-172, E-J=295, E-I=-915,
 F-I=359, G-I=1369

NOTES

- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001 If end verticals or cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60
- Provide adequate drainage to prevent water ponding.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 455 lb uplift at joint N and 339 lb uplift at joint H.

LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509198
L45316	T11	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:04 2003 Page 1





Plate Offsets (X,Y): [C:0-3-0,0-3-0], [F:0-4-0,0-2-8], [K:0-3-4,Edge]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.40	Vert(LL)	-0.14	J-K	>999	MI120	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.55	Vert(TL)	-0.38	N-P	>999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.69	Horz(TL)	0.10	H	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	= 240			Weight: 243 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 3-10-0 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 8-11-11 oc bracing.
Except:
WEBS 1 Row at midpt E-K
1 Row at midpt A-Q
2 Rows at 1/3 pts B-Q

REACTIONS (lb/size) Q = 1449/0-3-8, H = 1573/0-3-8
Max Horz Q = -265(load case 5)
Max Uplift Q = -464(load case 2), H = -376(load case 5)


FORCES (lb) - First Load Case Only

TOP CHORD A-Q = -164, A-B = -35, B-C = -1629, C-D = -2212, D-E = -2245, E-F = -2246, F-G = -2558,
G-H = -2792, H-I = 47
BOT CHORD P-Q = 1240, O-P = 1961, N-O = 1961, M-N = 189, L-M = 0, K-M = 65, E-K = -163, J-K = 2060,
H-J = 2430
WEBS B-Q = -1697, B-P = 904, C-P = -688, C-N = 354, D-N = -397, K-N = 2046, D-K = 45, F-K = 562,
F-J = 341, G-J = -255

NOTES

- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the right is exposed and the left is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide adequate drainage to prevent water ponding.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 464 lb uplift at joint Q and 376 lb uplift at joint H.

LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509199
L45316	T12	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:23:06 2003 Page 1





Plate Offsets (X,Y): [C:0-3-0,0-3-0], [E:0-3-0,0-2-0], [J:0-3-4,Edge]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.37	Vert(LL)	-0.13	I-J	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.53	Vert(TL)	-0.32	M-O	>999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.58	Horz(TL)	0.10	G	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	=	240		Weight: 246 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 3-9-4 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 9-10-12 oc bracing.
WEBS 1 Row at midpt A-P, C-O
2 Rows at 1/3 pts B-P

REACTIONS (lb/size) P=1449/0-3-8, G=1573/0-3-8
Max Horz P=-303(load case 5)
Max Uplift P=-458(load case 2), G=-396(load case 5)


FORCES (lb) - First Load Case Only

TOP CHORD A-P=-160, A-B=-29, B-C=-1426, C-D=-1917, D-E=-1926, E-F=-2255, F-G=-2783,
G-H=47
BOT CHORD O-P=1062, N-O=1696, M-N=1696, L-M=140, K-L=0, J-L=69, E-J=605, I-J=2406,
G-I=2406
WEBS B-P=-1582, B-O=898, C-O=-666, C-M=338, D-M=-360, D-J=14, J-M=1796, F-J=-510,
F-I=145

NOTES

- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the right is exposed and the left is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide adequate drainage to prevent water ponding.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 458 lb uplift at joint P and 396 lb uplift at joint G.


LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	
L45316	T13	ROOF TRUSS	1	1	(optional)	A509200

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLTZMAN Oct 17 2001 Mittek Industries, Inc. Wed Apr 30 13:23:07 2003 Page 1



8-7-14	17-0-0	23-6-0	25-9-8	32-2-6	38-6-0
8-7-14	8-4-2	6-6-0	2-3-8	6-4-14	6-3-10

Plate Offsets (X,Y): [D:0-4-0,0-2-8], [E:0-6-0,0-2-8]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.33	Vert(LL)	-0.14	J-K	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.57	Vert(TL)	-0.31	O-Q	>999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.51	Horz(TL)	0.12	H	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	= 240			Weight: 230 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 3-8-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing, Except:
7-2-13 oc bracing: A-Q
8-6-15 oc bracing: O-Q.
1 Row at midpt F-K
WEBS 1 Row at midpt C-O, E-O, E-N

REACTIONS (lb/size) A = 1415/Mechanical, H = 1539/0-3-8
Max Horz A = -180(load case 5)
Max Uplift A = -394(load case 4), H = -427(load case 5)


FORCES (lb) - First Load Case Only

TOP CHORD A-B = -2726, B-C = -2499, C-D = -1838, D-E = -1593, E-F = -2060, F-G = -2180, G-H = -2712, H-I = 47
BOT CHORD A-Q = 2390, P-Q = 1989, O-P = 1989, N-O = 1528, M-N = 93, L-M = 0, K-M = 17, F-K = -165, J-K = 2345, H-J = 2345
WEBS B-Q = -295, C-Q = 430, C-O = -564, D-O = 452, E-O = 110, E-N = -565, K-N = 1586, E-K = 1165, G-K = -521, G-J = 140

NOTES

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the right is exposed and the left is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 394 lb uplift at joint A and 427 lb uplift at joint H.

LOAD CASE(S) Standard



Job	Truss	Truss Type	Qty	Ply	NORTON BLDG - SCAFFRES.
L45316	T14	ROOF TRUSS	1	1	(optional)

A509201

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:23:09 2003 Page 1





Plate Offsets (X,Y): [C:0-3-0,0-3-0], [D:0-4-0,0-2-8], [E:0-4-0,0-2-8], [G:0-3-0,0-3-0], [K:0-3-4,Edge]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in (loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.42	Vert(LL)	-0.14	J-K >999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.57	Vert(TL)	-0.32	A-Q >999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.54	Horz(TL)	0.11	H n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240		Weight: 239 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
 BOT CHORD 2 X 4 SYP No.2D
 WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 3-6-14 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing,
 Except:
 7-4-3 oc bracing: A-Q
 9-0-11 oc bracing: O-Q.
 1 Row at midpt F-K
 1 Row at midpt D-N, E-N

REACTIONS (lb/size) A = 1415/Mechanical, H = 1539/0-3-8
 Max Horz A = -199(load case 5)
 Max Uplift A = -374(load case 4), H = -445(load case 5)


FORCES (lb) - First Load Case Only

TOP CHORD A-B = -2691, B-C = -2473, C-D = -1969, D-E = -1409, E-F = -2135, F-G = -2181, G-H = -2710,
 H-I = 47
 BOT CHORD A-Q = 2355, P-Q = 1907, O-P = 1907, N-O = 1428, M-N = 85, L-M = 0, K-M = 43, F-K = -296,
 J-K = 2340, H-J = 2342
 WEBS B-Q = 321, C-Q = 479, C-O = -583, D-O = 698, D-N = -83, E-N = -124, K-N = 1362, E-K = 1041,
 G-K = -512, G-J = 141

NOTES


- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the right is exposed and the left is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 374 lb uplift at joint A and 445 lb uplift at joint H.

LOAD CASE(S) Standard



May 2, 2003

Builder's FirstSource, Lake City, FL 32056, KIMBERLY D HOLMES, Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:11 2003 Page 1



REACTIONS (lb/size) A=1418/Mechanical, G=1420/0-3-8
Max Horz A=221(load case 4)
Max Uplift A=-360(load case 4), G=-340(load case 5)

FORCES (lb) - First Load Case Only

TOP CHORD A-B=-2669, B-C=-2380, C-D=-1606, D-E=-2147, E-F=-2198, F-G=-2758

TOP CHORD A-B=-2689, B-C=-2380, C-D=-1600, D-E=-2147, E-F=-2153, F-G=-2733
BOT CHORD A-N=2335, M-N=1860, L-M=1860, K-L=97, J-K=0, I-K=48, E-I=-296, H-I=2396.


BUT CHORD A-N = 2335
 G-H = 2391

WEBS G-H = 2391
B-N = -368, C-N = 507, C-L = -696, D-L = 397, I-L = 1287, D-I = 1012, F-I = -556, F-H = 156

NOTES

- NOTES
- 1) This truss has been checked for unbalanced loading conditions.
 - 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the right is exposed and the left is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
 - 3) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 360 lb uplift at joint A and 340 lb uplift at joint G.

LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFFRES.	A509203
L45316	T16	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:23:12 2003 Page 1




Plate Offsets (X,Y): [D:0-3-8,0-2-4], [F:0-3-8,0-2-4], [J:0-5-0,0-4-8]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.41	Vert(LL)	0.15	J	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.46	Vert(TL)	-0.22	J	>999		
BCLL 0.0	Rep Stress Incr	NO	WB 0.48	Horz(TL)	0.06	H	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	= 240			Weight: 140 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 6 SYP No.1D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 3-3-3 oc purlins.
BOT CHORD Rigid ceiling directly applied or 6-10-0 oc bracing.

REACTIONS (lb/size) H=1779/0-3-8, B=1905/0-3-8
Max Horz B=132(load case 4)
Max Uplift H=-635(load case 4), B=-845(load case 4)

FORCES (lb) - First Load Case Only


TOP CHORD A-B=51, B-C=-3559, C-D=-3422, D-E=-3093, E-F=-3114, F-G=-3446, G-H=-3598
BOT CHORD B-K=3121, J-K=3684, I-J=3684, H-I=3162
WEBS C-K=-79, D-K=1090, E-K=-727, E-J=221, E-I=-702, F-I=1103, G-I=-102

NOTES

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 635 lb uplift at joint H and 845 lb uplift at joint B.
- 5) Girder carries hip end with 7-0-0 end setback

LOAD CASE(S) Standard

- 1) Regular: Lumber Increase = 1.25, Plate Increase = 1.25
Uniform Loads (plf)
Vert: A-D=-54.0, D-F=-117.6, F-H=-54.0, B-K=-20.0, I-K=-43.5, H-I=-20.0
Concentrated Loads (lb)
Vert: K=-474.8 I=-474.8



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509204
L45316	T17	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER, Oct 17 2001 MitTek Industries, Inc. Wed Apr 30 13:23:13 2003 Page 1




Plate Offsets (X,Y): [D:0-3-8,0-2-4], [E:0-7-8,0-2-4]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.28	Vert(LL)	0.05	H-J	>999	MII20	249/190
TCCL 7.0	Lumber Increase	1.25	BC 0.37	Vert(TL)	-0.21	G-H	>999		
BCCL 0.0	Rep Stress Incr	YES	WB 0.13	Horz(TL)	0.04	G	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240			Weight: 116 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 4-11-13 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS

(lb/size) G = 872/0-3-8, B = 998/0-3-8
Max Horz B = 147(load case 4)
Max Uplift G = -191(load case 5), B = -369(load case 4)


FORCES (lb) - First Load Case Only

TOP CHORD A-B = 47, B-C = -1516, C-D = -1278, D-E = -1106, E-F = -1289, F-G = -1548
BOT CHORD B-J = 1309, I-J = 1115, H-I = 1115, G-H = 1347
WEBS C-J = -233, D-J = 248, E-J = -11, E-H = 267, F-H = -266

NOTES

- This truss has been checked for unbalanced loading conditions.
- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide adequate drainage to prevent water ponding.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 191 lb uplift at joint G and 369 lb uplift at joint B.

LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509205
L45316	T18	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBER 20 HOLLOWAY, Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:15 2003 Page 1




Plate Offsets (X,Y): [D:0-3-8,0-2-4], [E:0-7-8,0-2-4], [G:0-2-10,0-1-8]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.32	Vert(LL)	0.07	G-H	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.49	Vert(TL)	-0.35	G-H	>802		
BCLL 0.0	Rep Stress Incr	YES	WB 0.26	Horz(TL)	0.04	G	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	=	240		Weight: 121 lb	

LUMBER
TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING
TOP CHORD Sheathed or 4-10-12 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) G=872/0-3-8, B=998/0-3-8
Max Horz B=166(load case 4)
Max Uplift G=-210(load case 5), B=-349(load case 4)

FORCES (lb) - First Load Case Only
TOP CHORD A-B=47, B-C=-1474, C-D=-1146, D-E=-968, E-F=-1151, F-G=-1496
BOT CHORD B-J=1273, I-J=970, H-I=970, G-H=1300
WEBS C-J=-349, D-J=286, E-J=-7, E-H=316, F-H=-378

NOTES

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 210 lb uplift at joint G and 349 lb uplift at joint B.

LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509206
L45316	T19	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:23:16 2003 Page 1




Plate Offsets (X,Y): [B:0-2-10,0-1-8], [F:0-2-10,0-1-8]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.45	Vert(LL)	0.15	F-G	>999	M120	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.80	Vert(TL)	-0.30	F-G	>961		
BCLL 0.0	Rep Stress Incr	NO	WB 0.29	Horz(TL)	0.06	F	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240				
								Weight: 111 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 3-9-8 oc purlins.
BOT CHORD Rigid ceiling directly applied or 8-6-2 oc bracing.

REACTIONS (lb/size) F = 1346/0-3-8, B = 1472/0-3-8
Max Horz B = 176(load case 4)
Max Uplift F = -375(load case 5), B = -494(load case 4)

FORCES (lb) - First Load Case Only


TOP CHORD A-B = 47, B-C = -2280, C-D = -2088, D-E = -2109, E-F = -2304
BOT CHORD B-I = 1991, H-I = 1322, G-H = 1322, F-G = 2019
WEBS C-I = -293, D-I = 860, D-G = 891, E-G = -309

NOTES

- This truss has been checked for unbalanced loading conditions.
- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 375 lb uplift at joint F and 494 lb uplift at joint B.

LOAD CASE(S) Standard

- Regular: Lumber Increase = 1.25, Plate Increase = 1.25
Uniform Loads (plf)
Vert: A-D = -54.0, D-F = -54.0, B-F = -60.0



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509207
L45316	T20	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER, Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:17 2003 Page 1

2-0-0	3-4-3	7-0-0	12-0-8	17-0-0	21-11-9	27-0-0	32-0-0	38-4-6	44-0-0	46-0-0
2-0-0	3-4-3	3-7-13	5-0-8	4-11-9	4-11-9	5-0-8	5-0-0	6-4-6	5-7-10	2-0-0

Scale = 1:81.2




Plate Offsets (X,Y): [D:0-4-0,0-2-8], [N:0-4-12,0-4-8], [P:0-5-0,0-4-8]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in (loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.64	Vert(LL)	0.08 M-N	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.36	Vert(TL)	-0.16 M-N	>999		
BCLL 0.0	Rep Stress Incr	NO	WB 0.97	Horz(TL)	0.02 K	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240		Weight: 262 lb	

LUMBER
 TOP CHORD 2 X 4 SYP No.2D
 BOT CHORD 2 X 6 SYP No.1D
 WEBS 2 X 4 SYP No.3

BRACING
 TOP CHORD Sheathed or 4-4-15 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS (lb/size) B=1204/0-3-8, O=3397/0-3-8, K=1146/0-3-8
 Max Horz B=-160(load case 5)
 Max Uplift B=-423(load case 4), O=-771(load case 4), K=-442(load case 5)
 Max Grav B=1230(load case 6), O=3397(load case 1), K=1146(load case 1)

FORCES (lb) - First Load Case Only
 TOP CHORD A-B=51, B-C=-2051, C-D=-1890, D-E=-1692, E-F=-860, F-R=1928, G-R=1928,
 G-H=-386, H-I=-483, I-J=-1427, J-K=-1639, K-L=51
 BOT CHORD B-Q=1784, P-Q=1262, O-P=-326, N-O=-1186, M-N=666, K-M=1412
 WEBS C-Q=-117, D-Q=409, E-Q=526, E-P=-996, F-P=1689, F-O=-2386, G-O=-1601,
 G-N=1910, H-N=-425, I-N=-436, I-M=965, J-M=-308

NOTES


- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 423 lb uplift at joint B, 771 lb uplift at joint O and 442 lb uplift at joint K.
- 5) Girder carries hip end with 7-0-0 end setback

LOAD CASE(S) Standard

- 1) Regular: Lumber Increase=1.25, Plate Increase=1.25
 Uniform Loads (plf)

Vert: A-D=-54.0, D-R=-117.6, H-R=-54.0, H-I=-54.0, I-L=-54.0, B-Q=-20.0, O-Q=-43.5,
 N-O=-20.0, K-N=-60.0

Continued on page 2



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES	A509207
L45316	T20	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:18 2003 Page 2

LOAD CASE(S) Standard
 Concentrated Loads (lb)
 Vert: Q=-474.8

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES	A509208
L45316	T21	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:19 2003 Page 1





Plate Offsets (X,Y): [D:0-4-0,0-2-8], [J:0-6-8,0-0-6], [M:0-2-12,0-3-0]							
LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in (loc)	I/defl	PLATES
TCLL 20.0	Plates Increase	1.25	TC 0.52	Vert(LL)	0.10 J-L	>999	MII20
TCDL 7.0	Lumber Increase	1.25	BC 0.67	Vert(TL)	-0.24 J-L	>999	
BCLL 0.0	Rep Stress Incr	NO	WB 0.79	Horz(TL)	0.02 J	n/a	
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	= 240		Weight: 227 lb

LUMBER
TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING
TOP CHORD Sheathed or 4-7-14 oc purlins.
BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS (lb/size) B=603/0-3-8, N=2270/0-3-8, J=1187/0-3-8
Max Horz B=-158(load case 5)
Max Uplift B=-283(load case 4), N=-668(load case 4), J=-453(load case 5)
Max Grav B=634(load case 6), N=2270(load case 1), J=1187(load case 1)


FORCES (lb) - First Load Case Only
TOP CHORD A-B=47, B-C=-695, C-D=-441, D-E=-348, E-F=1121, F-G=-752, G-H=-863, H-I=-1470,
I-J=-1668, J-K=47
BOT CHORD B-P=571, O-P=-352, N-O=-352, M-N=-323, L-M=756, J-L=1450
WEBS C-P=-241, D-P=-147, E-P=838, E-N=-1153, F-N=-1449, F-M=1363, G-M=-559,
H-M=-9, H-L=877, I-L=-319

NOTES

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 283 lb uplift at joint B, 668 lb uplift at joint N and 453 lb uplift at joint J.

LOAD CASE(S) Standard

- 1) Regular: Lumber Increase=1.25, Plate Increase=1.25
Uniform Loads (plf)
Vert: A-D=-54.0, D-G=-54.0, G-H=-54.0, H-K=-54.0, B-M=-20.0, J-M=-60.0




May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG SCAFF RES.	A509209
L45316	T22	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLEMAN Oct 17 2001 Mittek Industries, Inc. Wed Apr 30 13:23:21 2003 Page 1

2-0-0	5-8-12	11-0-0	18-8-15	25-4-14	33-0-0	38-3-3	44-0-0	46-0-0
2-0-0	5-8-12	5-3-4	7-8-15	6-7-15	7-7-2	5-3-3	5-8-13	2-0-0

Scale = 1:81.5



5-8-12	11-0-0	20-1-12	23-10-4	33-0-0	38-3-4	44-0-0
5-8-12	5-3-4	9-1-12	3-8-8	9-1-12	5-3-4	5-8-12

Plate Offsets (X,Y): [D:0-4-0,0-2-8], [F:0-3-0,0-3-0], [G:0-4-0,0-2-8]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.39	Vert(LL)	0.14	O-Q	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.41	Vert(TL)	-0.19	L-N	>999		
BCLL 0.0	Rep Stress Incr	NO	WB 0.87	Horz(TL)	0.01	I	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	=	240		Weight: 236 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 5-5-12 oc purlins.
BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS (lb/size) R=1028/0-3-8, O=1549/0-3-8, I=891/0-3-8

Max Horz R=-148(load case 5)
Max Uplift R=-780(load case 4), O=-575(load case 4), I=-330(load case 5)
Max Grav R=1068(load case 6), O=1567(load case 7), I=901(load case 7)


FORCES (lb) - First Load Case Only

TOP CHORD A-B=47, B-C=742, C-D=72, D-E=12, E-F=-124, F-G=-762, G-H=-907, H-I=-1306,
I-J=47
BOT CHORD B-R=-597, Q-R=-597, P-Q=-264, O-P=-264, N-O=-639, M-N=323, L-M=323, K-L=1096,
I-K=1096
WEBS C-R=-910, C-Q=675, D-Q=-357, E-Q=313, E-O=-1458, E-N=1123, F-N=-739, F-L=548,
G-L=17, H-L=-380, H-K=96

NOTES

- This truss has been checked for unbalanced loading conditions.
- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, the left is exposed and the right is not exposed. If porches exist, the left is exposed and the right is not exposed. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide adequate drainage to prevent water ponding.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 780 lb uplift at joint R, 575 lb uplift at joint O and 330 lb uplift at joint I.

LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509210
L45316	T23	ROOF TRUSS	1	1	(optional)	

Builder's First Source, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:22 2003 Page 1

2-0-0	6-8-11	13-0-0	18-5-1	25-8-13	31-0-0	37-3-6	44-0-0	46-0-0
2-0-0	6-8-11	6-3-6	5-5-1	7-3-13	5-3-3	6-3-6	6-8-11	2-0-0
Scale = 1:81.5								




Plate Offsets (X,Y): [D:0-4-0,0-2-8], [G:0-4-0,0-2-8]									
LOADING (psf)		SPACING 2-0-0		CSI		DEFL in (loc) l/defl		PLATES GRIP	
TCLL	20.0	Plates Increase	1.25	TC	0.39	Vert(LL)	0.06 Q-R	>999	MII20 249/190
TCDL	7.0	Lumber Increase	1.25	BC	0.31	Vert(TL)	-0.11 K-L	>999	
BCLL	0.0	Rep Stress Incr	YES	WB	0.64	Horz(TL)	0.02 I	n/a	
BCDL	10.0	Code	FBC2001	(Matrix)		1st LC LL Min l/defl = 240			Weight: 247 lb

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 5-5-4 oc purlins.
BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 1 Row at midpt E-O

REACTIONS (lb/size) R=1029/0-3-8, O=1546/0-3-8, I=894/0-3-8

Max Horz R=-168(load case 5)
Max Uplift R=-786(load case 4), O=-539(load case 4), I=-346(load case 5)
Max Grav R=1086(load case 6), O=1546(load case 1), I=904(load case 7)


FORCES (lb) - First Load Case Only

TOP CHORD A-B=47, B-C=770, C-D=71, D-E=9, E-F=-90, F-G=-603, G-H=-755, H-I=-1319, I-J=47
BOT CHORD B-R=-609, Q-R=-345, P-Q=-201, O-P=-201, N-O=-594, M-N=301, L-M=301, K-L=1058, I-K=1102
WEBS C-R=-907, C-Q=387, D-Q=-281, E-Q=308, E-O=-1478, E-N=1067, F-N=-765, F-L=490, G-L=13, H-L=-516, H-K=149

NOTES


- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, the left is exposed and the right is not exposed. If porches exist, the left is exposed and the right is not exposed. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 786 lb uplift at joint R, 539 lb uplift at joint O and 346 lb uplift at joint I.

LOAD CASE(S) Standard



May 2, 2003


Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER, Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:23:24 2003 Page 1



BRACING	
TOP CHORD	Sheathed or 5-7-6 oc purlins.
BOT CHORD	Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS	1 Row at midpt C-P, G-O


- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, the left is exposed and the right is not exposed. If porches exist, the left is exposed and the right is not exposed. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 772 lb uplift at joint R, 592 lb uplift at joint O and 369 lb uplift at joint J.

LOAD CASE(S) Standard



May 2, 2003

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER, Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:25 2003 Page 1



LUMBER

BRACING

TOP CHORD	Sheathed or 5-8-12 oc purlins.
BOT CHORD	Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS	1 Row at midpt D-N

REACTIONS (lb/size) Q = 956/0-3-8, N = 1659/0-3-8, I = 854/0-3-8
 Max Horz Q = -201(load case 5)
 Max Uplift Q = -752(load case 6), N = -623(load case 5), I = -362(load case 5)
 Max Grav Q = 1052(load case 6), N = 1659(load case 1), I = 863(load case 7)

FORCES (lb) - First Load Case Only

TOP CHORD A-B=47, B-C=854, C-D=224, D-E=649, E-F=-394, F-G=-394, G-H=-993, H-I=-1239,
I-J=47


BOT CHORD B-Q=-664, P-Q=-142, O-P=-170, N-O=-170, M-N=-294, L-M=648, K-L=648, I-K=1052

WEBS C-Q=-932, C-P=27, D-P=125, D-N=-861, E-N=-758, E-M=983, F-M=-289, G-M=-363,
G-K=388, H-K=-288

NOTES


- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, the left is exposed and the right is not exposed. If porches exist, the left is exposed and the right is not exposed. The lumber DOL increase is 1.60, and the plate grip increase is 1.60
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 752 lb uplift at joint Q, 623 lb uplift at joint N and 362 lb uplift at joint I.

LOAD CASE(S) Standard



May 2, 2003

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER, Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:27 2003 Page 1



LUMBER		BRACING
TOP CHORD	2 X 4 SYP No.2D	TOP CHORD Sheathed or 5-9-10 oc purlins.
BOT CHORD	2 X 4 SYP No.2D	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS	2 X 4 SYP No.3	WEBS 1 Row at midpt D-N

FORCES (lb) - First Load Case Only
TOP CHORD A-B = 47, B-C = 855, C-D = 254, D-E = 739, E-F = -617, F-G = -617, G-H = -1068, H-I = -1239, I-J = 47
BOT CHORD B-Q = -666, P-Q = -161, O-P = -191, N-O = -191, M-N = -62, L-M = 756, K-L = 756, I-K = 1051
WEBS C-Q = -900, C-P = 22, D-P = 119, D-N = -964, E-N = -823, E-M = 886, F-M = -273, G-M = -181, G-K = 310, H-K = -194

NOTES

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, the left is exposed and the right is not exposed. If porches exist, the left is exposed and the right is not exposed. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 753 lb uplift at joint O, 629 lb uplift at joint N and 360 lb uplift at joint I.

May 2, 2003

Job	Truss	Truss type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509214
L45316	T27	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLIZ HOUSING WA Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:23:29 2003 Page 1





Plate Offsets (X,Y): [C:0-2-12,0-3-0], [H:0-4-0,0-2-8]							
LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in (loc)	I/defl	PLATES
TCLL 20.0	Plates Increase	1.25	TC 0.56	Vert(LL)	0.08	B-Q >872	MII20
TCDL 7.0	Lumber Increase	1.25	BC 0.44	Vert(TL)	-0.27	K-M >999	
BCLL 0.0	Rep Stress Incr	YES	WB 0.80	Horz(TL)	0.02	I n/a	
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	= 240		Weight: 233 lb


LUMBER	BRACING
TOP CHORD 2 X 4 SYP No.2D	TOP CHORD Sheathed or 5-10-9 oc purlins.
BOT CHORD 2 X 4 SYP No.2D	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2 X 4 SYP No.3	WEBS 1 Row at midpt D-N

REACTIONS (lb/size) Q=877/0-3-8, N=1784/0-3-8, I=809/0-3-8
 Max Horz Q=-201(load case 5)
 Max Uplift Q=-751(load case 4), N=-655(load case 5), I=-350(load case 5)
 Max Grav Q=1017(load case 6), N=1784(load case 1), I=815(load case 7)

FORCES (lb) - First Load Case Only
 TOP CHORD A-B=47, B-C=855, C-D=323, D-E=840, E-F=781, F-G=-196, G-H=-910, H-I=-1103, I-J=47
 BOT CHORD B-Q=-665, P-Q=-195, O-P=-276, N-O=-276, M-N=173, L-M=759, K-L=759, I-K=905
 WEBS C-Q=-839, C-P=-22, D-P=169, D-N=-1038, E-N=-203, F-N=-975, F-M=557, G-M=-680, G-K=182, H-K=110


- NOTES**
- 1) This truss has been checked for unbalanced loading conditions.
 - 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, the left is exposed and the right is not exposed. If porches exist, the left is exposed and the right is not exposed. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
 - 3) Provide adequate drainage to prevent water ponding.
 - 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 751 lb uplift at joint Q, 655 lb uplift at joint N and 350 lb uplift at joint I.

LOAD CASE(S) Standard




May 2, 2003

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER, Oct 17 2001 MITek Industries, Inc. Wed Apr 30 13:23:30 2003 Page 1



1) Regular: Lumber Increase = 1.25, Plate Increase = 1.25
Uniform Loads (plf)
Vert: A-F = -54.0, F-G = -54.0, A-K = -20.0, H-K = -729.0



Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509216
L45316	T29	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLLOWAY Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:31 2003 Page 1




Plate Offsets (X,Y): [C:0-3-8,0-2-4]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.25	Vert(LL)	0.02	G	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.12	Vert(TL)	0.04	A-B	>724		
BCLL 0.0	Rep Stress Incr	NO	WB 0.22	Horz(TL)	0.01	F	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	=	240		Weight: 64 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 6 SYP No.1D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 6-0-0 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS

(lb/size) F=715/0-3-8, B=737/0-3-8
Max Horz B=160(load case 4)
Max Uplift F=-290(load case 4), B=-354(load case 4)

FORCES (lb) - First Load Case Only


TOP CHORD A-B=51, B-C=-1032, C-D=-875, D-E=-50, E-F=-133
BOT CHORD B-G=865, F-G=627
WEBS C-G=163, D-G=321, D-F=-748

NOTES

- 1) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 2) Provide adequate drainage to prevent water ponding.
- 3) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 290 lb uplift at joint F and 354 lb uplift at joint B.
- 4) Girder carries hip end with 5-0-0 end setback

LOAD CASE(S) Standard

- 1) Regular: Lumber Increase=1.25, Plate Increase=1.25
Uniform Loads (plf)
Vert: A-C=-54.0, C-E=-90.6, B-G=-20.0, F-G=-33.5
Concentrated Loads (lb)
Vert: G=-215.8



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509217
L45316	T30	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:23:32 2003 Page 1





Plate Offsets (X,Y): [B:0-3-8,0-2-4], [E:0-3-8,0-2-4], [H:0-5-0,0-4-8]

LOADING (psf)	SPACING	CSI	DEFL	PLATES	GRIP
TCLL 20.0	Plates Increase 1.25	TC 0.24	Vert(LL) 0.11 in (loc) H > 999	MI120	249/190
TCDL 7.0	Lumber Increase 1.25	BC 0.38	Vert(TL) -0.18 in (loc) H > 999		
BCLL 0.0	Rep Stress Incr NO	WB 0.30	Horz(TL) 0.04 in (loc) F n/a		
BCDL 10.0	Code FBC2001	(Matrix)	1st LC LL Min l/defl = 240	Weight: 111 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 6 SYP No.1D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 3-7-13 oc purlins.
BOT CHORD Rigid ceiling directly applied or 7-9-12 oc bracing.

REACTIONS (lb/size) A=1287/0-3-8, F=1287/0-3-8

Max Horz A=47(load case 4)

Max Uplift A=-499(load case 4), F=-432(load case 4)

FORCES (lb) - First Load Case Only

TOP CHORD A-B=-2546, B-C=-2268, C-D=-2992, D-E=-2268, E-F=-2546

BOT CHORD A-I=2219, H-I=2910, G-H=2910, F-G=2219

WEBS B-I=821, C-I=-783, C-H=128, D-H=128, D-G=-783, E-G=821

NOTES

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 499 lb uplift at joint A and 432 lb uplift at joint F.
- 5) Girder carries hip end with 5-0-0 end setback

LOAD CASE(S) Standard


1) Regular: Lumber Increase = 1.25, Plate Increase = 1.25

Uniform Loads (plf)

Vert: A-B=-54.0, B-E=-90.6, E-F=-54.0, A-I=-20.0, G-I=-33.5, F-G=-20.0

Concentrated Loads (lb)

Vert: I=-215.8 G=-215.8



May 2, 2003

Builder's FirstSource, Lake City, FL 32056, KIMBERLY-CLARK
 10/17/2001 MiTek Industries, Inc. Wed Apr 30 13:23:34 2003 Page 1




Plate Offsets (X,Y): [B:0-7-8,0-2-4], [C:0-3-8,0-2-4]															
LOADING (psf)		SPACING		2-0-0		CSI		DEFL		in (loc) l/defl		PLATES		GRIP	
TCLL 20.0		Plates Increase		1.25		TC 0.34		Vert(LL)		0.08 D-E > 999		MII20		249/190	
TCDL 7.0		Lumber Increase		1.25		BC 0.39		Vert(TL)		-0.14 A-G > 999					
BCLL 0.0		Rep Stress Incr		YES		WB 0.17		Horz(TL)		0.03 D n/a					
BCDL 10.0		Code		FBC2001		(Matrix)		1st LC LL Min l/defl		= 240		Weight: 88 lb			

LUMBER
TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING	
TOP CHORD	Sheathed or 5-3-7 oc purlins.
BOT CHORD	Rigid ceiling directly applied or 10-0-0 oc bracing.


REACTIONS (lb/size) A=791/Mechanical, D=791/Mechanical
Max Horz A=68(load case 4)
Max Uplift A=-235(load case 4), D=-163(load case 5)

FORCES (lb) - First Load Case Only
TOP CHORD A-B = -1358, B-C = -1151, C-D = -1358
BOT CHORD A-G = 1144, F-G = 1151, E-F = 1151, D-E = 1145
WEBS B-G = 167, B-E = 0, C-E = 167

NOTES

- NOTES**
- 1) This truss has been checked for unbalanced loading conditions.
 - 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001 If end verticals or cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60
 - 3) Provide adequate drainage to prevent water ponding.
 - 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 235 lb uplift at joint A and 163 lb uplift at joint D.

LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. - SCAFF RES.	A509219
L45316	T32	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLTZMAN Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:35 2003 Page 1




Plate Offsets (X,Y): [C:0-3-8,0-2-4], [D:0-7-8,0-2-4]									
LOADING (psf)		SPACING 2-0-0		CSI		DEFL in (loc) l/defl		PLATES GRIP	
TCLL	20.0	Plates Increase	1.25	TC	0.22	Vert(LL)	0.05 A-I	>999	MII20 249/190
TCDL	7.0	Lumber Increase	1.25	BC	0.35	Vert(TL)	-0.20 F-G	>999	
BCLL	0.0	Rep Stress Incr	YES	WB	0.15	Horz(TL)	0.03 F	n/a	
BCDL	10.0	Code	FBC2001	(Matrix)		1st LC LL Min l/defl = 240			Weight: 103 lb

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 5-3-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS

(lb/size) A = 791/Mechanical, F = 791/Mechanical
Max Horz A = 87(load case 4)
Max Uplift A = -217(load case 4), F = -183(load case 5)


FORCES (lb) - First Load Case Only

TOP CHORD A-B = -1398, B-C = -1109, C-D = -945, D-E = -1108, E-F = -1398
BOT CHORD A-I = 1221, H-I = 944, G-H = 944, F-G = 1221
WEBS B-I = -314, C-I = 260, D-I = 2, D-G = 260, E-G = -315

NOTES

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001 If end verticals or cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60
- 3) Provide adequate drainage to prevent water ponding.
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 217 lb uplift at joint A and 183 lb uplift at joint F.


LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509223
L45316	T35	ROOF TRUSS	1	2	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:40 2003 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.25	Vert(LL)	0.07	F-G	>999	M120	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.62	Vert(TL)	-0.12	F-G	>999		
BCLL 0.0	Rep Stress Incr	NO	WB 0.59	Horz(TL)	0.03	E	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	=	240		Weight: 142 lb	

LUMBER
 TOP CHORD 2 X 4 SYP No.2D
 BOT CHORD 2 X 6 SYP No.1D
 WEBS 2 X 4 SYP No.3

BRACING
 TOP CHORD Sheathed or 4-8-1 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) A=3828/0-3-8, E=4858/0-3-8
 Max Horz A=-60(load case 5)
 Max Uplift A=-1230(load case 4), E=-1572(load case 5)

FORCES (lb) - First Load Case Only
 TOP CHORD A-B=-6816, B-C=-5778, C-D=-6303, D-E=-8296
 BOT CHORD A-I=6043, H-I=6043, H-J=4800, G-J=4800, G-K=7362, F-K=7362, E-F=7362
 WEBS B-I=811, B-H=-975, C-H=1571, C-G=3652, D-G=-1904, D-F=1643

NOTES

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 1230 lb uplift at joint A and 1572 lb uplift at joint E.
- 4) 2-ply truss to be connected together with 10d Common(.148"x3") Nails as follows:
 Top chords connected as follows: 2 X 4 - 1 row at 0-9-0 oc.
 Bottom chords connected as follows: 2 X 6 - 2 rows at 0-5-0 oc.
 Webs connected as follows: 2 X 4 - 1 row at 0-9-0 oc.




May 2, 2003

LOAD CASE(S) Standard

- 1) Regular: Lumber Increase=1.25, Plate Increase=1.25
 Uniform Loads (plf)
 Vert: A-C=-54.0, C-E=-54.0, A-J=-416.0, J-K=-20.0, E-K=-709.0
 Concentrated Loads (lb)
 Vert: G=-2337.0

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509224
L45316	T36	ROOF TRUSS	2	1	(optional)	

Builder's First Source, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:41 2003 Page 1



LOADING (psf)	SPACING	2'-0.0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.28	Vert(LL)	0.15	F-H	>714	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.18	Vert(TL)	-0.14	B-J	>999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.36	Horz(TL)	0.00	F	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	=	240		Weight: 102 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 6'-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 6'-0-0 oc bracing.

REACTIONS (lb/size) B=513/0-3-8, H=927/0-3-8, F=349/0-3-0

Max Horz B=-145(load case 5)
Max Uplift B=-227(load case 4), H=-312(load case 4), F=-313(load case 5)
Max Grav B=524(load case 6), H=927(load case 1), F=381(load case 7)


FORCES (lb) - First Load Case Only

TOP CHORD A-B=47, B-C=-447, C-D=-214, D-E=254, E-F=-100, F-G=47
BOT CHORD B-J=341, I-J=20, H-I=20, F-H=33
WEBS C-J=-293, D-J=347, D-H=-617, E-H=-302

NOTES

- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, the right is exposed and the left is not exposed. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 227 lb uplift at joint B, 312 lb uplift at joint H and 313 lb uplift at joint F.


LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509220
L45316	T33	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLEMAN Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:36 2003 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.29	Vert(LL)	0.06	A-G	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.48	Vert(TL)	-0.26	A-G	>977		
BCLL 0.0	Rep Stress Incr	YES	WB 0.27	Horz(TL)	0.03	E	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240			Weight: 94 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 5-2-11 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) A = 791/Mechanical, E = 791/Mechanical
Max Horz A = -104(load case 5)
Max Uplift A = -197(load case 4), E = -197(load case 5)


FORCES (lb) - First Load Case Only

TOP CHORD A-B = -1366, B-C = -1022, C-D = -1022, D-E = -1366
BOT CHORD A-G = 1190, F-G = 1190, E-F = 1190
WEBS B-G = -371, C-G = 548, D-G = -371

NOTES

- This truss has been checked for unbalanced loading conditions.
- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals or cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 197 lb uplift at joint A and 197 lb uplift at joint E.


LOAD CASE(S) Standard



May 2, 2003

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG.- SCAFF RES.	A509221
L45316	T34	ROOF TRUSS	1	1	(optional)	

Builder's First Source, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mitek Industries, Inc. Wed Apr 30 13:23:37 2003 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.24	Vert(LL)	0.04	D-E	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.25	Vert(TL)	-0.07	D-E	>999		
BCLL 0.0	Rep Stress Incr	YES	WB 0.05	Horz(TL)	0.01	D	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	=	240		Weight: 48 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 6-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.


REACTIONS (lb/size) D=448/0-3-8, B=584/0-3-8
Max Horz B=121(load case 4)
Max Uplift D=-112(load case 5), B=-238(load case 4)

FORCES (lb) - First Load Case Only
TOP CHORD A-B=47, B-C=-654, C-D=-650
BOT CHORD B-E=518, D-E=518
WEBS C-E=165

NOTES


- 1) This truss has been checked for unbalanced loading conditions.
- 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- 3) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 112 lb uplift at joint D and 238 lb uplift at joint B.

LOAD CASE(S) Standard



May 2, 2003

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER, Oct 17 2001 MiTek Industries, Inc. Wed Apr 30 13:23:38 2003 Page 1



LUMBER

TOP CHORD	2 X 4 SYP No.2D
BOT CHORD	2 X 4 SYP No.2D
WEBS	2 X 4 SYP No.3
OTHERS	2 X 4 SYP No.3


BRACING
TOP CHORD Sheathed or 6-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) B=574/0-3-8, F=574/0-3-8
Max Horz B=-97(load case 5)
Max Uplift B=-237(load case 4), F=-237(load case 5)

FORCES (lb) - First Load Case Only
TOP CHORD A-B = 47, B-C = -669, C-D = -620, D-E = -620, E-F = -669, F-G = 47
BOT CHORD B-H = 554, F-H = 554
WEBS D-H = 156

NOTES

- NOTES
- 1) This truss has been checked for unbalanced loading conditions.
 - 2) This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level , using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60
 - 3) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 237 lb uplift at joint B and 237 lb uplift at joint F.
 - 4) Truss designed for wind loads in plane of the truss only. For studs exposed to wind (normal to the face), see MiTek "Standard Gable End Detail".
 - 5) The building designer is responsible for the design of the roof and ceiling diaphragms, gable and shear walls, and supporting shear walls. Shear walls must provide continuous lateral restraint at the gable end. All connections to be designed by the building designer.
 - 6) Gable truss supports 0' 8" max. rake gable overhang.



LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	NORTON BLDG. SCAFF RES.	A509225
L45316	T36G	ROOF TRUSS	1	1	(optional)	
Builder's FirstSource, Lake City, FL 32056 4.201 SR1 s Nov 16 2000 MiTek Industries, Inc. Thu May 01 10:51:09 2003 Page 1						




Plate Offsets (X,Y): [2:0-3-12,0-2-0], [5:0-1-8,0-1-12], [8:0-3-12,0-2-0], [10:0-4-0,0-1-12]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.38	Vert(LL)	0.13	8-10	>811	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.23	Vert(TL)	-0.14	2-12	>999		
BCLL 0.0	Rep Stress Incr	NO	WB 0.59	Horz(TL)	0.01	10	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	= 240			Weight: 140 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
 BOT CHORD 2 X 4 SYP No.2D
 WEBS 2 X 4 SYP No.3
 OTHERS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 6-0-0 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS (lb/size) 2 = 648/0-3-8, 8 = 382/0-3-0, 10 = 1509/0-3-8

Max Horz 2 = -128(load case 5)

Max Uplift 2 = -317(load case 4), 8 = -334(load case 5), 10 = -669(load case 4)

Max Grav 2 = 671(load case 6), 8 = 428(load case 7), 10 = 1509(load case 1)

FORCES (lb) - First Load Case Only

TOP CHORD 1-2 = 57, 2-3 = -557, 3-4 = -476, 4-5 = -174, 5-6 = 636, 6-7 = 260, 7-8 = 132, 8-9 = 57

BOT CHORD 2-12 = 448, 11-12 = -104, 10-11 = -104, 8-10 = -122

WEBS 4-12 = -510, 5-12 = 485, 5-10 = -1123, 6-10 = -490

NOTES


- This truss has been checked for unbalanced loading conditions.
- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, the right is exposed and the left is not exposed. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see MiTek "Standard Gable End Detail".
- All plates are 2x4 MII20 unless otherwise indicated.
- Gable studs spaced at 2-0-0 oc.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 317 lb uplift at joint 2, 334 lb uplift at joint 8 and 669 lb uplift at joint 10.
- The building designer is responsible for the design of the roof and ceiling diaphragms, gable and shear walls, and supporting shear walls. Shear walls must provide continuous lateral restraint at the gable end. All connections to be designed by the building designer.
- Gable truss supports 0' 8" max. rake gable overhang.

LOAD CASE(S) Standard

1) Regular: Lumber Increase = 1.25, Plate Increase = 1.25

Uniform Loads (plf)

Vert: 1-5 = -87.0, 5-9 = -87.0, 2-8 = -20.0



May 2, 2003


Builder's FirstSource, Lake City, FL 32056, KIMBERLY D. HOLMES Oct 17 2001 MiTek Industries, Inc. Thu May 01 13:39:47 2003 Page 1



LUMBER		BRACING	
TOP CHORD	2 X 4 SYP No.2D *Except* D-H 2 X 6 SYP No.1D	TOP CHORD	Sheathed or 2-11-15 oc purlins.
BOT CHORD	2 X 4 SYP No.2D *Except* G-I 2 X 4 SYP No.1D, G-L 2 X 4 SYP No.1D	BOT CHORD	Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS	2 X 4 SYP No.3		

FORCES (lb) - First Load Case Only
TOP CHORD A-B=47, B-C=-1294, C-D=-984, D-E=-1380, E-F=-1526, F-G=-2041, G-H=-310
BOT CHORD B-K=1116, J-K=-59, I-J=-42, E-I=82, G-I=1991
WEBS C-K=-321, D-K=14, I-K=939, D-I=812, F-I=-804

LOAD CASE(S) Standard



Job	Truss	Truss Type	Qty	Ply	SCAFF RES. - NORTON BLDG.	A511012
L45316	T38	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLLIS Oct 17 2001 MiTek Industries, Inc. Thu May 01 13:39:48 2003 Page 1




Plate Offsets (X,Y): [H:0-2-4,0-3-0]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.28	Vert(LL)	-0.03	H	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.36	Vert(TL)	-0.23	B-J	>977		
BCLL 0.0	Rep Stress Incr	YES	WB 0.24	Horz(TL)	0.03	G	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min l/defl	=	240		Weight: 102 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
BOT CHORD 2 X 4 SYP No.2D
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Sheathed or 5-9-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS

(lb/size) G = 698/0-3-8, B = 827/0-3-8
Max Horz B = 188(load case 4)
Max Uplift G = -162(load case 5), B = -302(load case 4)


FORCES (lb) - First Load Case Only

TOP CHORD A-B = 47, B-C = -1138, C-D = -810, D-E = -1020, E-F = -1091, F-G = -1243
BOT CHORD B-J = 980, I-J = -26, H-I = -50, E-H = -61, G-H = 1074
WEBS C-J = -347, D-J = 86, H-J = 736, D-H = 491, F-H = -156

NOTES

- This truss has been checked for unbalanced loading conditions.
- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, the left is exposed and the right is not exposed. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 162 lb uplift at joint G and 302 lb uplift at joint B.


LOAD CASE(S) Standard



May 1, 2003

Job	Truss	Truss Type	Qty	Ply	SCAFF RES. - NORTON BLDG.	A511013
L45316	T39	ROOF TRUSS	1	1	(optional)	

Builder's FirstSource, Lake City, FL 32056, KIMBERLY HOLSINGER Oct 17 2001 Mitek Industries, Inc. Thu May 01 13:39:49 2003 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.28	Vert(LL)	0.02	H-I	>999	MII20	249/190
TCDL 7.0	Lumber Increase	1.25	BC 0.37	Vert(TL)	-0.23	B-I	>975		
BCLL 0.0	Rep Stress Incr	YES	WB 0.25	Horz(TL)	0.02	J	n/a		
BCDL 10.0	Code	FBC2001	(Matrix)	1st LC LL Min I/defl	= 240			Weight: 97 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2D
 BOT CHORD 2 X 4 SYP No.2D
 WEBS 2 X 4 SYP No.3 *Except*
 F-H 2 X 4 SYP No.2D
 OTHERS 2 X 6 SYP No.1D

BRACING

TOP CHORD Sheathed or 5-11-12 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS

(lb/size) B=810/0-3-8, J=697/0-3-8
 Max Horz B=165(load case 4)
 Max Uplift B=-299(load case 4), J=-152(load case 5)


FORCES (lb) - First Load Case Only

TOP CHORD A-B=47, B-C=-1097, C-D=-777, D-E=-774, E-F=-95, H-J=622, F-J=-48
 BOT CHORD B-I=942, H-I=577, G-H=0
 WEBS C-I=-335, D-I=309, E-I=64, E-H=-746

NOTES

- This truss has been checked for unbalanced loading conditions.
- This truss has been designed for the wind loads generated by 110 mph winds at 15 ft above ground level, using 5.0 psf top chord dead load and 5.0 psf bottom chord dead load, in the gable end roof zone on an occupancy category II, condition I enclosed building, with exposure B ASCE 7-98 per FBC2001. If end verticals exist, they are exposed to wind. If cantilevers exist, they are not exposed to wind. If porches exist, they are not exposed to wind. The lumber DOL increase is 1.60, and the plate grip increase is 1.60.
- Bearing at joint(s) J considers parallel to grain value using ANSI/TPI 1-1995 angle to grain formula. Building designer should verify capacity of bearing surface.
- Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 299 lb uplift at joint B and 152 lb uplift at joint J.

LOAD CASE(S) Standard



May 1, 2003