

IRONRIDGE XR FLUSH MOUNT PHOTOVOLTAIC PANEL RACKING SYSTEM
WITH QUICKMOUNT HALO ULTRAGRIP ROOF ATTACHMENTS

GENERAL NOTES:

- 1. THIS SYSTEM MEETS ALL OF THE REQUIREMENTS OF THE 8TH EDITION (2023) FLORIDA BUILDING CODE, INCLUDING THE HVHZ PROVISIONS.
- 2. THIS SYSTEM HAS BEEN TESTED PER TAS 100(A) AND ASTM D7147. IT IS NOT A PART OF THE BUILDING ENVELOPE, AND IMPACT RESISTANCE IS NOT REQUIRED.
- 3. THIS SYSTEM SHALL BE INSTALLED PER THE IRONRIDGE XR FLUSH MOUNT INSTALLATION MANUAL.
- 4. THE PV PANELS ARE BY OTHERS AND ARE NOT A PART OF THIS APPROVAL.
- 5. RAIL SPACING TO BE AS SPECIFIED BY THE PV PANEL MANUFACTURER'S INSTALLATION INSTRUCTIONS.
- 6. THE DESIGN OF THE ROOF SUBSTRATE IS THE RESPONSIBILITY OF THE ENGINEER OF RECORD OR OTHER SPECIALTY ENGINEER, AND IS NOT A PART OF THIS APPROVAL. THE SUBSTRATE MUST SAFELY TRANSMIT THE LOADS APPLIED TO THIS SYSTEM TO THE BUILDING STRUCTURE.
- 7. FIRE RATINGS OR FIRE RESISTANCE IS NOT A PART OF THIS REVIEW.
- 8. ALL ANCHORS SECURING THE SYSTEM TO PRESSURE TREATED WOOD SHALL BE CAPABLE OF RESISTING CORROSION CAUSED BY THE CHEMICALS IN THE WOOD.
- 9. MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL BE PROTECTED PER FBC REQUIREMENTS.
- 10. NO INCREASE IN ALLOWABLE STRESS HAS BEEN USED IN THE DESIGN OF THIS PRODUCT. Cd=1.6 WAS USED FOR WOOD SCREWS ONLY.




WINDLOAD NOTES:

- 1. DESIGN WINDLOADS MUST BE CALCULATED BY A LICENSED PROFESSIONAL ENGINEER OR ARCHITECT FOR EACH PROJECT, PER ASCE 7-22 SECTION 29.4.4. DESIGN (ASD) WINDLOADS MAY NOT EXCEED THE ALLOWABLE WINDLOADS SHOWN IN THE CHARTS ON THIS SHEET OR SHEET 5.
- 2. PANEL SYSTEM LOCATION, HEIGHT, AND SPACING MUST MEET THE REQUIREMENTS OF ASCE 7-22 SECTION 29.4.4. WINDLOADS ACT NORMAL TO THE SURFACE OF THE PV PANEL SYSTEM.
- 3. OTHER CONFIGURATIONS REQUIRE PROJECT SPECIFIC ANALYSIS BY A LICENSED PROFESSIONAL ENGINEER OR ARCHITECT.
- 4. ALLOWABLE (ASD) WINDLOADS BELOW ARE FOR ANCHORS IN WOOD RAFTERS WITH S.G.=0.42 MIN. SEE SHEET 5 FOR ALLOWABLE FASTENER PATTERNS AND FOR ALLOWABLE WINDLOADS WHEN FASTENING INTO THE DECK ONLY.

ALLOWABLE WINDLOADS											
TWO RAIL SYSTEM						THREE RAIL SYSTEM					
PANEL WIDTH (in)	PANEL LENGTH (in)	ANCHOR SPAN (L) (in)	FASTENER PATTERN #1 OR #2			PANEL WIDTH (in)	PANEL LENGTH (in)	ANCHOR SPAN (L) (in)	FASTENER PATTERN #1 OR #2		
			XR-10 RAIL (+/- psf)	XR-100 RAIL (+/- psf)	XR-1000 RAIL (+/- psf)				XR-10 RAIL (+/- psf)	XR-100 RAIL (+/- psf)	XR-1000 RAIL (+/- psf)
45	67 1/2	16	90	90	90	45	67 1/2	16	135.0	135.0	135.0
		24	65.4	90	90			24	98.1	135.0	135.0
		32	56.1	90	90			32	84.2	135.0	135.0
		36	49.9	90	90			36	74.9	135.0	135.0
		48	37.4	85.6	89.2			48	56.1	128.4	133.8
		64	28.1	62.9	62.9			64	42.2	94.4	94.4
		72	23.7	54	54.7			72	35.6	81.0	82.1
	80	16	75.9	75.9	75.9		80	16	113.9	113.9	113.9
		24	55.2	75.9	75.9			24	82.8	113.9	113.9
		32	47.3	75.9	75.9			32	71.0	113.9	113.9
		36	42.1	75.9	75.9			36	63.2	113.9	113.9
		48	31.6	72.2	75.3			48	47.4	108.3	113.0
		64	23.7	53.1	53.1			64	35.6	79.7	79.7
		72	20	45.6	46.2			72	30.0	68.4	69.3
	86	16	70.6	70.6	70.6		86	16	105.9	105.9	105.9
		24	51.3	70.6	70.6			24	77.0	105.9	105.9
		32	44	70.6	70.6			32	66.0	105.9	105.9
		36	39.1	70.6	70.6			36	58.7	105.9	105.9
		48	29.4	67.2	70			48	44.1	100.8	105.0
		64	22	49.4	49.4			64	33.0	74.1	74.1
		72	18.6	42.9	43			72	27.9	64.4	64.5
	92 1/2	16	72.9	65.7	65.7		92 1/2	16	109.4	98.6	98.6
		24	47.7	65.7	65.7			24	71.6	98.6	98.6
		32	40.9	65.7	65.7			32	61.4	98.6	98.6
		36	36.4	65.7	65.7			36	54.6	98.6	98.6
		48	27.3	62.5	65.1			48	41.0	93.8	97.7
		64	20.5	45.9	45.9			64	30.8	68.9	68.9
		72	17.3	39.4	39.9			72	26.0	59.1	59.9
LANDSCAPE LAYOUT:											
45	92 1/2	16	72.9	65.7	65.7	45	92 1/2	16	109.4	98.6	98.6
		24	52.9	65.7	65.7			24	79.4	98.6	98.6
		32	40.8	65.7	65.7			32	61.2	98.6	98.6
		36	36	65.7	65.7			36	54.0	98.6	98.6
		48	24.2	55	65.7			48	36.3	82.5	98.6
		64	20.5	46.9	65.7			64	30.8	70.4	98.6
		72	18.2	41.7	65.7			72	27.3	62.6	98.6

THREE RAIL SYSTEM:

TWO RAIL SYSTEM:




10/18/23
12/19/22
2023 CODE UPDATE
1ST SUBMITTAL
REV#
DATE
PRINTS ISSUED FOR

SEAL
No 62354
STATE OF
FLORIDA
OCT 18 2023
SCOTT WOLTERS
FL PE# 62354
WOLTERS ENGINEERING
(COA# 27194)
15211 97TH ROAD N
WEST PALM BEACH, FL 33412
(561) 225-1982

DWG: XR-HUG
SHEET: 1/7


28357 INDUSTRIAL BLVD.
HAYWARD, CA 94545
PHONE: (800) 227-9523
info@ironridge.com

IRONRIDGE XR FLUSH MOUNT PHOTOVOLTAIC PANEL RACKING SYSTEM WITH QUICKMOUNT HALO ULTRAGRIP ROOF ATTACHMENTS







1B
2

ALTERNATE CAMO
END-CLAMP DETAIL




HALO ULTRAGRIP DETAIL







SPLICE MAY NOT BE
LOCATED IN A CANTILEVER.

[illegible]

IRONRIDGE XR FLUSH MOUNT PHOTOVOLTAIC PANEL RACKING SYSTEM
WITH QUICKMOUNT HALO ULTRAGRIP ROOF ATTACHMENTS



XR-100 RAIL IS SHOWN.
XR-10 AND XR-1000
RAILS ARE SIMILAR.



SCOTT WOLTERS
FL PE# 62354

WOLTERS ENGINEERING
(COA# 27194)
15211 97TH ROAD N
WEST PALM BEACH, FL 33412
(561) 225-1982

**IRONRIDGE**

28357 INDUSTRIAL BLVD.
HAYWARD, CA 94545

PHONE: (800) 227-9523
info@ironridge.com

DWG: **XR-HUG**
SHEET: **3/7**

REV.#	DATE	PRINTS ISSUED FOR
1	10/18/23	2023 CODE UPDATE
1	12/19/22	1ST SUBMITTAL

IRONRIDGE XR FLUSH MOUNT PHOTOVOLTAIC PANEL RACKING SYSTEM
WITH QUICKMOUNT HALO ULTRAGRIP ROOF ATTACHMENTS

BILL OF MATERIALS- QuickMount Halo Ultra Grip (HUG)		
#	DESCRIPTION	MATERIALS/NOTES
15	HALO ULTRAGRIP BASE, MILL OR BLACK	300 SERIES ALUMINUM
16	ULTRAGRIP FLASHING SYSTEM	PROPRIETARY FLASHING SYSTEM
17	SCREW, #14 X 3" WITH EPDM BACKED WASHER	300 SERIES SS & EPDM




ALLOWABLE LOADS			
LOAD DIRECTION	QUICKMOUNT HALO ULTRAGRIP		
	FASTENER PATTERN #1 or #2 (lb)	FASTENER PATTERN #3	
		7/16" or 15/32" OSB (lb)	19/32" OSB (lb)
F1 - UPLIFT	1004	195	273
F2 - SHEAR	240	117	117
F3 - SHEAR	368	117	117

SEE CHARTS ON SHEETS 1 AND 5 FOR ALLOWABLE WINDLOADS BASED ON RAFTER SPECIFIC GRAVITY.

Direct Tension/Uplift
(See Chart)

F2 = Lateral Shear
(See Chart)

F3 = Lateral Shear
(See Chart)



DWG: XR-HUG
SHEET: 4/7

28357 INDUSTRIAL BLVD.
HAYWARD, CA 94545
PHONE: (800) 227-9523
info@ironridge.com

SCOTT WOLTERS
FL PE# 62354
WOLTERS ENGINEERING
(COA# 27194)
15211 97TH ROAD N
WEST PALM BEACH, FL 33412
(561) 225-1982





REV#	DATE	PRINTS ISSUED FOR
1	10/18/23	2023 CODE UPDATE
1	12/19/22	1ST SUBMITTAL

IRONRIDGE XR FLUSH MOUNT PHOTOVOLTAIC PANEL RACKING SYSTEM
WITH QUICKMOUNT HALO ULTRAGRIP ROOF ATTACHMENTS

ALLOWABLE WINDLOADS (+/- psf)										
TWO RAIL SYSTEM						THREE RAIL SYSTEM				
PANEL WIDTH (in)	PANEL LENGTH (in)	ANCHOR SPAN (L) (in)	FASTENER PATTERN #3			PANEL WIDTH (in)	PANEL LENGTH (in)	ANCHOR SPAN (L) (in)	FASTENER PATTERN #3	
			ALL RAILS						ALL RAILS	
			7/16" or 15/32" OSB (+/- psf)	19/32" OSB (+/- psf)					7/16" or 15/32" OSB (+/- psf)	19/32" OSB (+/- psf)
45	67 1/2	16	22.2	31.1		67 1/2	16	33.3	46.7	
		24	21.3	29.8			24	32.0	44.7	
		32	20.3	28.5			32	30.5	42.8	
		36	18.5	25.9			36	27.8	38.9	
		48	17.3	24.3			48	26.0	36.5	
		64	12.2	17.1			64	18.3	25.7	
		72	10.7	14.9			72	16.1	22.4	
	80	16	18.7	26.2		80	16	28.1	39.3	
		24	17.9	25.1			24	26.9	37.7	
		32	17.2	24.0			32	25.8	36.0	
		36	15.6	21.8			36	23.4	32.7	
		48	14.6	20.5			48	21.9	30.8	
		64	10.3	14.5			64	15.5	21.8	
		72	9.0	12.6			72	13.5	18.9	
	86	16	17.6	24.4		86	16	26.4	36.6	
		24	16.7	23.4			24	25.1	35.1	
		32	16.0	22.3			32	24.0	33.5	
		36	14.5	20.3			36	21.8	30.5	
		48	13.6	19.0			48	20.4	28.5	
		64	9.6	13.4			64	14.4	20.1	
		72	8.4	11.7			72	12.6	17.6	
	92 1/2	16	16.2	22.7		92 1/2	16	24.3	34.1	
		24	15.5	21.7			24	23.3	32.6	
		32	14.8	20.8			32	22.2	31.2	
		36	13.5	18.9			36	20.3	28.4	
		48	12.6	17.7			48	18.9	26.6	
		64	8.9	12.5			64	13.4	18.8	
		72	7.7	10.9			72	11.6	16.4	
LANDSCAPE LAYOUT:										
45	92 1/2	16	16.2	22.7		45	92 1/2	16	24.3	34.1
		24	15.5	21.7				24	23.3	32.6
		32	14.8	20.8				32	22.2	31.2
		36	13.5	18.9				36	20.3	28.4
		48	13.5	18.9				48	20.3	28.4
		64	13.5	18.9				64	20.3	28.4
		72	13.5	18.9				72	20.3	28.4

UP/DOWN SLOPE RAILS:

ACROSS SLOPE RAILS:



FASTENER PATTERN #3
(6) FASTENERS IN DECK

IRONRIDGE

28357 INDUSTRIAL BLVD.
HAYWARD, CA 94545

DWG: XR-HUG
SHEET: 5/7

SCOTT WOLTERS
FL PE# 62354

WOLTERS ENGINEERING
(COA# 27194)
15211 97TH ROAD N
WEST PALM BEACH, FL 33412
(561) 225-1982

PHONE: (800) 227-9523
info@ironridge.com

SEAL: [Signature]







STATE OF FLORIDA
8/18/2023

2023 CODE UPDATE
1ST SUBMITTAL
REV.# DATE

IRONRIDGE XR FLUSH MOUNT PHOTOVOLTAIC PANEL RACKING SYSTEM
WITH QUICKMOUNT HALO ULTRAGRIP ROOF ATTACHMENTS

BILL OF MATERIALS- XR System		
#	DESCRIPTION	MATERIALS/NOTES
1	XR-10 RAIL	6000 SERIES AL
2	XR-100 RAIL	6000 SERIES AL
3	XR-1000 RAIL	6000 SERIES AL
4	XR-10 BOSS SPLICE	6000 SERIES AL & 300 SERIES SS
5	XR-100 BOSS SPLICE	6000 SERIES AL & 300 SERIES SS
6	XR-1000 BOSS SPLICE	6000 SERIES AL & 300 SERIES SS
7	UFO UNIVERSAL MODULE CLAMP	300 SERIES SS
8	STOPPER SLEEVE	6000 SERIES AL
9	CAMO HIDDEN END CAM	300 SERIES AL & 300 SERIES SS
10	3/8" X 1" SQUARE BOLT BONDING HARDWARE	300 SERIES SS
11	3/8" X 1" T-BOLT BONDING HARDWARE	300 SERIES SS
12	XR-10 RAIL END CAP (OPTIONAL)	POLYMERIC
13	XR-100 RAIL END CAP (OPTIONAL)	POLYMERIC
14	XR-1000 RAIL END CAP (OPTIONAL)	POLYMERIC

FOR 6000 SERIES EXTRUSIONS $F_{UT}=38$ ksi min, $F_Y=34$ ksi min.
FOR 300 SERIES STAINLESS STEEL $F_Y=65$ ksi min.





IRONRIDGE

DWG: **XR-HUG**

SHEET: **6/7**

28357 INDUSTRIAL BLVD.
HAYWARD, CA 94545

PHONE: (800) 227-9523
info@ironridge.com

SCOTT WOLTERS
FL PE# 62354

WOLTERS ENGINEERING
(COA# 27194)
15211 97TH ROAD N
WEST PALM BEACH, FL 33412
(561) 225-1982

SEAL: [Signature]
No. 62354


STATE OF FLORIDA
09/18/2024

2023 CODE UPDATE
1ST SUBMITTAL


REV.# DATE

1	10/18/23
2	12/19/22



IRONRIDGE XR FLUSH MOUNT PHOTOVOLTAIC PANEL RACKING SYSTEM
WITH QUICKMOUNT HALO ULTRAGRIP ROOF ATTACHMENTS




1




2




3



4



5



6



IRONRIDGE

DWG: **XR-HUG**

SHEET: **7/7**

28357 INDUSTRIAL BLVD.
HAYWARD, CA 94545

PHONE: (800) 227-9523
info@ironridge.com

SCOTT WOLTERS
FL PE# 62354

WOLTERS ENGINEERING
(COA# 27194)
15211 97TH ROAD N
WEST PALM BEACH, FL 33412
(561) 225-1982

SEAL: 

2023 CODE UPDATE
1ST SUBMITTAL
PRINTS ISSUED FOR

REV.#	DATE
1	10/18/23
	12/19/22