



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613

997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810

Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com

Measure Tech: Jeffrey Galdikas,


Timothy Blankenship

180 NW Lake Valley Terrace

Lake City, FL 32055

H: (904)239-9757

FLOORPLAN - 1ST FLOOR



UNIT NOTES

101 Drywall return

102a Drywall return

102b Blinds
Curtains
Drywall return

102c Blinds
Curtains
Drywall return

105 Blinds
Marble sill
Drywall return

106 Blinds
Wireless security system
Drywall return

107 Blinds
Wireless security system
Drywall return

108 Curtains
Marble sill
Drywall return

112 Wood sill
Drywall return
Curtains

113 Wood sill
Blinds
Wireless security system

114 Blinds
Wireless security system
Drywall return

115 Blinds
Wireless security system
Drywall return

116a Curtains
Blinds
Drywall return

116b Blinds
Curtains
Wireless security system

*See individual units for more notes.

JOB PHOTOS



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafila.com
 Measure Tech: Jeffrey Galdikas,

Timothy Blankenship
 180 NW Lake Valley Terrace
 Lake City, FL 32055
 H: (904)239-9757

ID#	ROOM	SIZE	DETAILS
120	front door	63-1/4" 79-1/2" 63-1/4" 79-1/2"	Patio Door: Inswing, 400 Series Frenchwood, 2 Panel, Passive / Active (Left / Right), Exterior White, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: Tempered High Perf. SmartSun Glass, Obscure Hardware: Tribeca®, White, Exterior Keyed Lock Screen: No Screen Grille Style: No Grille Misc: None Construction: None Material: Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Power Grab Adhesive (1), Boral (2), 3-1/4 Colonial Casing - WM445 - PRIMED (2)

PRODUCTS: 22 WINDOWS: 15 PATIO DOORS: 4 ENTRY DOORS: 0 SPECIALTY: 3 MISC: 0

Updated 10/21/22

JOB NOTES

Bring boreal for sill support for doors
 Removing sidelights
 Wood and tile flooring
 3 1/2" colonial casing
 Drywall return
 Stucco bands
 Living within existing frame for windows above 4 panel door
 Wood sill
 Marble sill
 Blinds
 Curtains
Estimated Duration: 5 days



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafia.com
 Measure Tech: Jeffrey Galdikas,

Timothy Blankenship

180 NW Lake Valley Terrace
 Lake City, FL 32055
 H: (904)239-9757

ID#	ROOM	SIZE		DETAILS
JOB				
101	front entry	62"	31"	Specialty: Circle Top, Base Frame, Exterior White, Interior White Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance SmartSun Glass, No Pattern Grille Style: No Grille Misc: None Construction: Specialty window (per unit) Added to UI Rate (1) Material: Specialty Radiused Wide L-Trim (match exterior color) (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
		61-3/4"	30-3/4"	
102a	dining	70"	36"	Specialty: Circle Top, Base Frame, Exterior White, Interior White Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance SmartSun Glass, No Pattern Grille Style: No Grille Misc: None Construction: Specialty window (per unit) Added to UI Rate (1), Mull (per mull) (1) Material: Specialty Radiused Wide L-Trim (match exterior color) (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Mull Kit, White (1)
		69-3/8"	36"	
102b	dining	35"	59"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: Sash 1: High Performance SmartSun Glass, No Pattern, Sash 2: High Performance SmartSun Glass, No Pattern, Tempered Glass Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Mull (per mull) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Mull Kit, White (1)
		34-3/8"	57"	



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafila.com
 Measure Tech: Jeffrey Galdikas,

Timothy Blankenship

180 NW Lake Valley Terrace
 Lake City, FL 32055
 H: (904)239-9757

ID#	ROOM	SIZE		DETAILS
102c	dining	35" 34-3/8"	59" 57"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: Sash 1: High Performance SmartSun Glass, No Pattern, Sash 2: High Performance SmartSun Glass, No Pattern, Tempered Glass Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Mull (per mull) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Mull Kit, White (1)
105	master bath	46" 45-3/8"	47" 46-3/8"	Window: Double-Hung (DG), 1:1, Travel Calculation Unavailable, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, Obscure, Tempered Glass Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
106	master bedroom	46" 45-3/4"	59" 58-1/2"	Window: Double-Hung (DG), 1:1, Travel Calculation Unavailable, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, Obscure, Tempered Glass Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
 Measure Tech: Jeffrey Galdikas,

Timothy Blankenship
 180 NW Lake Valley Terrace
 Lake City, FL 32055
 H: (904)239-9757

ID#	ROOM	SIZE		DETAILS
107	master bedroom	46" 45-7/8"	59" 58-1/2"	Window: Double-Hung (DG), 1:1, Travel Calculation Unavailable, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, Obscure, Tempered Glass Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
108	play room	70" 69-3/8"	59" 58-3/8"	Window: Gliding, Double, 1:1, Active / Passive, Base Frame, Exterior White, Interior White Performance Calculator: PG Rating: 30 DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: F-Trim, (12 ft), White (2), Glider Clips (8), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
112	dining	105" 104-1/8"	71" 69-3/4"	Window: Gliding, Triple, 1:1:1, Base Frame, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 25 / - 25 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: F-Trim, (12 ft), White (3), Glider Clips (8), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafila.com
 Measure Tech: Jeffrey Galdikas,

Timothy Blankenship

180 NW Lake Valley Terrace
 Lake City, FL 32055
 H: (904)239-9757

ID#	ROOM	SIZE		DETAILS
113	tims room	70" 69-1/8"	59" 58-1/2"	Window: Gliding, Double, 1:1, Meets Egress, Active / Passive, Base Frame, Exterior White, Interior White Performance Calculator: PG Rating: 30 DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: F-Trim, (12 ft), White (2), Glider Clips (8), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
114	alyssas room	34" 33-5/8"	59" 58-1/4"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
115	lucca room	70" 69-3/8"	59" 58-1/2"	Window: Gliding, Double, 1:1, Meets Egress, Active / Passive, Base Frame, Exterior White, Interior White Performance Calculator: PG Rating: 30 DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: Misc project, False check rail at mid height Construction: None Material: F-Trim, (12 ft), White (2), Glider Clips (8), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbaffa.com
 Measure Tech: Jeffrey Galdikas,

Timothy Blankenship
 180 NW Lake Valley Terrace
 Lake City, FL 32055
 H: (904)239-9757

ID#	ROOM	SIZE		DETAILS
116a	front entry	62" 69-3/8"	31" 36"	Specialty: Circle Top, Base Frame, Exterior White, Interior White Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance SmartSun Glass, No Pattern Grille Style: No Grille Misc: None Construction: Specialty window (per unit) Added to UI Rate (1), Mull (per mull) (1) Material: Specialty Radiused Wide L-Trim (match exterior color) (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Mull Kit, White (1)
116b	office	35" 34-3/8"	59" 57"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: Sash 1: High Performance SmartSun Glass, No Pattern, Sash 2: High Performance SmartSun Glass, No Pattern, Tempered Glass Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Mull (per mull) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Mull Kit, White (1)
117	back door to pool	147" 147"	79-1/2" 79-1/2"	Patio Door: Gliding, 200 Series Narroline, 4 Panel, Stat / Active / Active / Stat, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 25 / - 25 Glass: All Sash: Tempered High Perf. SmartSun Glass Hardware: Tribeca®, White Screen: Double Gliding, Full Screen Grille Style: No Grille Misc: None Construction: None Material: Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Power Grab Adhesive (1), Boral (2), 3-1/4 Colonial Casing - WM445 - PRIMED (3)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafila.com
 Measure Tech: Jeffrey Galdikas,

Timothy Blankenship
 180 NW Lake Valley Terrace
 Lake City, FL 32055
 H: (904)239-9757

ID#	ROOM	SIZE		DETAILS
118	master bedroom	71-1/4"	79-1/2"	Patio Door: Gliding, 200 Series Narroline, 2 Panel, Active / Stationary, Exterior White, Interior White Performance Calculator: PG Rating: 35 DP Rating: + 35 / - 35 Glass: All Sash: Tempered High Perf. SmartSun Glass Hardware: Tribeca®, White Screen: Gliding, Full Screen Grille Style: No Grille Misc: None Construction: None Material: Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Power Grab Adhesive (1), Boral (2), 3-1/4 Colonial Casing - WM445 - PRIMED (2)
116c	office	35"	59"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: Sash 1: High Performance SmartSun Glass, No Pattern, Sash 2: High Performance SmartSun Glass, No Pattern, Tempered Glass Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Mull (per mull) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Mull Kit, White (1)
122	over sgd	35"	18"	Window: Picture, Base Frame, Exterior White, Interior White Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance SmartSun Glass, No Pattern Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (1), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
 Measure Tech: Jeffrey Galdikas,

Timothy Blankenship
 180 NW Lake Valley Terrace
 Lake City, FL 32055
 H: (904)239-9757

ID#	ROOM	SIZE		DETAILS
123	over sgd	35" 71-3/8"	18" 17-3/4"	Window: Picture, Base Frame, Exterior White, Interior White Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance SmartSun Glass, No Pattern Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
124	over sgd	71" 35"	18" 17-3/4"	Window: Picture, Base Frame, Exterior White, Interior White Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance SmartSun Glass, No Pattern Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (1), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
119	side door	32-1/8" 32-1/8"	79-1/2" 79-1/2"	Patio Door: Outswing, A-Series Frenchwood, 1 Panel, Right, Exterior White, Interior Pine, Interior Pre-Finish White Performance Calculator: PG Rating: 45 DP Rating: + 45 / - 55 Glass: All Sash: Tempered High Perf. SmartSun Glass, No Pattern Hardware: Tribeca® , White Screen: Retractable, Full Screen Grille Style: No Grille Misc: None Construction: None Material: Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Power Grab Adhesive (1), Boral (2), 3-1/4 Colonial Casing - WM445 - PRIMED (2)