District No. 1 - Ronald Williams District No. 2 - Rusty DePratter District No. 3 - Bucky Nash District No. 4 - Everett Phillips District No. 5 - Tim Murphy

Note:





BOARD OF COUNTY COMMISSIONERS • COLUMBIA COUNTY

BUILDING & ZONING DEPARTMENT

135 NE Hernando Avenue, Suite B-21; Lake City, FL 32055

Brandon Stubbs, County Planner 386-754-7119 Laurie Hodson, Office Manager 386-758-1007

_	SECTION A - PROPERTY INFORMATION	FOR BUILDING DEPARTMENT USE:				
		Permit Number:				
A1.	Building Owner's Name: LARRY SKINNER	36622				
A2.	Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 853 SE JULIA TERRACE	APPROVED/ NO CORRECTIONS				
	City; LAKE CITY State: FL ZIP Code: 32025					
A3.	Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) 26-65-17-09859-815 LOT 15 HAWKS RIDGE ACRES					
A4. A5. A6.						
A7.						
A8.	For a building with a crawlspace or enclosure(s): A9. For a building with an at	tached garage:				
	a) Square footage of crawlspace or enclosure(s) sq ft a) Square footage of attached	l garage <u>N/A</u> sq ft				
		ood openings in the attached garage				
		e adjacent grade N/A				
	c) Total net area of flood openings in A8.b sq in C) Total net area of flood openings in A9.b N/A sq in					
	d) Engineered flood openings? Yes No d) Engineered flood op	enings?				
SEC	CTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
B1.	NFIP Community Name & Community Number B2. County Name	B3. State				
В4.	Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel B8. Flood Zone(s) Effective/Revised Date AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)				
0.	Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile	-				
	Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe)					
2.	Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? [Designation Date CBRS OPA	Yes No				
	Sealignation State					
Loc	al Official's Name: LAURIE HODSON Title_OFFICE MANAGER					
	nmunity Name COLUMBIA COUNTY, FL Telephone 386-758-1007					
	Date 10/25/2018					
	nments: NO CORRECTIONS MADE					

BOARD MEETS THE FIRST THURSDAY AT 5:30 P.M. AND THIRD THURSDAY AT 5:30 P.M.

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION					FOR INSUF	RANCE COMPANY USE	
A1. Building Owner's Name Policy Number: Larry Skinner							
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Company NAIC Number. 853 SE Julia Terrace					IAIC Number:		
City				State	·	ZIP Code	
Lake City				Florida		32025	
Lot 15 Hawks Ridge	, ,	d Block Numbers, Tax	Parce	I Number, Legal De	scription, etc.)		
A4. Building Use (.g., Resident	ial, Non-Residential, A	ddition	, Accessory, etc.)	Residential		
A5. Latitude/Longit	ude: Lat. <u>29</u>	.9334* L	.ong. <u>8</u>	2.5913*	Horizontal Datun	n: 🔲 NAD 1	1927 🗵 NAD 1983
A6. Attach at least	2 photograph	s of the building if the	Certific	ate is being used to	o obtain flood insur	ance.	
A7. Building Diagra	m Number	1B					
A8. For a building v	vith a crawlsp	pace or enclosure(s):					
a) Square foot	age of crawls	pace or enclosure(s)		sq ft			
b) Number of j	ermanent flo	od openings in the cra	wispac	e or enclosure(s) w	ithin 1.0 foot above	adjacent gr	ade
c) Total net are	ea of flood op	enings in A8.b	5	sq in			
		gs?					
A9. For a building v							
a) Square foot	a) Square footage of attached garage sq ft						
	b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade						
u) Eligilieerea	d) Engineered flood openings?						
	SE	CTION B - FLOOD IN	SURA	NCE RATE MAP	(FIRM) INFORMA	TION	
B1. NFIP Communi Columbia 120070	ty Name & Co	ommunity Number		B2. County Name Columbia			B3. State Florida
B4. Map/Panel Number	Number Date Effective/ (Zone AO, use Base					ne AO, use Base	
12023C0512C C 02/04/2009 Revised Date 02/04/2009 AE Flood Depth) 54							
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:							
☐ FIS Profile ☒ FIRM ☐ Community Determined ☐ Other/Source:							
B11. Indicate elevation datum used for BFE in Item 89: NGVD 1929 X NAVD 1988 Other/Source:							
B12. Is the building	located in a	Coastal Barrier Resou	rces Sy	ystem (CBRS) area	or Otherwise Prote	cted Area (OPA)? ☐ Yes ☒ No
Designation D				□ OPA			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

MPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY US				
853 SE Julia Terrace				Policy Number:
City Lake Ci	State Florid		Code 25	Company NAIC Number
	SECTION C - BUILDING ELE	VATION INFORMA	TION (SURVEY	REQUIRED)
C2. E C B	Building elevations are based on: Construction A new Elevation Certificate will be required when core Elevations – Zones A1–A30, AE, AH, A (with BFE), V Complete Items C2.a—h below according to the building tenchmark Utilized: 6" spike in 30" oak tree Indicate elevation datum used for the elevations in item NGVD 1929 NAVD 1988 Other/Solutions used for building elevations must be the same	Drawings*	Iding Under Consing is complete. BFE), AR, AR/A, A in Item A7. In Pu : NAVD 88	truction*
а) Top of bottom floor (including basement, crawlspa	ce, or enclosure flooi	-	X feet meters
b) Top of the next higher floor		<u>71</u> . <u>72</u>	X feet meters
) Bottom of the lowest horizontal structural member	(V Zones only)		X feet
	l) Attached garage (top of slab)			X feet meters
е	 Lowest elevation of machinery or equipment service (Describe type of equipment and location in Comm 	cing the building nents)	<u>60</u> . <u>19</u>	X feet meters
f)	Lowest adjacent (finished) grade next to building (LAG)	58. 4	x feet meters
g) Highest adjacent (finished) grade next to building (HAG)	<u>60</u> . <u>0</u>	
h) Lowest adjacent grade at lowest elevation of deck structural support	or stairs, including		X feet meters
	SECTION D - SURVEYOR, E	NGINEER, OR AR	CHITECT CERT	IFICATION
l certif staten	ertification is to be signed and sealed by a land surve fy that the information on this Certificate represents nent may be punishable by fine or imprisonment und latitude and longitude in Section A provided by a lice	ny best efforts to inte er 18 U.S. Code, Sed	rpret the data ava ction 1001. 	ilable. I understand that any false
	er's Name	License Number		_
		LS 5757		
Title Owner	r			200
•	any Name urveying and Mapping, LLC			Place Seal Here
Addres 2086 S	ss SW Main Boulevard			neie
City Lake 0		State Florida	ZIP Code 32025	
Signat	Ture MANTE	Date 10/19/2018	Telephone (386) 752-7163	¥
Copy a	II pages of this Elevation Certificate and all attachment	s for (1) community o	fficial, (2) insuran	e agent/company, and (3) building owner.
Comm L-2547	ents (including type of equipment and location, per 073 AC Installed	C2(e), if applicable)		

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

MINORTANT: in these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Bibliding Street Address (including Apt., Unit, Suite, and/or Bidgs, No.) or P.O. Route and Box No. FOR INSURANCE COMPANY USE Bibliding Street Address (including Apt., Unit, Suite, and/or Bidgs, No.) or P.O. Route and Box No. FOR INSURANCE COMPANY USE Bibliding Street Address (including Apt., Unit, Suite, and/or Bidgs, No.) or P.O. Route and Box No. FOR INSURANCE COMPANY USE Bibliding Street Company (NAIC Number Lake City Section S. E. Bull.) DING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE A (NATHOUT BFE)		<u> </u>					
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) For Zones, AO and A (without BFE), complete litera E1-E5, it the Cartificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Iteras E1-E5, use neutral grade, if wailable. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Too of bottom floor (including basement, crawispace, or enclosure) is b) Too of bottom floor (including basement, crawispace, or enclosure) is the next higher floor (elevation C2 b in the diagrams) of the building is E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items and/or 9 (see pages 1-2 of Instructions) the next higher floor (elevation C2 b in the diagrams) of the building is E3. Attached garage (top of slab) is E4. Top of platform of machinery and/or equipment servicing the building is E4. Top of platform of machinery and/or equipment servicing the building is E5. Zone AO only. (If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No. 30 Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION. The property owner or owner's Authorized Representative who completes Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone				FOR INSURANCE COMPANY USE			
Lake City Florids 32025 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puter Ricc only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is D) Top of bottom floor (including basement, crawlspace, or enclosure) is E2. For Building Olagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1-2 of Instructions), the next higher floor (elevation C2b in the diagrams) of the building is E3. Attached garage (top of slab) is E3. Attached garage (top of slab) is E4. Top of platform of machinery and/or equipment servicing the building is E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community is included in the	853 SE Julia Terrace					Policy Number	
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (MITHOUT BFE) FOR ZONE AND AND ZONE A (MITHOUT BFE) FOR ZONE AO AND ZONE A (MITHOUT BFE) FOR ZONE AND ZONE AND ZONE AND ZONE A (MITHOUT BFE) FOR ZONE AND ZONE ZONE ZONE ZONE ZONE ZONE ZONE ZONE				* *		Company NAIC	Number
FOR ZONEA O AND A (Without BFE), complete llems E1—E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1—E4, use natural grade, if available. Check the measurement used. In Puerfo Rico only, enter meters. 1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). 2. To provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). 3. Top of bottom floor (including basement, crawlspace, or enclosure) is 10. Top of bottom floor (including basement, crawlspace, or enclosure) is 10. Top of bottom floor (including basement, crawlspace, or enclosure) is 10. Top of bottom floor (including basement, crawlspace, or enclosure) is 10. Top of bottom floor floor (elevation C2 b in the diagrams) of the building is	Lak				VEY NOT	DECITIOED)	
complete Sections A, B, and C. For Items E1—E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter maters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (1AG). a) Top of bottom floor (including basement, crawfspace, or enclosure) is b) Top of bottom floor (including basement, crawfspace, or enclosure) is E2. For Building Diagrams 5-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1–2 of Instructions), the next higher floor (elevation C2 b in the diagrams) of the building is E3. Attached garage (top of slab) is E4. Top of platform of machinery and/or equipment servicing the building is E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION. The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E for Zone AO must sign here. The statements in Sections A (without a FEMA-issued BFE) or Zone AO must sign here. The statements in Section BFEMA (without a FEMA-issued BFEMA (without a		FOR ZO	NE AO AND ZONE	A (WITHOUT E	BFE)	KEQOIKED)	
the highest adjacent grade (HAC) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, craw/space, or enc/sure) is b) Top of bottom floor (including basement, craw/space, or enc/sure) is E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1-2 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is E3. Attached garage (top of slab) is E4. Top of platform of machinery and/or equipment servicing the building is E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The becal official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name Address City State ZIP Code Telephone Comments	con	complete Sections A, B,and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only,					
crawispace, or enclosure) is Steel meters above or below the HAG. b) Top of bottom floor (including basement, crawispace, or enclosure) is Seement, Seement flood openings provided in Section A Items 8 and/or 9 (see pages 1-2 of Instructions), the next higher floor (elevation C2 b in the next higher floor (elevation C2 b in the diagrams) of the building is Seement flood openings provided in Section A Items 8 and/or 9 (see pages 1-2 of Instructions), the diagrams) of the building is Seement flood openings provided in Section A Items 8 and/or 9 (see pages 1-2 of Instructions), the diagrams of the building is Seement floor of Instructions in the diagrams of the building is Seement floor of Instructions in the diagrams of the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of machinery and/or equipment servicing the building is Seement floor of platform of platform of machinery and/or equipment servicing the building is Seewer floor or platform of platfor	E1.	the highest adjacent grade (HAG) and the lowes			w whether	the elevation is	above or below
Crawbspace, or enclosure) is		crawlspace, or enclosure) is		× feet	meter:	s 🔲 above or	⊠ below the HAG.
the next higher floor (elevation C2 b in the diagrams) of the building is				X feet	meter	s 🗵 above or	below the LAG
E3. Attached garage (top of slab) is	E2.	the next higher floor (elevation C2.b in	d openings provided i		_	_	
E4. Top of platform of machinery and/or equipment servicing the building is Sone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Will Unknown. The local official must certify this information in Section G. SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone Comments		the diagrams) of the building is		× feet	meter	s 🔀 above or	below the HAG.
Servicing the building is Section AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Sunknown. The local official must certify this information in Section G. Section F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name	E3.	Attached garage (top of slab) is		X feet	meter:	s 🗵 above or	below the HAG
SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone Comments	E4.	Top of platform of machinery and/or equipment servicing the building is		🔀 feet	meter	s 🔲 above or	⊠ below the HAG.
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-Issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone Comments	E5.						
community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone Comments		SECTION F - PROPERTY OF	WNER (OR OWNER	'S REPRESENT	ATIVE) CE	RTIFICATION	
Address City State ZIP Code Signature Date Telephone Comments	The	property owner or owner's authorized representa nmunity-issued BFE) or Zone AO must sign here.	ative who completes the statements in Se	Sections A, B, arections A, B, and	id E for Zoi E are corr	ne A (without a F rect to the best o	EMA-issued or f my knowledge.
Signature Date Telephone Comments	Pro	perty Owner or Owner's Authorized Representation	ve's Name				
Comments	Add	Iress	Ci	ty	Sta	ate	ZIP Code
	Sig	nature	Da	ate	Tel	ерһопе	
☐ Check here if attachments	Cor	nments					
☐ Check here if attachments							
☐ Check here if attachments							
☐ Check here if attachments							
☐ Check here if attachments							
☐ Check here if attachments							
☐ Check here if attachments							
☐ Check here if attachments							
☐ Check here if attachments							
☐ Check here if attachments							
☐ Check here if attachments							
☐ Check here if attachments							
☐ Check here if attachments							
i i diladitiladi i diladifficia						☐ Check h	ere if attachments.

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., U 853 SE Julia Terrace	Policy Number:		
City Lake City	State Florida	ZIP Code 32025	Company NAIC Number
SI	ECTION G - COMMUNITY INFOR	MATION (OPTIONAL)	
The local official who is authorized by law Sections A, B, C (or E), and G of this Ele used in Items G8–G10. In Puerto Rico or	vation Certificate. Complete the ap		
	as taken from other documentation thorized by law to certify elevation ow.)		
G2. A community official completed or Zone AO.	Section E for a building located in	Zone A (without a FEM.	A-issued or community-issued BFE)
G3. The following information (Item	s G4–G10) is provided for commur	nity floodplain managem	ent purposes.
G4. Permit Number	G5. Date Permit Issued		Date Certificate of Compliance/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction ☐ Subs	stantial Improvement	
G8. Elevation of as-built lowest floor (incoff the building:	cluding basement)		meters Datum
G9. BFE or (in Zone AO) depth of floodi	ng at the building site:	[] feet	meters Datum
G10. Community's design flood elevation			meters Datum
Local Official's Name	Title	;	
Community Name	Tele	phone	
Signature	Date	9	
Comments (including type of equipment a	and location, per C2(e), if applicable	e)	
			Check here if attachments.

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces,	FOR INSURANCE COMPANY USE		
Building Street Address (includin 853 SE Julia Terrace	o. Policy Number:		
City	State	ZIP Code	Company NAIC Number
Lake City	Florida	32025	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption Front View



Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: in these spaces, cop	FOR INSURANCE COMPANY USE		
Building Street Address (including A 853 SE Julia Terrace	Policy Number		
City	State	ZIP Code	Company NAIC Number
Lake City	Florida	32025	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo One

Photo One Caption Left Side





Photo Two


BUILDING DIAGRAMS

The following diagrams illustrate various types of buildings. Compare the features of the building being certified with the features shown in the diagrams and select the diagram most applicable. Enter the diagram number in Item A7, the square footage of crawlspace or enclosure(s) and the area of flood openings in square inches in Items A8.a-c, the square footage of attached garage and the area of flood openings in square inches in Items A9.a-c, and the elevations in Items C2.a-h.

In A zones, the floor elevation is taken at the top finished surface of the floor indicated; in V zones, the floor elevation is taken at the bottom of the lowest horizontal structural member (see drawing in instructions for Section C).

DIAGRAM 1A All slab-on-grade single- and multiple-floor buildings (other than split-level) and high-rise buildings, either detached or row type (e.g., townhouses); with or without attached garage. Distinguishing Feature - The bottom floor is at or above ground level (grade) on at least one side. C2.b **NEXT HIGHER** C2.a FLOOR **BOTTOM FLOOR** GRADE (determined by C2.f-h existing grade)





A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc