


BEARING HEIGHT SCHEDULE

8'-0"

6/12 PITCH  
2'-0" O/H



NOTES:

- 1) REFER TO HD 91 (RECOMMENDATIONS FOR HANDLING INSTALLATION AND TEMPORARY BRACING) REFER TO ENGINEERED DRAWINGS FOR PERMANENT BRACING REQUIRED
- 2) ALL TRUSSES (INCLUDING TRUSSES UNDER VALLEY FRAMING) MUST BE COMPLETELY DECKED OR REFER TO DETAIL V05 FOR ALTERNATE BRACING REQUIREMENTS
- 3) ALL VALLEYS ARE TO BE CONVENTIONALLY FRAMED BY BOLLDER
- 4) ALL TRUSSES ARE DESIGNED FOR 2' O.C. MAXIMUM SPACING, UNLESS OTHERWISE NOTED
- 5) ALL WALLS SHOWN ON PLACEMENT PLAN ARE CONSIDERED TO BE LOAD BEARING, UNLESS OTHERWISE NOTED
- 6) S142 TRUSSES MUST BE INSTALLED WITH THE TOP BEING UP
- 7) ALL ROOF TRUSS HANGERS TO BE SIMPSON HD326 UNLESS OTHERWISE NOTED. ALL FLOOR TRUSS HANGERS TO BE SIMPSON TH4422 UNLESS OTHERWISE NOTED
- 8) BEARING ADJUSTABLE (HPI) TO BE FORWARDED BY BOLLDER

SHOP DRAWING APPROVAL

THIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND JOISTS. ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS LAYOUTS, REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. VERIFY ALL CONDITIONS TO INSURE AGAINST CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU!

Technical Library File: \_\_\_\_\_

Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



**Builder's FirstSource**  
Dumell  
PHONE 904-437-3344 FAX 904-437-3984  
JACKSONVILLE  
PHONE 904-772-6100 FAX 904-772-1973  
LAKE CITY  
PHONE 904-755-6804 FAX 904-755-7973  
SANFORD  
PHONE 407-322-0059 FAX 407-322-5553

GIEBEIG HOMES

LOT 9 CANNON CREEK

SUWANNEE

DATE 12-22-06 SCALE K1:H L221410