



STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM (OSTDS)

PERMIT NO. 24-0264
DATE PAID: 3.24.24
FEE PAID: 310.00
RECEIPT #:

APPLICATION FOR CONSTRUCTION PERMIT

APPLICATION FOR:

☒ New System
☐ Repair

☐ Existing System
☐ Abandonment

☐ Holding Tank
☐ Temporary

☐ Innovative

APPLICANT: Kenneth Williams

EMAIL:

AGENT: Kameron Keen

TELEPHONE: 352-356-1333

MAILING ADDRESS: 474 NE 628th St. Old Town, FL 32680

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3) (m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

PROPERTY INFORMATION

LOT: _____ BLOCK: _____ SUBDIVISION: _____ OSTDS REMEDIATION PLAN? ☒ Y / ☐ N

PROPERTY ID #: 12-45-15-00351-001 ZONING: _____ PLATTED: _____
PROPERTY SIZE: 19.61 ACRES WATER SUPPLY: ☒ PRIVATE PUBLIC ☐ I/M OR EQUIVALENT: ☒ Y / ☐ N

IS SEWER AVAILABLE AS PER 381.0065, FS? ☒ Y / ☐ N

PROPERTY ADDRESS: 974 SW Jafar Ave Lake City 32024 DISTANCE TO SEWER: _____ FT

DIRECTIONS TO PROPERTY: Take US-90 W, (L) CR-252B, (R) SW Deputy J Davis Ln, (L) Pine mount Rd, (L) SW Jafar Ave, (R) SW Brin St, Porcelan (L)

BUILDING INFORMATION

☒ RESIDENTIAL

☐ COMMERCIAL

Unit No. Type of Establishment

No. of Bedrooms

Building Area Sqft

Commercial/Institutional System Design Table I, Chapter 62-6, FAC

1 SFR-MH

3

1424

2

3

4

☐ Floor/Equipment Drains

☐ Other (Specify)

SIGNATURE: Kameron Keen

21-2064

DATE: 3/8/24

DEP 4015, 06-21-2022 (Obsoletes previous editions which may not be used)
Incorporated 62-6.004, FAC



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM

PERMIT #: 12-SC-2874133
APPLICATION #: AP2049424
DATE PAID: 3/26/24
FEE PAID: 310.00
RECEIPT #:
DOCUMENT #: PR2063674

CONSTRUCTION PERMIT FOR: OSTDS New

APPLICANT: KENNETH**24-0264 WILLIAMS

PROPERTY ADDRESS: 974 JAFUS Lake City, FL 32024

LOT: BLOCK: SUBDIVISION:

PROPERTY ID #: 00351-001 [SECTION, TOWNSHIP, RANGE, PARCEL NUMBER]
[OR TAX ID NUMBER]

SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTION 381.0065, F.S., AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANTEE SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACTS, WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY THE PERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOID. ISSUANCE OF THIS PERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERAL, STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.

SYSTEM DESIGN AND SPECIFICATIONS

T [900] GALLONS / GPD New Multi-Chambered Septic CAPACITY
A [] GALLONS / GPD N/A CAPACITY
N [] GALLONS GREASE INTERCEPTOR CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]
K [] GALLONS DOSING TANK CAPACITY [] GALLONS @ [] DOSES PER 24 HRS #Pumps []

D [375] SQUARE FEET Drainfield SYSTEM
R [] SQUARE FEET N/A SYSTEM

A TYPE SYSTEM: [x] STANDARD [] FILLED [] MOUND []
I CONFIGURATION: [x] TRENCH [] BED []

N
F LOCATION OF BENCHMARK: Nail with orange ribbon in oak N of site

I ELEVATION OF PROPOSED SYSTEM SITE [33.00] [INCHES / FT] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT

E BOTTOM OF DRAINFIELD TO BE [57.00] [INCHES / FT] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT

L
D FILL REQUIRED: [0.00] INCHES EXCAVATION REQUIRED: [] INCHES

O
T
H
E
R
The system is sized for 3 bedrooms with a maximum occupancy of 6 persons (2 per bedroom), for a total estimated flow of 300 gpd.


SPECIFICATIONS BY: (Joshua) Kameron Keen TITLE: CEHP

APPROVED BY: Sean P Havens TITLE: Environmental Specialist I Columbia CHD


DATE ISSUED: 03/26/2024 EXPIRATION DATE: 09/26/2025

DEP 4015, 06-21-2022 (Obsoletes previous editions which may not be used)
Incorporated 62-6.004, FAC

58



Brody Pack
2/28/24



Notes:

- 1) This is a 1 acre to scale section of a 19.61 acre parcel.
- 2) Existing driveway access on SW Brim St.
- 3) Measurements are to actual Property Lines

Kenneth Williams
23.2064
3-8-24

Kenneth Williams / Austin Williams
Parcel: 12-4S-15-00351-001

Scale 1" = 40'

APPROVED

ES2 Columbia
3/26/24