

09/09/2005
Columbia County Building Permit
This Permit Expires One Year From the Date of Issue
PERMIT 000023589

APPLICANT SUSAN FAIR PHONE 867-0633
ADDRESS P.O. BX 815 LAKE CITY FL 32056
OWNER CORNERSTONE DEVELOPMENT PHONE 867-0633
ADDRESS 308 SE GREGORY GLEN LAKE CITY FL 32025
CONTRACTOR BRYAN ZECHER PHONE 752-8653
LOCATION OF PROPERTY BAYA, TR ON OLD COUNTRY CLUB RD, TL ON GREGORY GLEN, LAST LOT ON RIGHT
TYPE DEVELOPMENT SFD,UTILITY ESTIMATED COST OF CONSTRUCTION 60000.00
HEATED FLOOR AREA 1200.00 TOTAL AREA 1665.00 HEIGHT .00 STORIES 1
FOUNDATION CONC WALLS FRAMED ROOF PITCH 6/12 FLOOR SLAB
LAND USE & ZONING RSF-2 MAX. HEIGHT 15
Minimum Set Back Requirments: STREET-FRONT 25.00 REAR 15.00 SIDE 10.00
NO. EX.D.U. 0 FLOOD ZONE X PP DEVELOPMENT PERMIT NO.
PARCEL ID 15-4S-17-08359-125 SUBDIVISION COUNTRY SIDE ESTATES
LOT 25 BLOCK PHASE UNIT TOTAL ACRES
000000808 CBC054575
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
CULVERT 05-0698-N BK Y
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident
COMMENTS: ONE FOOT ABOVE THE ROAD, NOC ON FILE
APPROVAL OF ISSUANCE BY COUNTY PLANNER AND ENGINEER
NO CO ISSUANCE UNTIL APPROVAL BY ENGINEER Check # or Cash 1808

FOR BUILDING & ZONING DEPARTMENT ONLY (footer/Slab)

Temporary Power Foundation Monolithic
date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
date/app. by date/app. by date/app. by
Framing Rough-in plumbing above slab and below wood floor
date/app. by date/app. by
Electrical rough-in Heat & Air Duct Peri. beam (Lintel)
date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
date/app. by date/app. by date/app. by
M/H tie downs, blocking, electricity and plumbing Pool
date/app. by date/app. by
Reconnection Pump pole Utility Pole
date/app. by date/app. by date/app. by
M/H Pole Travel Trailer Re-roof
date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 300.00 CERTIFICATION FEE \$ 8.32 SURCHARGE FEE \$ 8.32
MISC. FEES \$.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ WASTE FEE \$
FLOOD ZONE DEVELOPMENT FEE \$ CULVERT FEE \$ 25.00 TOTAL FEE 391.64
INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

For Office Use Only Application # 0508-08 Date Received 8/1/05 By GT Permit # 08/23589
Application Approved by - Zoning Official BLK Date 08-09-05 Plans Examiner JTH BK Date 8-12-05
Flood Zone None Development Permit N/A Zoning RSF-2 Land Use Plan Map Category Res. Low Density
Comments Ownership? Per conly manager + Engineer Verlat this date

Applicants Name CHRIS COX Phone 386-867-0633
Address 252 NW NW GLEN, LAKE CITY FL. 32055
Owners Name JENNY MIER Cornestone, De J. Phone 386-623-6843
911 Address 308 SE GREGORY GLEN LAKE CITY, FL. 32025
Contractors Name BRYAN ZECHER Phone 386-752-8653
Address PO BOX 815 LAKE CITY, FL. 32056
Fee Simple Owner Name & Address NA
Bonding Co. Name & Address NA
Architect/Engineer Name & Address MARK DISOSWAY PO BOX 868 LAKE CITY, FL. 32056
Mortgage Lenders Name & Address NA
Circle the correct power company - FL Power & Light - Clay Elec. - Suwannee Valley Elec. - Progressive Energy
Property ID Number 15-45-17E-08359-125 Estimated Cost of Construction 60,000.00
Subdivision Name COUNTRYSIDE ESTATES Lot 25 Block Unit Phase
Driving Directions BAYA TO OLD COUNTRY CLUB RD. TURN RIGHT AND GO 3 MILES TO SE GREGORY GLEN. LAST LOT ON RIGHT.

Type of Construction FRAME & HARDI Number of Existing Dwellings on Property 0
Total Acreage 42 Acres Lot Size 1/2 Acre Do you need a Culvert Permit or Culvert Waiver or Have an Existing Drive
Actual Distance of Structure from Property Lines - Front 28' Side 60' Side 60' Rear 63'
Total Building Height 15'6 1/2" Number of Stories 1 Heated Floor Area 1200 Roof Pitch 6/12
PORCHES 40 GARAGE 425 TOTAL 1665

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.


Chris Cox
Owner Builder or Agent (Including Contractor)

STATE OF FLORIDA
COUNTY OF COLUMBIA

Sworn to (or affirmed) and subscribed before me
this 6 day of July 20 05
Personally known X or Produced Identification

[Signature]
Contractor Signature
Contractors License Number CBC054575
Competency Card Number
NOTARY STAMP/SEAL


Sharon D. Johnson
Notary Signature



Permit Application Number 05-0698

PART II - SITEPLAN

Lot 25



Notes: _____

Site Plan submitted by: Roch D. F. **MASTER CONTRACTOR**
 Plan Approved ☒ **Not Approved** ☐ 7-1-05 **Date** JUN 23 2005
 by Mr. D. Larr Columbia **County Health Department**

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT


COLUMBIA COUNTY 9-1-1 ADDRESSING

263 NW Lake City Ave. • P. O. Box 2949 • Lake City, FL 32056-2949
 PHONE: (386) 752-8787 • FAX (386) 758-1365 • Email: ron_croft@columbiacountyfla.com

32025

Addresses for Country Side Estates Subdivision:

Lot #:	Address Assigned:	Lot #:	Address Assigned:
1	165 SE Victoria Glen	16	123 SE Gregory Glen
2	195 SE Victoria Glen	17	153 SE Gregory Glen
3	223 SE Victoria Glen	18	183 SE Gregory Glen
4	251 SE Victoria Glen	19	215 SE Gregory Glen
5	281 SE Victoria Glen	20	245 SE Gregory Glen
6	311 SE Victoria Glen	21	275 SE Gregory Glen
7	329 SE Victoria Glen	22	309 SE Gregory Glen
8	328 SE Victoria Glen	23	329 SE Gregory Glen
9	306 SE Victoria Glen	24	330 SE Gregory Glen
10	274 SE Victoria Glen	25	308 SE Gregory Glen
11	244 SE Victoria Glen	26	276 SE Gregory Glen
12	214 SE Victoria Glen	27	246 SE Gregory Glen
13	182 SE Victoria Glen	28	216 SE Gregory Glen
14	152 SE Victoria Glen	29	184 SE Gregory Glen
15	122 SE Victoria Glen	30	154 SE Gregory Glen
		31	3239 SE Country Club Rd



AMENDMENT TO
NOTICE OF COMMENCEMENT
COLUMBIA COUNTY, FLORIDA

Tax Parcel ID Number 15-45-17-08359-125

Description of property 308 SE GREGORY GLEN
LAKE CITY, FL 32025

The undersigned owner of the aforesaid property hereby amends that certain Notice of Commencement recorded 6-24-05 in Official Records Book 1049 at Page 2934, Columbia County, Florida.

Item No. 3 "The Owner Name and Address" is hereby amended to read as follows:


Cornerstone Development Group, LLC, 180 NW Amenity Court, Lake City, FL 32055

All other information remains the same.



Signature of Owner

Sworn to and subscribed before me
this 9th day of August, 2005.



Notary Public

My Commission Expires:



NOTICE OF COMMENCEMENT FORM
COLUMBIA COUNTY, FLORIDA

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

Tax Parcel ID Number 15-4S-17-08359-125

1. Description of property: (legal description of the property and street address or 911 address)
308 SE GREGORY GLEN, LAKE CITY
FL 32025
2. General description of improvement: NEW HOME
3. Owner Name & Address TREVOR TYLER, 3230 SW ARCHER RD,
GAINESVILLE, FL Interest in Property NA
4. Name & Address of Fee Simple Owner (if other than owner): NA
5. Contractor Name BRYAN ZECHER CONSTRUCTION Phone Number 386-752-8653
Address P.O. Box 815, LAKE CITY, FL 32056
6. Surety Holders Name NA Phone Number _____
Address _____
Amount of Bond NA Inst: 2005014999 Date: 06/24/2005 Time: 13:09
mk DC, P. DeWitt Cason, Columbia County B: 1049-P: 2934
7. Lender Name NA Phone Number _____
Address _____
8. Persons within the State of Florida designated by the Owner upon whom notices or other documents may be served as provided by section 718.13 (1)(a) 7; Florida Statutes:
Name NA Phone Number _____
Address _____
9. In addition to himself/herself the owner designates _____ of _____
to receive a copy of the Lienor's Notice as provided in Section 713.13 (1) -
(a) 7. Phone Number of the designee NA
10. Expiration date of the Notice of Commencement (the expiration date is 1 (one) year from the date of recording, (Unless a different date is specified) NA

NOTICE AS PER CHAPTER 713, Florida Statutes:

The owner must sign the notice of commencement and no one else may be permitted to sign in his/her stead.

Signature of Owner



Sworn to (or affirmed) and subscribed before
day of June 23, 2005

NOTARY STAMP/SEAL

Susan Ann Fair

Signature of Notary

1)

THIS INSTRUMENT WAS PREPARED BY:

TERRY McDAVID
POST OFFICE BOX 1328
LAKE CITY, FL 32056-1328

Inst:2004008036 Date:04/08/2004 Time:12:28
Doc Stamp-Deed : 1435.00

RETURN TO:

Sh DC, P. Dewitt Cason, Columbia County B:1012 P:49

TERRY McDAVID
POST OFFICE BOX 1328
LAKE CITY, FL 32056-1328

File No. 04-119

Property Appraiser's
Parcel Identification No.
15-4S-17-08359-016

WARRANTY DEED

THIS INDENTURE, made this 8th day of April 2004, BETWEEN ROLAND L. TARDIF and his wife, LOUISE TARDIF, whose post office address is 4078 SE Country Club Road, Lake City, Florida 32025, of the County of Columbia, State of Florida, grantor*, and CORNERSTONE DEVELOPMENT GROUP, LLC, a Florida Limited Liability Company, whose post office address is 180 NW Amenity Court, Lake City, Florida 32025, of the County of Columbia, State of Florida, grantee*.

WITNESSETH: that said grantor, for and in consideration of the sum of Ten Dollars (\$10.00), and other good and valuable considerations to said grantor in hand paid by said grantee, the receipt whereof is hereby acknowledged, has granted, bargained and sold to the said grantee, and grantee's successors and assigns forever, the following described land, situate, lying and being in Columbia County, Florida, to-wit:

PARCEL NO. 1:

TOWNSHIP 4 SOUTH - RANGE 17 EAST

SECTION 15: Begin at the Southeast corner of the Northwest 1/4 of Section 15, Township 4 South, Range 17 East, Columbia County, Florida, and run N 1°11'01"W, along the East line of said Northwest 1/4 a distance of 679.28 feet to the POINT OF BEGINNING; thence S 88°41'16"W, 1296.02 feet to the East right-of-way line of State Road No. S-133; thence N 1°14'10"W, along said West right-of-way line 336.70 feet; thence N 88°41'16"E, 1296.33 feet to said East line of the Northwest 1/4, Section 15; thence S 1°11'01"E, along said East line 336.70 feet to the POINT OF BEGINNING. COLUMBIA COUNTY, FLORIDA.

PARCEL NO. 2:

TOWNSHIP 4 SOUTH - RANGE 17 EAST

SECTION 15: Commence at the Southeast corner of the Northwest 1/4 of Section 15, Township 4 South, Range 17 East, Columbia County, Florida, and run N 01°11'01"W, along the East line of said Northwest 1/4 a distance of 343.13 feet to the POINT OF BEGINNING; thence S 88°41'16"W, 1295.71 feet to a point on the East right-of-way line of State Road No. S-133; thence N 01°14'10"W, along said

Easterly right-of-way line 336.15 feet; thence N 88°41'16"E, 1296.02 feet to a point on the East line of said Northwest 1/4 of Section 15; thence S 01°11'01"E, along said East line 336.15 feet to the POINT OF BEGINNING. COLUMBIA COUNTY, FLORIDA.

SUBJECT TO: Restrictions, easements and outstanding mineral rights of record, if any, and taxes for the current year, & Restrictions shown on Schedule "A" attached hereto.

and said grantor does hereby fully warrant the title to said land, and will defend the same against the lawful claims of all persons whomsoever.


*"Grantor" and "grantee" are used for singular or plural, as context requires.

IN WITNESS WHEREOF, grantor has hereunto set grantor's hand and seal the day and year first above written.

Signed, sealed and delivered
in our presence:


(First Witness)
Terry McDavid
Printed Name

(Second Witness)
Myrtle Ann McElroy
Printed Name



Roland L. Tardif (SEAL)


Louise Tardif (SEAL)

STATE OF FLORIDA
COUNTY OF COLUMBIA

The foregoing instrument was acknowledged before me this 8th day of April 2004, by ROLAND L. TARDIF and his wife, LOUISE TARDIF, who are personally known to me and who did not take an oath.


Notary Public
My Commission Expires:



SCHEDULE "A" ATTACHED TO WARRANTY DEED
DATED APRIL 8, 2004 FROM
ROLAND L. TARDIF & his wife, LOUISE TARDIF
TO
CORNERSTONE DEVELOPMENT GROUP, LLC

For the period of time ending twenty (20) years from this date, the property described herein shall be subject to the following restrictions:


1. No mobile homes may be placed on the property.
2. Any home built on the property shall be a single family residence having not less than 1,100 square feet of heated living area.

Inst:2004008036 Date:04/08/2004 Time:12:28

Doc Stamp-Deed : 1435.00

LLC DC, P. DeWitt Cason, Columbia County B:1012 P:51

LUNN JUL 2011 LOT 25 SITE PLAN COLUMBIA, COUNTY



FLORIDA ENERGY EFFICIENCY CODE
FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs
Residential Whole Building Performance Method A

Project Name:	TheThomasModel	Builder:	Bryan Zecher
Address:	Lot: , Sub: , Plat:	Permitting Office:	
City, State:	,	Permit Number:	23589
Owner:	Model Home	Jurisdiction Number:	221000
Climate Zone:	North		

1. New construction or existing	New	12. Cooling systems	
2. Single family or multi-family	Single family	a. Central Unit	Cap: 25.0 kBtu/hr
3. Number of units, if multi-family	1		SEER: 11.00
4. Number of Bedrooms	3	b. N/A	
5. Is this a worst case?	Yes	c. N/A	
6. Conditioned floor area (ft²)	1200 ft²		
7. Glass area & type	Single Pane Double Pane	13. Heating systems	
a. Clear glass, default U-factor	0.0 ft² 141.0 ft²	a. Electric Heat Pump	Cap: 25.0 kBtu/hr
b. Default tint, default U-factor	0.0 ft² 0.0 ft²		HSPF: 7.00
c. Labeled U-factor or SHGC	0.0 ft² 0.0 ft²	b. N/A	
8. Floor types		c. N/A	
a. Slab-On-Grade Edge Insulation	R=0.0, 160.0(p) ft	14. Hot water systems	
b. N/A		a. Electric Resistance	Cap: 40.0 gallons
c. N/A			EF: 0.89
9. Wall types		b. N/A	
a. Frame, Wood, Adjacent	R=13.0, 142.0 ft²	c. Conservation credits	
b. Frame, Wood, Exterior	R=13.0, 939.0 ft²	(HR-Heat recovery, Solar	
c. N/A		DHP-Dedicated heat pump)	
d. N/A		15. HVAC credits	
e. N/A		(CF-Ceiling fan, CV-Cross ventilation,	
10. Ceiling types		HF-Whole house fan,	
a. Under Attic	R=30.0, 1250.0 ft²	PT-Programmable Thermostat,	
b. N/A		MZ-C-Multizone cooling,	
c. N/A		MZ-H-Multizone heating)	
11. Ducts			
a. Sup: Unc. Ret: Unc. AH: Garage	Sup. R=6.0, 140.0 ft		
b. N/A			

Glass/Floor Area: 0.12

Total as-built points: 20944
Total base points: 21176

PASS

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code. PREPARED BY: Evan Beamsley DATE: 6/17/05 I hereby certify that this building, as designed, is in compliance with the Florida Energy Code. OWNER/AGENT: [Signature] DATE: 7-28-05	Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes. BUILDING OFFICIAL: _____ DATE: _____ 
--	--

SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: , Sub: , Plat: , , ,

PERMIT #:

BASE				AS-BUILT							
GLASS TYPES .18 X Conditioned X BSPM = Points Floor Area				Type/SC Overhang Ornt Len Hgt Area X SPM X SOF = Points							
.18	1200.0	20.04	4328.6	Double, Clear	E	1.5	5.5	75.0	42.06	0.90	2827.4
				Double, Clear	E	1.5	7.5	20.0	42.06	0.95	798.0
				Double, Clear	W	0.0	0.0	15.0	38.52	1.00	577.9
				Double, Clear	W	6.5	7.0	7.0	38.52	0.55	147.6
				Double, Clear	N	1.5	3.5	9.0	19.20	0.86	148.4
				Double, Clear	N	1.5	5.5	15.0	19.20	0.93	267.3
				As-Built Total:							141.0
WALL TYPES Area X BSPM = Points				Type R-Value Area X SPM = Points							
Adjacent	142.0	0.70	99.4	Frame, Wood, Adjacent			13.0	142.0	0.60	85.2	
Exterior	939.0	1.70	1596.3	Frame, Wood, Exterior			13.0	939.0	1.50	1408.5	
Base Total:		1081.0	1695.7	As-Built Total:				1081.0	1493.7		
DOOR TYPES Area X BSPM = Points				Type Area X SPM = Points							
Adjacent	18.0	2.40	43.2	Exterior Insulated				20.0	4.10	82.0	
Exterior	40.0	6.10	244.0	Exterior Insulated				20.0	4.10	82.0	
				Adjacent Insulated				18.0	1.60	28.8	
Base Total:		58.0	287.2	As-Built Total:				58.0	192.8		
CEILING TYPES Area X BSPM = Points				Type R-Value Area X SPM X SCM = Points							
Under Attic	1200.0	1.73	2076.0	Under Attic			30.0	1250.0	1.73 X 1.00	2162.5	
Base Total:		1200.0	2076.0	As-Built Total:				1250.0	2162.5		
FLOOR TYPES Area X BSPM = Points				Type R-Value Area X SPM = Points							
Slab	160.0(p)	-37.0	-5920.0	Slab-On-Grade Edge Insulation			0.0	160.0(p)	-41.20	-6592.0	
Raised	0.0	0.00	0.0								
Base Total:			-5920.0	As-Built Total:				160.0	-6592.0		
INFILTRATION Area X BSPM = Points				Area X SPM = Points							
	1200.0	10.21	12252.0					1200.0	10.21	12252.0	

SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: , Sub: , Plat: , , ,

PERMIT #:

BASE				AS-BUILT									
Summer Base Points: 14719.5				Summer As-Built Points: 14275.7									
Total Summer Points	X	System Multiplier	= Cooling Points	Total Component	X	Cap Ratio	X	Duct Multiplier (DM x DSM x AHU)	X	System Multiplier	X	Credit Multiplier	= Cooling Points
14719.5		0.4266	6279.4	14275.7		1.000		(1.090 x 1.147 x 1.00)		0.310		1.000	5537.7
				14275.7		1.00		1.250		0.310		1.000	5537.7

WINTER CALCULATIONS
Residential Whole Building Performance Method A - Details

ADDRESS: Lot: , Sub: , Plat: , , ,

PERMIT #:

BASE				AS-BUILT							
GLASS TYPES .18 X Conditioned X BWPM = Points Floor Area				Type/SC	Overhang Ornt Len Hgt		Area X WPM X WOF = Points				
.18	1200.0	12.74	2751.8	Double, Clear	E	1.5	5.5	75.0	18.79	1.04	1467.7
				Double, Clear	E	1.5	7.5	20.0	18.79	1.02	384.5
				Double, Clear	W	0.0	0.0	15.0	20.73	1.00	310.9
				Double, Clear	W	6.5	7.0	7.0	20.73	1.16	168.2
				Double, Clear	N	1.5	3.5	9.0	24.58	1.01	222.8
				Double, Clear	N	1.5	5.5	15.0	24.58	1.00	369.8
				As-Built Total:				141.0			
WALL TYPES Area X BWPM = Points				Type	R-Value		Area X WPM = Points				
Adjacent	142.0	3.60	511.2	Frame, Wood, Adjacent	13.0		142.0	3.30	468.6		
Exterior	939.0	3.70	3474.3	Frame, Wood, Exterior	13.0		939.0	3.40	3192.6		
Base Total:		1081.0	3985.5	As-Built Total:		1081.0		3661.2			
DOOR TYPES Area X BWPM = Points				Type	R-Value		Area X WPM = Points				
Adjacent	18.0	11.50	207.0	Exterior Insulated			20.0	8.40	168.0		
Exterior	40.0	12.30	492.0	Exterior Insulated			20.0	8.40	168.0		
				Adjacent Insulated			18.0	8.00	144.0		
Base Total:		58.0	699.0	As-Built Total:		58.0		480.0			
CEILING TYPES Area X BWPM = Points				Type	R-Value		Area X WPM X WCM = Points				
Under Attic	1200.0	2.05	2460.0	Under Attic	30.0		1250.0	2.05 X 1.00	2562.5		
Base Total:		1200.0	2460.0	As-Built Total:		1250.0		2562.5			
FLOOR TYPES Area X BWPM = Points				Type	R-Value		Area X WPM = Points				
Slab	160.0(p)	8.9	1424.0	Slab-On-Grade Edge Insulation	0.0		160.0(p)	18.80	3008.0		
Raised	0.0	0.00	0.0								
Base Total:			1424.0	As-Built Total:		160.0		3008.0			
INFILTRATION Area X BWPM = Points						Area X WPM		= Points			
	1200.0	-0.59	-708.0			1200.0		-0.59		-708.0	

WINTER CALCULATIONS
Residential Whole Building Performance Method A - Details

ADDRESS: Lot: , Sub: , Plat: , , ,

PERMIT #:

BASE				AS-BUILT							
Winter Base Points:		10612.3		Winter As-Built Points:				11927.6			
Total Winter Points	X	System Multiplier	= Heating Points	Total Component	X	Cap Ratio	X Duct Multiplier (DM x DSM x AHU)	X System Multiplier	X Credit Multiplier	= Heating Points	
10612.3		0.6274	6658.2	11927.6		1.000	(1.069 x 1.169 x 1.00)	0.487	1.000	7261.1	
				11927.6		1.00	1.250	0.487	1.000	7261.1	

WATER HEATING & CODE COMPLIANCE STATUS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: , Sub: , Plat: , , ,

PERMIT #:

BASE				AS-BUILT					
WATER HEATING									
Number of Bedrooms	X	Multiplier	= Total	Tank Volume	EF	Number of Bedrooms	X Tank Ratio	Multiplier X Credit Multiplier	= Total
3		2746.00	8238.0	40.0	0.89	3	1.00	2715.15	8145.4
				As-Built Total:					8145.4

CODE COMPLIANCE STATUS							
BASE				AS-BUILT			
Cooling Points	+	Heating Points	= Total Points	Cooling Points	+	Heating Points	= Total Points
6279		6658	21176	5538		7261	20944

PASS



Code Compliance Checklist

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: , Sub: , Plat: , , ,

PERMIT #:

6A-21 INFILTRATION REDUCTION COMPLIANCE CHECKLIST

COMPONENTS	SECTION	REQUIREMENTS FOR EACH PRACTICE	CHECK
Exterior Windows & Doors	606.1.ABC.1.1	Maximum:.3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.	
Exterior & Adjacent Walls	606.1.ABC.1.2.1	Caulk, gasket, weatherstrip or seal between: windows/doors & frames, surrounding wall; foundation & wall sole or sill plate; joints between exterior wall panels at corners; utility penetrations; between wall panels & top/bottom plates; between walls and floor. EXCEPTION: Frame walls where a continuous infiltration barrier is installed that extends from, and is sealed to, the foundation to the top plate.	
Floors	606.1.ABC.1.2.2	Penetrations/openings >1/8" sealed unless backed by truss or joint members. EXCEPTION: Frame floors where a continuous infiltration barrier is installed that is sealed to the perimeter, penetrations and seams.	
Ceilings	606.1.ABC.1.2.3	Between walls & ceilings; penetrations of ceiling plane of top floor; around shafts, chases, soffits, chimneys, cabinets sealed to continuous air barrier; gaps in gyp board & top plate; attic access. EXCEPTION: Frame ceilings where a continuous infiltration barrier is installed that is sealed at the perimeter, at penetrations and seams.	
Recessed Lighting Fixtures	606.1.ABC.1.2.4	Type IC rated with no penetrations, sealed; or Type IC or non-IC rated, installed inside a sealed box with 1/2" clearance & 3" from insulation; or Type IC rated with < 2.0 cfm from conditioned space, tested.	
Multi-story Houses	606.1.ABC.1.2.5	Air barrier on perimeter of floor cavity between floors.	
Additional Infiltration reqts	606.1.ABC.1.3	Exhaust fans vented to outdoors, dampers; combustion space heaters comply with NFPA, have combustion air.	

6A-22 OTHER PRESCRIPTIVE MEASURES (must be met or exceeded by all residences.)

COMPONENTS	SECTION	REQUIREMENTS	CHECK
Water Heaters	612.1	Comply with efficiency requirements in Table 6-12. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required.	
Swimming Pools & Spas	612.1	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spa & pool heaters must have a minimum thermal efficiency of 78%.	
Shower heads	612.1	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	
Air Distribution Systems	610.1	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated, and installed in accordance with the criteria of Section 610. Ducts in unconditioned attics: R-6 min. insulation.	
HVAC Controls	607.1	Separate readily accessible manual or automatic thermostat for each system.	
Insulation	604.1, 602.1	Ceilings-Min. R-19. Common walls-Frame R-11 or CBS R-3 both sides. Common ceiling & floors R-11.	

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE SCORE* = 82.8

The higher the score, the more efficient the home.

Model Home, Lot: , Sub: , Plat: , , ,

1. New construction or existing	New	12. Cooling systems	
2. Single family or multi-family	Single family	a. Central Unit	Cap: 25.0 kBtu/hr
3. Number of units, if multi-family	1		SEER: 11.00
4. Number of Bedrooms	3	b. N/A	
5. Is this a worst case?	Yes		
6. Conditioned floor area (ft ²)	1200 ft ²	c. N/A	
7. Glass area & type	Single Pane Double Pane	13. Heating systems	
a. Clear glass, default U-factor	0.0 ft ² 141.0 ft ²	a. Electric Heat Pump	Cap: 25.0 kBtu/hr
b. Default tint, default U-factor	0.0 ft ² 0.0 ft ²		HSPF: 7.00
c. Labeled U-factor or SHGC	0.0 ft ² 0.0 ft ²	b. N/A	
8. Floor types		c. N/A	
a. Slab-On-Grade Edge Insulation	R=0.0, 160.0(p) ft	14. Hot water systems	
b. N/A		a. Electric Resistance	Cap: 40.0 gallons
c. N/A			EF: 0.89
9. Wall types		b. N/A	
a. Frame, Wood, Adjacent	R=13.0, 142.0 ft ²	c. Conservation credits	
b. Frame, Wood, Exterior	R=13.0, 939.0 ft ²	(HR-Heat recovery, Solar	
c. N/A		DHP-Dedicated heat pump)	
d. N/A		15. HVAC credits	
e. N/A		(CF-Ceiling fan, CV-Cross ventilation,	
10. Ceiling types		HF-Whole house fan,	
a. Under Attic	R=30.0, 1250.0 ft ²	PT-Programmable Thermostat,	
b. N/A		MZ-C-Multizone cooling,	
c. N/A		MZ-H-Multizone heating)	
11. Ducts			
a. Sup: Unc. Ret: Unc. AH: Garage	Sup. R=6.0, 140.0 ft		
b. N/A			

I certify that this home has complied with the Florida Energy Efficiency Code For Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature: Chris J. Cox

Date: 7-28-05

Address of New Home: 308 SE GREGORY GLEN

City/FL Zip: LAKE CITY, FL - 32085



*NOTE: The home's estimated energy performance score is only available through the FLA/RES computer program. This is not a Building Energy Rating. If your score is 80 or greater (or 86 for a US EPA/DOE EnergyStarTM designation), your home may qualify for energy efficiency mortgage (EEM) incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at 321/638-1492 or see the Energy Gauge web site at www.fsec.ucf.edu for information and a list of certified Raters. For information about Florida's Energy Efficiency Code For Building Construction, contact the Department of Community Affairs.

Energy Gauge Version: FLR2PB v3.4)

Columbia County Building Department
Culvert Permit

Culvert Permit No.
000000807

DATE 09/09/2005 PARCEL ID # 15-4S-17-08359-123
APPLICANT SUSAN FAIR PHONE 752-5218
ADDRESS P.O. BOX 815 LAKE CITY FL 32056
OWNER CORNERSTONE DEVELOPMENT PHONE 867-0633
ADDRESS 329 SE GREGORY GLEN LAKE CITY FL 32024
CONTRACTOR BRYAN ZECHER PHONE 752-8653
LOCATION OF PROPERTY BAYA AVE, TR ON OLD COUNTRY CLUB RD, TL ON GREGORY GLEN, LAST LOT ON
LEFT
SUBDIVISION/LOT/BLOCK/PHASE/UNIT COUNTRY SIDE EST. 23
SIGNATURE 

INSTALLATION REQUIREMENTS



Culvert size will be 18 inches in diameter with a total length of 32 feet, leaving 24 feet of driving surface. Both ends will be mitered 4 foot with a 4 : 1 slope and poured with a 4 inch thick reinforced concrete slab.

INSTALLATION NOTE: Turnouts will be required as follows:

- a) a majority of the current and existing driveway turnouts are paved, or;
 - b) the driveway to be served will be paved or formed with concrete.
- Turnouts shall be concrete or paved a minimum of 12 feet wide or the width of the concrete or paved driveway, whichever is greater. The width shall conform to the current and existing paved or concreted turnouts.



Culvert installation shall conform to the approved site plan standards.



Department of Transportation Permit installation approved standards.



Other _____

ALL PROPER SAFETY REQUIREMENTS SHOULD BE FOLLOWED
DURING THE INSTALLATION OF THE CULVERT.

135 NE Hernando Ave., Suite B-21
Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160

Amount Paid 25.00





UNIVERSAL

ENGINEERING SCIENCES

Consultant In: Geotechnical Engineering,
Environmental Sciences, Construction Materials Testing
4475 SW 35th Terrace, Gainesville, Florida 32608 (352) 372-3392

Order No.: 27915-001-01
Report No.: 4820
Date: September 14, 2005

REPORT ON IN-PLACE DENSITY TESTS

Client: Cornerstone Development
P.O. Box 1867
Lake City, FL 32056

23589

Project: Country Side Estates, Lot No. 25, Permit Not Posted, Lake City, Columbia County, FL

Area Tested: Fill Beneath Proposed Building Pad

Course: Final Grade

Depth of Test: 0-1'

Type of Test: ASTM D-2922

Date Tested: 09-14-05

Remarks: The tests below meet the minimum 95 percent relative soil compaction requirement of Laboratory Modified Proctor maximum dry density (ASTM D-1557).

TEST LOCATION		LABORATORY RESULTS		FIELD TEST RESULTS		
Description of Test Location		Maximum Density (pcf)	Optimum Moisture (%)	Dry Density (pcf)	Field Moisture (%)	Soil Compaction (%)
1.	Approximate Center of Pad	112.0	11.0	107.1	4.3	95.6
2.	Approximately 10' Northwest of Southeast Corner of Pad	112.0	11.0	108.6	4.6	97.0
3.	Approximately 10' Southeast of Northwest Corner of Pad	112.0	11.0	107.5	4.9	96.0

ASD

Technician: DM/ec

Andrew T. Schmid, P.E.
FL Professional Engineer No. 56022



UNIVERSAL

ENGINEERING SCIENCES

Consultant In: Geotechnical Engineering,
Environmental Sciences, Construction Materials Testing
4475 SW 35th Terrace, Gainesville, Florida 32608 (352) 372-3392

Project No.: 27915-001-01
Report No.: 5122
Date: September 29, 2005

REPORT ON IN-PLACE DENSITY TESTS

23589

Client: Cornerstone Development
P.O. Box 1867
Lake City, FL 32056

Project: Country Side Estates, Lot No. 25 Permit Not Posted, Lake City, Columbia County, FL

Area Tested: Fill Beneath Proposed Building Pad

Course: Final Grade

Depth of Test: 0-1'

Type of Test: ASTM D-2922

Date Tested: 09-27-05

Remarks: The tests below meet the minimum 95 percent relative soil compaction requirement of Laboratory Modified Proctor maximum dry density. (ASTM D-1557)

TEST LOCATION		LABORATORY RESULTS		FIELD TEST RESULTS		
Description of Test Location		Maximum Density (pcf)	Optimum Moisture (%)	Dry Density (pcf)	Field Moisture (%)	Soil Compaction (%)
1.	Approximate Center of Pad	112.0	11.0	107.5	4.3	96.0
2.	Approximately 10' Northwest of Southeast Corner of Pad	112.0	11.0	107.4	4.6	95.9
3.	Approximately 10' Southeast of Northwest Corner of Pad	112.0	11.0	108.0	5.0	96.4

Technician: DM/ts

Andrew T. Schmid, P.E.
Professional Engineer No. 56022

GLENBRYN GLEN CALVINE

OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 15-4S-17-08359-125

Building permit No. 000023589

Use Classification SFD, UTILITY

Fire: 59.20

Permit Holder BRYAN ZECHER

Waste: 122.50

Owner of Building CORNERSTONE DEVELOPMENT

Total: 181.70

Location: 308 SE GREGORY GLEN(COUNTRY SIDE EST. LOT 25)

Date: 12/27/2005



Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)