



WEST SHORE
HOME

DOOR MEASURE SHEET

OF INSTALLERS NEEDED: 2

CUSTOMER: Patricia Simonsen

TECH: Edward Poirier

DAYS TO COMPLETE: 1

ADDRESS: J-560444

LOCATION	QUANTITY	STYLE	WIDTH	HEIGHT	JAMB DEPTH	HANDING	MISC.
<u>Living room</u>	<u>1</u>	<u>3-P.P.S.</u>	<u>99½</u>	<u>X 79½</u>		<u>OOX</u>	
				X			
				X			
				X			
				X			
				X			
				X			
				X			
				X			
				X			
				X			
				X			
				X			
				X			
				X			
				X			

Notable All Casing Sizes & Styles: _____

TIPS:

- If in brick add 1/4" to get past caulk line
- If removing interior extension, check swing clearance
- Interior flooring
- Will exterior mullions overhang step
- At least 1" brickmold each side for Z-Bar ☒ Yes ☐ No
- Exterior plaster ☐ Yes ☐ No
- 1/4 round needed inside ☐ Yes ☐ No
- Cover
- Changes Made:

CMS

NOTES:



Window Measure Sheet

Technician Edward Pinner

Customer: P. Simonsen Address: J-560444

Location	QTY	Style	W	X	H	Misc
1 Kitchen	1	D.H.	37 ⁵ / ₈	X	38 ⁵ / ₈	Temp all
2 Bathroom 1	1	D.H.	37	X	38	Temp all, Obscure
3 Bedroom 1	1	D.H.	37 ¹ / ₄	X	38	
4 Bedroom 1	1	D.H.	35 ¹ / ₄	X	60 ¹ / ₂	Temp bottom Sash
5 Bedroom 2	1	D.H.	35 ¹ / ₄	X	60 ¹ / ₂	Temp bottom Sash
6 Bedroom 2	1	D.H.	37	X	38 ¹ / ₈	
7-8 Living room	2	D.H.	35 ⁵ / ₈	X	34 ³ / ₄	
9 Bedroom 3	1	D.H.	38 ³ / ₄	X	38	
10 Bedroom 3	1	D.H.	35 ¹ / ₈	X	60 ⁵ / ₈	Temp bottom sash
11 Bedroom 3	1	D.H.	37 ¹ / ₂	X	37 ⁵ / ₈	
12 Bathroom 2	1	D.H.	36 ⁵ / ₈	X	38 ¹ / ₂	Temp all, Obscure

Type of Tear out

Mullions Being Removed?

- ☐ Yes
☐ No

Rough

Stormold:

Changes made:

- ☐ Yes
☐ No


Will shutters/blinds fit?

- ☐ Yes
☐ No

Notes:

Bays/Bows:

- ☐ Roof or soffit tie in
☐ Supports or brick underneath?
Condition? _____
☐ Need Jamb depth & projection
(degree _____)
o If in brick, extend jamb to
brick
☐ Exterior Condition _____



Front