
District No. 1 - Ronald Williams District No. 2 - Rocky Ford District No. 3 - Robby Hollingsworth



Memo of Review for Accuracy and Completion

The attached FEMA Elevation Certificate has been reviewed by this office and is complete or needs correction. The items noted below are not correct on the attached form and should read as entered on this page.

If this box	is checked, th	ne attached Elev	ation Certificate has been r	eviewed and is C	omplete.
		SECTION	A – PROPERTY INFORMATION		
A1. Building Owr	er's Name: Jan	Hart			
A2. Building Stre	et Address (inclu	ding Apt., Unit, Suit	e, and/or Bldg. No.) or P.O. Route	and Box No.:	
	Ionument Lane				
City: Fort Wi			State: Florida		Code: 32038
		Block Numbers, Ta	x Parcel Number, Legal Descriptio	n, etc.):	
01-7S-15-0					
1999 C 20 10 10			ddition, Accessory, etc.)		
ACCOUNTS - PERSON ENGINEERING BUILDING BOOK	And of the second second	AD 1927			
Horizontal Da A6. Attach at leas	Paragraph Company	2. Martin Company of the Company of	NAD 1983 e Certificate is being used to obta		
		of the building if th	e Certificate is being used to obta	in flood insurance.	
0		ce or enclosure(s):	A9 For a building	g with an attached g	arage:
		ce or enclosure(s)_			aragesq ft
125 25		gs in the crawlspace			openings in the attached
enclosure(s) w	ithin 1.0 foot abo	ove adjacent grade_			adjacent grade
		in A8.b	_sq in c) Total net	area of flood opening	ngs in A9.bsq in
d) Engineered flo				ed flood openings?	☐ Yes ☐ No
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
B1. NFIP Community Name & Community Number: B2. County Name: B3. State:					
D4 +4 /D	Dr. c. (f)				1-2
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	B7. FIRM Panel Effective/Revised Date	B8. Flood	B9. Base Flood
Number		ilidex Date	Effective/Revised Date	Zone(s)	Elevation(s) (Zone A0, use base dept)
					no, ase base acpty
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in item B9:					
FIS Profile FIRM Community Determined Other/Source:					
B11. Indicate elevation datum used for BFE in item B9: NGVD 1929 NAVD 1988 Other/Source:					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No					
Designation Date:/ CBRS OPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)					
C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction					
			en construction of the building is		rinished Construction
Local Official's Nar				ministrative Supervisor	
Signature: / au	rie Hods	on	Date: 4/2	9/2021	
Comments:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	AND THE PROPERTY OF			
No o	orrections made	. Window Unit AC	per Owner.		

BOARD MEETS THE FIRST THURSDAY AT 5:30 P.M. AND THIRD THURSDAY AT 5:30 P.M.

U.S., DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

	SEC	TION A - PROPERT	Y INFOR	RMATION		FOR INSUI	RANCE COMPANY USE
					Policy Num	ber:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 273 SW MONUMENT LANE					Company N	IAIC Number:	
City FT. WHITE		a		State Florida		ZIP Code 32038	
A3. Property Desc TAX PARCEL NO.		and Block Numbers, Ta 4149-414	ax Parce	l Number, Le	gal Description, e	etc.)	
A4. Building Use (e.g., Reside	ntial, Non-Residential,	Addition	, Accessory,	etc.) RESIDE	NTIAL	
A5. Latitude/Longit	tude: Lat.	1.29D53'59.9"	Long. V	V.082D45'47.	3" Horizont	al Datum: NAD	1927 X NAD 1983
A6. Attach at least	2 photograp	ohs of the building if th	e Certific	cate is being u			
A7. Building Diagra							
A8. For a building	with a crawls	space or enclosure(s):					
a) Square foot	age of craw	space or enclosure(s)			sq ft		
b) Number of p	ermanent fl	ood openings in the cr	awlspac	e or enclosur	e(s) within 1.0 foo	ot above adjacent gra	ade
c) Total net are	ea of flood o	penings in A8.b		sq ir	1		
d) Engineered	flood openii	ngs? Yes 1	No				
A9. For a building w	vith an attacl	ned garage:					
a) Square foota	age of attach	ned garage		sq ft			
b) Number of p	ermanent flo	ood openings in the at	tached g	arage within	1.0 foot above ac	ljacent grade	
b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade c) Total net area of flood openings in A9.b sq in							
d) Engineered flood openings?							
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION							
B1. NFIP Communit				B2. County COLUMBIA			B3. State Florida
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	RM Panel ective/ vised Date	B8. Flood Zone(s)	B9. Base Flood E (Zone AO, use	levation(s) e Base Flood Depth)
12023C0469	С	02-04-2009	02-04-2		AE FW	34.5	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:							
☐ FIS Profile ☒ FIRM ☐ Community Determined ☐ Other/Source:							
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:							
B12. Is the building	B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No					PA)? ☐ Yes ☒ No	
Designation D	Designation Date: CBRS DPA						

OMB No. 1660-0008 **ELEVATION CERTIFICATE** Expiration Date: November 30, 2022 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 273 SW MONUMENT LANE City State ZIP Code Company NAIC Number FT. WHITE Florida 32038 SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) Construction Drawings* C1. Building elevations are based on: ☐ Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: SAF-20 USACoE Vertical Datum: NAVD 1988 Indicate elevation datum used for the elevations in items a) through h) below. ☐ NGVD 1929 🔀 NAVD 1988 ☐ Other/Source: Datum used for building elevations must be the same as that used for the BFE. Check the measurement used. 38.7 X feet a) Top of bottom floor (including basement, crawlspace, or enclosure floor) meters b) Top of the next higher floor feet meters feet c) Bottom of the lowest horizontal structural member (V Zones only) meters feet meters d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building 38.5 X feet meters (Describe type of equipment and location in Comments) 35.3 X feet meters Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) 35.7 X feet meters h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support feet meters SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No Check here if attachments. Certifier's Name License Number MARK D. DUREN LS4708 Title FLORIDA LICENSED SURVEYOR AND MAPPER Company Name MARK D. DUREN AND ASSOCIATES, INC. Address 1604 SW SISTERS WELCOME ROAD City State ZIP Code LAKE CITY Florida 32025 Signature Date Telephone 04-17-2021 (386) 758-9831 Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments (including type of equipment and location, per C2(e), if applicable)

MOBILE HOME, STANDARD SETUP, NO SKIRTING OR A/C. LINE C2e IS BOTTOM OF ELECTRIC METER CAN.

ELÉVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the correspon	ding information fro	m Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, ar 273 SW MONUMENT LANE	nd/or Bldg. No.) or P.	O. Route and Box No.	Policy Number:
FT. WHITE	State Florida	ZIP Code 32038	Company NAIC Number
SECTION E – BUILDING E FOR ZON	LEVATION INFORM NE AO AND ZONE A	MATION (SURVEY NOT A (WITHOUT BFE)	REQUIRED)
 For Zones AO and A (without BFE), complete Items E complete Sections A, B, and C. For Items E1–E4, use enter meters. E1. Provide elevation information for the following and the highest adjacent grade (HAG) and the lowest a) Top of bottom floor (including basement, 	natural grade, if avail	able. Check the measure	ment used. In Puerto Rico only,
crawlspace, or enclosure) isb) Top of bottom floor (including basement, crawlspace, or enclosure) is			
 E2. For Building Diagrams 6–9 with permanent flood the next higher floor (elevation C2.b in the diagrams) of the building is E3. Attached garage (top of slab) is E4. Top of platform of machinery and/or equipment servicing the building is E5. Zone AO only: If no flood depth number is availabelighted floodplain management ordinance? Yes 	ble, is the top of the b	Section A Items 8 and/or feet meter feet meter feet meter feet meter	9 (see pages 1–2 of Instructions), s above or below the HAG. s above or below the HAG. s above or below the HAG.
SECTION F - PROPERTY OW	NER (OR OWNER'S	REPRESENTATIVE) CE	RTIFICATION
The property owner or owner's authorized representation community-issued BFE) or Zone AO must sign here. The Property Owner or Owner's Authorized Representatives	ive who completes So he statements in Sec	ections A B and F for Zo	ne A (without a FEMA-issued or
Address	City	Sta	ate ZIP Code
Signature	Date	e Te	ephone
Comments			
			Check here if attachments.

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corr	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, S	Policy Number:		
273 SW MONUMENT LANE			1990
City	State Z	IP Code	Company NAIC Number
FT. WHITE	Florida 3	32038	
SECTION	ON G - COMMUNITY INFORM	ATION (OPTIONAL)	
The local official who is authorized by law or o	rdinance to administer the com	munity's floodplain mar	nagement ordinance can complete
Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, er	n Certificate. Complete the appli	icable item(s) and sign	below. Check the measurement
G1. The information in Section C was tall engineer, or architect who is authorized data in the Comments area below.)	ken from other documentation the zed by law to certify elevation in	nat has been signed ar formation. (Indicate the	nd sealed by a licensed surveyor, e source and date of the elevation
G2. A community official completed Sector Zone AO.	tion E for a building located in Z	one A (without a FEMA	A-issued or community-issued BFE)
G3. The following information (Items G4-	-G10) is provided for community	y floodplain manageme	ent purposes.
G4. Permit Number	G5. Date Permit Issued		Pate Certificate of Compliance/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction ☐ Substa	ntial Improvement	
G8. Elevation of as-built lowest floor (includin of the building:	g basement)	feet	meters Datum
G9. BFE or (in Zone AO) depth of flooding at	the building site:	feet	meters Datum
G10. Community's design flood elevation:		feet	meters Datum
Local Official's Name	Title		
Community Name	Telepl	hone	
Signature	Date		
Comments (including type of equipment and lo	cation, per C2(e), if applicable)		*
		E.	
			9
			Check here if attachments.

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces, of	FOR INSURANCE COMPANY USE		
Building Street Address (including 273 SW MONUMENT LANE	g Apt., Unit, Suite, and/or Bldg. No.)	or P.O. Route and Box No.	Policy Number:
City FT. WHITE	State Florida	ZIP Code 32038	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT OR SOUTH SIDE VIEW. APRIL 16, 2021

Clear Photo One



Photo Two

Photo Two Caption FRONT AND LEFT SIDE. APRIL 16, 2021

Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2022

MPORTANT: In these spaces Building Street Address (included)	FOR INSURANCE COMPANY USE Policy Number:		
273 SW MONUMENT LANE City FT. WHITE	State Florida	ZIP Code 32038	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo Three

Photo Three Caption REAR (NORTH) AND LEFT SIDE. APRIL 16, 2021

Clear Photo Three




Photo Four

Photo Four Caption REAR AND RIGHT SIDE. NOTE ELECTRIC METER. APRIL 16, 2021

Clear Photo Four

Building Diagrams

DIAGRAM 3

All split-level buildings that are slab-on-grade, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (excluding garage) is at or above ground level (grade) on at least 1 side.*




DIAGRAM 4

All split-level buildings (other than slab-on-grade), either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides.*




DIAGRAM 5

All buildings elevated on piers, posts, piles, columns, or parallel shear walls. No obstructions below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is open, with no obstruction to flow of floodwaters (open lattice work and/or insect screening is permissible).





DIAGRAM 6

All buildings elevated on piers, posts, piles, columns, or parallel shear walls with full or partial enclosure below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is enclosed, either partially or fully. In A Zones, the partially or fully enclosed area below the elevated floor is with or without openings** present in the walls of the enclosure. Indicate information about enclosure size and openings in Section A – Property Information.



- A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.
- ** An "opening" is a permanent opening that allows for the free passage of water automatically in both directions without human intervention.

 Under the NFIP, a minimum of 2 openings is required for enclosures or crawlspaces. The openings shall provide a total net area of not less than 1 square inch for every square foot of area enclosed, excluding any bars, louvers, or other covers of the opening. Alternatively, an Individual Engineered Flood Openings Certification or an Evaluation Report issued by the International Code Council Evaluation Service (ICC ES) must be submitted to document that the design of the openings will allow for the automatic equalization of hydrostatic flood forces on exterior walls. A window, a door, or a garage door is not considered an opening; openings may be installed in doors. Openings shall be on at least 2 sides of the enclosed area. If a building has more than 1 enclosed area, each area must have openings to allow floodwater to directly enter. The bottom of the openings must be no higher than 1.0 foot above the higher of the exterior or interior grade or floor immediately below the opening. For more guidance on openings, see NFIP Technical Bulletin 1.