

DATE 05/04/2004

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000021825

APPLICANT JACKIE GIBBS PHONE 755-2349
ADDRESS 1664 SW SABASTINE CIRCLE LAKE CITY FL 32025
OWNER JOSH DANIELS & JENNIFER GREEN PHONE 497-4702
ADDRESS 1067 SW JIM WARD ST FORT WHITE FL 32038
CONTRACTOR JACKIE GIBBS PHONE 755-2349
LOCATION OF PROPERTY 131 SOUTH, L JIM WARD ST, 3RD LOT ON LEFT

TYPE DEVELOPMENT MH,UTILITY ESTIMATED COST OF CONSTRUCTION .00
HEATED FLOOR AREA TOTAL AREA HEIGHT .00 STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT 35
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 1 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 17-6S-17-09690-003 SUBDIVISION
LOT BLOCK PHASE UNIT TOTAL ACRES 15.00

IH0000214
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING 04-169-N BK RK N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: FLOOR 1 FOOT ABOVE THE ROAD
LETTER OF AUTHORIZATION FROM FATHER TO SON
NOT A DIVISION OF LAND, DEDICATING 5 ACRES TO SONS MOBILE HOME Check # or Cash CASH

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by
Under slab rough-in plumbing date/app. by Slab date/app. by Sheathing/Nailing date/app. by
Framing date/app. by Rough-in plumbing above slab and below wood floor date/app. by
Electrical rough-in date/app. by Heat & Air Duct date/app. by Peri. beam (Lintel) date/app. by
Permanent power date/app. by C.O. Final date/app. by Culvert date/app. by
M/H tie downs, blocking, electricity and plumbing date/app. by Pool date/app. by
Reconnection date/app. by Pump pole date/app. by Utility Pole date/app. by
M/H Pole date/app. by Travel Trailer date/app. by Re-roof date/app. by

BUILDING PERMIT FEE \$.00 CERTIFICATION FEE \$.00 SURCHARGE FEE \$.00
MISC. FEES \$ 200.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 28.35 WASTE FEE \$ 61.25
FLOOD ZONE DEVELOPMENT FEE \$ CULVERT FEE \$ TOTAL FEE 339.60

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT NUMBER

Installer Jackie Gibbs License # IA 0000214




Address of home being installed 1069 Sav. Jim Ward St

Manufacturer _____ Length x width _____

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials JG



New Home ☐ Used Home ☒

Home installed to the Manufacturer's Installation Manual ☐

Home is installed in accordance with Rule 15-C ☒

Single wide ☒ Wind Zone II ☒ Wind Zone III ☐

Double wide ☐ Installation Decal # 229491

Triple/Quad ☐ Serial # _____

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'		4'	5'	6'	7'	8'
1500 psf	4' 6"		6'	7'	8'	8'	8'
2000 psf	6'		8'	8'	8'	8'	8'
2500 psf	7' 6"		8'	8'	8'	8'	8'
3000 psf	8'		8'	8'	8'	8'	8'
3500 psf	8'		8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 18x18

Perimeter pier pad size 16x16

Other pier pad sizes (required by the mfg.) _____

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening 12x12 Pier pad size 16x12

ANCHORS

4 ft ☒ 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc ☒

OTHER TIES

Number 18 per side

Sidewall 18 per side

Longitudinal 18 per side

Marriage wall 18 per side

Shearwall 18 per side

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD) Manufacturer Marshall

Longitudinal Stabilizing Device w/ Lateral Arms Manufacturer _____

PERMIT NUMBER 0002825

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil 1500 without testing.

X 1500 X 1500 X 1500

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X 1500 X 1500 X 1500

TORQUE PROBE TEST

The results of the torque probe test is 279 inch pounds or check here if you are declaring 5' anchors without testing 279. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

JVB Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name Jackie B. Bels

Date Tested 4/30/05

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. _____

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. _____

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. _____

Site Preparation

Debris and organic material removed ✓
Water drainage: Natural ✓ Swale _____ Pad _____ Other _____

Fastening multi wide units

Floor: Type Fastener 6x4 Length: 6" Spacing: 12"
Walls: Type Fastener 6x4 Length: 6" Spacing: 12"
Roof: Type Fastener 6x4 Length: 6" Spacing: 12"
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials JVB

Type gasket Joan

Installed: ✓

Between Floors Yes ✓

Between Walls Yes ✓

Bottom of ridgebeam Yes ✓

Weatherproofing

The bottomboard will be repaired and/or taped. Yes ✓ Pg. _____
Siding on units is installed to manufacturer's specifications. Yes _____
Fireplace chimney installed so as not to allow intrusion of rain water. Yes _____

Miscellaneous

Skirting to be installed. Yes _____ No _____
Dryer vent installed outside of skirting. Yes _____ N/A _____
Range downflow vent installed outside of skirting. Yes _____ N/A _____
Drain lines supported at 4 foot intervals. Yes _____
Electrical crossovers protected. Yes _____
Other: _____

Installer verifies all information given with this permit worksheet is accurate and true based on the

manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature Jackie B. Bels

Date 4/30/05

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only		Zoning Official _____		Building Official _____	
AP# _____	Date Received _____	By _____	Permit # _____		
Flood Zone _____	Development Permit _____	Zoning _____	Land Use Plan Map Category _____		
Comments _____					
FEMA Map # _____	Elevation _____	Finished Floor _____	River _____	In Floodway _____	
☐ Site Plan with Setbacks shown ☐ Environmental Health Signed Site Plan ☐ Env. Health Release					
☐ Well letter provided ☐ Existing Well					
Revised 9-23-04					

- Permit # 000021825*
- Property ID 17-65-17-09690-003 Must have a copy of the property deed
 - New Mobile Home _____ Used Mobile Home _____ Year _____
 - Subdivision Information _____
 - Applicant _____ Phone # _____
 - Address _____
 - Name of Property Owner Josh Daniel + Jennifer Green Phone# 497-4702
 - 911 Address 1069 SW Jim Ward St
 - Circle the correct power company – FL Power & Light – Clay Electric
(Circle One) – Suwannee Valley Electric – Progressive Energy
 - Name of Owner of Mobile Home SAME AS ABOVE Phone # _____
 - Address _____
 - Relationship to Property Owner _____
 - Current Number of Dwellings on Property -0-
 - Lot Size _____ Total Acreage _____
 - Do you : Have an 04-169-N Existing Drive or need a Culvert Permit or a Culvert Waiver Permit
 - Driving Directions _____
 -
 - Is this Mobile Home Replacing an Existing Mobile Home _____
 - Name of Licensed Dealer/Installer Jackie Gibbs Phone # 386-735-2349
 - Installers Address 1664 SW Sebastian Pk. LC
 - License Number IH 0000214 Installation Decal # 229491

DATE 05/04/2004

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000021825

APPLICANT STACEY BECKHAM PHONE 745-2739
ADDRESS PO BOX 2442 LAKE CITY FL 32056
OWNER JOSH DANIELS & JENNIFER GREEN PHONE 497-4702
ADDRESS 1069 SW JIM WARD ST FORT WHITE FL 32038
CONTRACTOR STACEY BECKHAM PHONE 352 745-2739 (2738)
LOCATION OF PROPERTY 131 SOUTH, L JIM WARD ST, 3RD LOT ON LEFT

TYPE DEVELOPMENT MH, UTILITY ESTIMATED COST OF CONSTRUCTION .00
HEATED FLOOR AREA TOTAL AREA HEIGHT .00 STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT 35
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 1 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 17-6S-17-09690-003 SUBDIVISION
LOT BLOCK PHASE UNIT TOTAL ACRES 15.00

IH0000572
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING 04-169-N BK RK N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: FLOOR 1 FOOT ABOVE THE ROAD
LETTER OF AUTHORIZATION FROM FATHER TO SON
NOT A DIVISION OF LAND, DEDICATING 5 ACRES TO SONS MOBILE HOME Check # or Cash CASH

FOR BUILDING & ZONING DEPARTMENT ONLY

Temporary Power Foundation Monolithic (footer/Slab)
date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
date/app. by date/app. by date/app. by
Framing Rough-in plumbing above slab and below wood floor
date/app. by date/app. by
Electrical rough-in Heat & Air Duct Peri. beam (Lintel)
date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
date/app. by date/app. by date/app. by
M/H tie downs, blocking, electricity and plumbing Pool
date/app. by date/app. by
Reconnection Pump pole Utility Pole
date/app. by date/app. by date/app. by
M/H Pole Travel Trailer Re-roof
date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$.00 CERTIFICATION FEE \$.00 SURCHARGE FEE \$.00
MISC. FEES \$ 200.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 28.35 WASTE FEE \$ 61.25
FLOOD ZONE DEVELOPMENT FEE \$ CULVERT FEE \$ TOTAL FEE 339.60

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION. IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

BOARD OF COUNTY COMMISSIONERS

OFFICE OF

BUILDING & ZONING

COLUMBIA COUNTY, FLORIDA

BUILDING PERMIT RECEIPT

RECEIPT NUMBER / PERMIT NUMBER 000021825 DATE 05/04/2004

APPLICANT STACEY BECKHAM

OWNER JOSH DANIELS & JENNIFER GREEN

CONTRACTOR STACEY BECKHAM

PARCEL ID NUMBER 17-6S-17-09690-003 NUMBER OF EXISTING DWELLINGS 1

TYPE OF DEVELOPMENT MH,UTILITY

FEES:

BUILDING PERMIT .00 CERTIFICATION FEE .00

ZONING FEE 50.00 SURCHARGE FEE .00

MOBILE HOME PERMIT 200.00 FLOOD DEVELOPMENT PERMIT

TRAVEL TRAILER PERMIT RELOCATION PERMIT

UTILITY POLE PERMIT RECONNECTION PERMIT

FIRE ASSESSMENT FEE 28.35 WASTE ASSESSMENT FEE 61.25

CULVERT PERMIT

TOTAL FEES CHARGES 339.60

CHECK NUMBER CASH

MAKE CHECKS PAYABLE TO: BCC (Board of County Commissioners)

NOTE: A SEPARATE CHECK IS REQUIRED FOR THE CULVERT WAIVER PERMITS

135 NE HERNANDO AVE.
SUITE B-21
LAKE CITY, FL 32055
Phone: 386-758-1008
Fax: 386-758-2160

I Stacy Beckham relieve myself
as contractor for the job of
Josh & Jennifer Green. The permit
was in my name, but the
customer will have someone
else do the job now.



2-4-05

Witnessed by: Lauri Hall
(2-4-05)

Columbia County Building Dept.

Ref permit # 21825

DATE 05/04/2004

Columbia County Building Permit

PERMIT 000021825

This Permit Expires One Year From the Date of Issue

APPLICANT STACEY BECKHAM PHONE 745-2739
ADDRESS PO BOX 2442 LAKE CITY FL 32056
OWNER JOSH DANIELS & JENNIFER GREEN PHONE 497-4702
ADDRESS 1069 SW JIM WARD ST FORT WHITE FL 32038
CONTRACTOR STACEY BECKHAM PHONE 745-2739
LOCATION OF PROPERTY 131 SOUTH, L JIM WARD ST, 3RD LOT ON LEFT

TYPE DEVELOPMENT MH, UTILITY
HEATED FLOOR AREA TOTAL AREA HEIGHT .00 STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT 35
Minimum Set Back Requirements: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 1 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 17-6S-17-09690-003 SUBDIVISION
LOT BLOCK PHASE UNIT TOTAL ACRES 15.00

Culvert Permit No. Culvert Waiver Contractor's License Number
EXISTING 04-169-N BK LU & Zoning checked by Approved for Issuance New Resident
COMMENTS: FLOOR 1 FOOT ABOVE THE ROAD

NOT A DIVISION OF LAND, DEDICATING 5 ACRES TO SONS MOBILE HOME
LETTER OF AUTHORIZATION FROM FATHER TO SON
CASH Check # or Cash

FOR BUILDING & ZONING DEPARTMENT ONLY

Temporary Power Foundation Slab Sheathing/Nailing
Under slab rough-in plumbing date/app. by
Framing date/app. by
Electrical rough-in date/app. by
Permanent power date/app. by
M/H tie downs, blocking, electricity and plumbing date/app. by
Reconnection date/app. by
M/H Pole date/app. by
Travel Trailer date/app. by
Pump pole date/app. by
Utility Pole date/app. by
Re-roof date/app. by
Pool date/app. by
Culvert date/app. by
Peri. beam (Lintel) date/app. by

BUILDING PERMIT FEE \$.00
CERTIFICATION FEE \$.00
SURCHARGE FEE \$.00
MISC. FEES \$ 200.00
ZONING CERT. FEE \$ 50.00
FIRE FEE \$ 28.35
WASTE FEE \$ 61.25
TOTAL FEE 339.60
INSPECTORS OFFICE
CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY, AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.
"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY, IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION. IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.
The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

*** The well affidavit, from the well driller, is required before the permit can be issued.***

This application must be completely filled out to be accepted. Incomplete applications will not be accepted.

Using existing well on property

For Office Use Only

Zoning Official BLC Building Official RLC

AP# 0403-06 Date Received 03-01-04 By JW Permit # 21825

Flood Zone X Development Permit NA Zoning A-3 Land Use Plan Map Category AG

Comments

not a division of land - letter of authorization from father to son Change Decal # 09690 Stacy needs to initialize where Wilbert has

Property ID # 17-6S-17-09690-003 *(Must have a copy of the property deed)

New Mobile Home _____ Used Mobile Home ☒ Year 1985

Applicant Stacy Beckham
Wilbert Austin Jr. Phone # 755-1826

Address 149 N.E. Empire Dr.

Name of Property Owner Walter Daniels / Jennifer Daniels Phone # H-497-4702
623-1908

Address 1069 S.W. Tim Ward St.

Name of Owner of Mobile Home Jennifer Green Phone # 623-1868

Address 1069 S.W. Tim Ward St.

Relationship to Property Owner Son - (Josh Daniels)

Current Number of Dwellings on Property 1

Lot Size _____ Total Acreage 15 acres

Current Driveway connection is Existing

Is this Mobile Home Replacing an Existing Mobile Home NO

Name of Licensed Dealer/Installer Stacy Beckham
Wilbert Austin Jr. Phone # (386)-755-1826

Installers Address 149 N.E. Empire

License Number JH000403 Installation Decal # 9184

The Permit Worksheet (2 pages) must be submitted with this application.

Installers Affidavit and Letter of Authorization must be notarized when submitted.

* ~~NEED 911 ADDRESS~~

PERMIT NUMBER

Installer Stacy Beckham License # 240000512




Address of home being installed 10619 SW Jim Ward ST

Manufacturer Champion Length x width 24x70

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials SB



New Home ☐ Used Home ☒

Home installed to the Manufacturer's Installation Manual ☐

Home is installed in accordance with Rule 15-C ☒

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐

Double wide ☐ Installation Decal # 221859

Triple/Quad ☐ Serial # 7149 AB

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" X 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	4'	5'	6'	7'	8'
1500 psf	4' 6"	6'	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7' 6"	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 12x12

Perimeter pier pad size 16x16

Other pier pad sizes (required by the mfg.) _____

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening Living room Pier pad size 16x16

ANCHORS

4 ft _____ 5 ft _____

FRAME TIES

within 2' of end of home spaced at 5' 4" oc _____

OTHER TIES

Number _____

Sidewall _____
Longitudinal _____
Marriage wall _____
Shearwall _____

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer Officer

Longitudinal Stabilizing Device w/ Lateral Arms

Manufacturer _____

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil without testing.

x 1500 x 1500 x 1500

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 1500 x 1300 x 1500

TORQUE PROBE TEST

The results of the torque probe test is 290 inch pounds or check here if you are declaring 5' anchors without testing . A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb. holding capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Date Tested

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 15C

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 15C

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 15C

Site Preparation

Debris and organic material removed
Water drainage: Natural Swale Pad Other

Fastening multi wide units

Floor: Type Fastener: Lag Length: 6" Spacing: 16" Repairs
Walls: Type Fastener: 3/8" bolt Length: 4" Spacing: 12" Top & only
Roof: Type Fastener: Lag Length: 6" Spacing: 16" Top & only
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Type gasket foam
Pg. 15C
Installed: Between Floors Yes
Between Walls Yes
Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes Pg. 15C
Siding on units is installed to manufacturer's specifications. Yes
Fireplace chimney installed so as not to allow intrusion of rain water. Yes

Miscellaneous

Skirting to be installed. Yes No
Dryer vent installed outside of skirting. Yes N/A
Range downflow vent installed outside of skirting. Yes N/A
Drain lines supported at 4 foot intervals. Yes
Electrical crossovers protected. Yes
Other:

Installer verifies all information given with this permit worksheet is accurate and true based on the

manufacturer's installation instructions and/or Rule 15C-1 & 2.

Installer Signature

Date

Walter & Jennifer Daniels
1069 SW Jim Ward Street
Fort White, FL 32038
(386) 752-6078

March 1, 2004

Attn: Columbia County Building & Zoning Dept.

I Walter & Jennifer Daniels do hereby authorize my son Josh Daniels and Jennifer Green to place their doublewide mobile home on my 15 acres.


Jennifer Daniels

State of Florida
County of Union


The individual who has before me signed to foregoing Affidavit on the date shown, being first duly sworn, deposes and says that he is authorized to execute the foregoing and the statements contained herein are true.

Sworn to before me the undersigned authority this, the 1st Day of March 2004 who is personally known to me.



Tracy L. Ruddle
Commission #DD279306
Expires: Jan 06, 2008
Bonded Thru
Atlantic Bonding Co., Inc.

Tracy L. Ruddle



COLUMBIA COUNTY 9-1-1 ADDRESSING

263 NW Lake City Ave. * P. O. Box 2949 * Lake City, FL 32056-2949
PHONE: (386) 752-8787 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE ISSUED: 3-2-04

ENHANCED 9-1-1 ADDRESS:

1067 SW Jim Ward ST (Ft. White, Fl. 32038)

Addressed Location 911 Phone Number: N/A

OCCUPANT NAME: Jennifer Green.

OCCUPANT CURRENT MAILING ADDRESS: 1069 SW Jim Ward ST.
Ft. White, Fl. 32038

PROPERTY APPRAISER MAP SHEET NUMBER: 104

PROPERTY APPRAISER PARCEL NUMBER: 17-65-17-09690-003

Other Contact Phone Number (If any): _____

Building Permit Number (If known): _____

Remarks: 2nd location on property

Address Issued By 
Columbia County 9-1-1 Addressing Department