




EQUIPMENT LEGEND

This is a standard list of equipment your order may vary

SYM	DESCRIPTION	SYM	DESCRIPTION
1	MONEY ACCEPTOR (ACM)	23	PRESSOAK HEATER
2	ENTRANCE SIGN	24	WINTERIZATION GAS HEATER
3	CLEARANCE SIGN	25	WINTERIZATION PUMP
4	BAY DIRECTIONAL SIGN	26	EXPANSION TANK
5	BAY 8 STATION LED SIGN	27	FLOOR HEAT BOILER
6	JUNCTION BOX	28	RECLAIM SYSTEM
7	STOP PAD	29	HOT WATER BOILER
8	MUD PIT	30	DRYER / BLOWER UNIT
9	UNDERCARRIAGE SPRAY	31	DRYER TIMER
10	TRANSITION BOX	32	DRYER DISCONNECT
11	AUTOMATIC CONTROL PANEL	33	DRYER SHUTOFF
12	MAIN CIRCUIT PANEL	34	3" PVC CONDUIT UNDERGROUND TO MUDPIT FOR UNDERCARRIAGE
13	AUTOMATIC PUMP STAND	35	TELEPHONE LINE CONTROL BOX
14	HYDRAULIC POWER PACK	36	BILL CHANGER
15	AIR COMPRESSOR	37	VACUUM ISLAND
16	WATER MAIN AND BACKFLOW PREVENTER	38	4" PVC HOISING CONDUIT UNDERGROUND
17	WATER SOFTENER	39	SELF SERVE PUMP STATION
18	BRINE TANK	40	SELF SERVE COIN BOX
19	2" DRAIN (UNLESS NOTED, STUB UP 6")	41	SELF SERVE LOW PRESSURE WANDS
20	CHARCOAL FILTER	42	SELF SERVE HIGH PRESSURE WANDS
21	RO WATER SYSTEM (SPOT FREE)	43	HIGH PRESSURE BOOM
22	SPOT FREE STORAGE TANK		



OASIS

1909 EAST 12th STREET
GALENA, KS 66739

TEL: (620) 783-1355
FAX: (620) 783-5735

www.oasiscarwashsystems.com


PROPRIETARY NOTICE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION, IS THE PROPERTY OF OASIS CAR WASH SYSTEMS, AND IS LOANED TO YOU FOR YOUR USE ONLY. IT IS NOT TO BE REPRODUCED, COPIED, OR DISCLOSED TO ANY OTHER PARTY WITHOUT THE WRITTEN PERMISSION OF OASIS CAR WASH SYSTEMS. ANY VIOLATION OF THIS NOTICE WILL BE CONSIDERED A BREACH OF CONTRACT AND WILL BE SUBJECT TO LEGAL ACTION. ALL RIGHTS RESERVED.

COPYRIGHT 1998
OASIS CAR WASH SYSTEMS
ALL RIGHTS RESERVED


RIGSBY CAR WASH
JACKSONVILLE, FLORIDA

CONDUIT LOCATIONS AND WIRE SIZES ARE TO BE DETERMINED BY THE INSTALLER ON SITE BEFORE INSTALLATION.	
CONDUIT	WASHCO
XP	STYLE
SIZE	1/2"
VAN	RH
CONDUIT TITLE	
EQUIPMENT LAYOUT	
DESIGNED BY	DATE
T. L. FARMER	7/19/07
SCALE	3" = 6'



XP AND SELF-SERVE ELECTRICAL CONDUIT SCHEDULE
208 / 230 VAC - 3 PHASE POWER

FROM	TO	DESCRIPTION	CONDUIT SIZE	CONDUCTOR SIZE (AWG)	NUMBER OF CONDUCTORS	VOLTAGE	CIRCUIT BREAKER RATING	PHASE
A	ACP	ACN AUTOCASHER CONTROL VOLTAGE - VENDOR RESET SIGNALS	3/4"	20	9	24VDC	N/A	N/A
B	MCP	ACW AUTOCASHER MAIN POWER	3/4"	12	3	120VAC	20	1
C	ACP	EBN ENTRANCE SIGN (OPTIONAL)	3/4"	18	6	24VDC	N/A	N/A
D	ACP	JBOX BAY SIGN / STOP STATION / MENU SIGN (see detail)	1"	18	6	24VDC	N/A	N/A
E	JBOX	DESIGN JUNCTION BOX TO 8 STATION / MENU SIGN (see detail)	3/4"	18	6	24VDC	N/A	N/A
F	JBOX	SPAD JUNCTION BOX TO 8 STATION / MENU SIGN (see detail)	3/4"	18	6	24VDC	N/A	N/A
G	JBOX	MSIGN JUNCTION BOX TO 8 STATION / MENU SIGN (see detail)	3/4"	18	6	24VDC	N/A	N/A
H	ACP	MCP AUTOMATC CONTROL VOLTAGE - GCFI	3/4"	18	6	24VDC	N/A	N/A
I	ACP	MCP AUTOMATC MAIN POWER - MTR RATED CIRCUIT W/ GRD	3/4"	18	6	24VDC	N/A	N/A
J	ACP	TEL AUTOMATC COMMUNICATION LINE	3/4"	18	6	24VDC	N/A	N/A
K	ACP	ACP AIR COMPRESSOR (SEE MANUFACTURER'S RATINGS)	3/4"	18	6	24VDC	N/A	N/A
L	ACP	ACP DRYER CONTROL VOLTAGE	3/4"	18	6	24VDC	N/A	N/A
M	ACP	ACP DRYER MAIN POWER - 3 X 15 HP W/GRD & DISCONNECT IN BAY	3/4"	18	6	24VDC	N/A	N/A
N	ACP	ACP DRYER TIMER DISPLAY (OPTIONAL)	3/4"	18	6	24VDC	N/A	N/A
O	ACP	SPF SPOT-FREE SYSTEM MAIN POWER	3/4"	18	6	24VDC	N/A	N/A
P	ACP	RCPT SPOT-FREE DELIVERY PUMP	3/4"	18	6	24VDC	N/A	N/A
Q	ACP	RCPT REC-AM SYSTEM - SEE MANUFACTURER'S SPECIFICATIONS	3/4"	18	6	24VDC	N/A	N/A
R	ACP	RCPT RECEPTACLE NEAR WINTERIZATION CIRCULATION PUMP	3/4"	18	6	24VDC	N/A	N/A
S	ACP	RCPT ELECTRIC PRESOAK HEATER	3/4"	18	6	24VDC	N/A	N/A
T	ACP	RCPT HOT WATER BOILER	3/4"	18	6	24VDC	N/A	N/A
U	ACP	RCPT HYDRAULIC PUMP MOTOR - 25 HP (SEE DETAIL)	3/4"	18	6	24VDC	N/A	N/A
V	ACP	RCPT HYDRAULIC PUMP UNIT PUMP & MOTOR POWER - 5 HP (SEE DETAIL)	3/4"	18	6	24VDC	N/A	N/A
W	ACP	RCPT VACUUM ISLAND (SEE MANUFACTURER'S RATINGS)	3/4"	18	6	24VDC	N/A	N/A
X	ACP	RCPT LIGHTED MENU SIGN	3/4"	18	6	24VDC	N/A	N/A
AA	ACP	SS SELF SERVE PUMP MOTORS - 5HP - 1 PER BAY	3/4"	18	6	24VDC	N/A	N/A
BB	ACP	SS SPOT FREE PRODUCTION PUMP - 1HP (OPTIONAL)	3/4"	18	6	24VDC	N/A	N/A
CC	ACP	SS SPOT FREE DELIVERY PUMP - 1HP (OPTIONAL)	3/4"	18	6	24VDC	N/A	N/A
DD	ACP	SS SELF SERVE CONTROL VOLTAGE - GCFI	3/4"	18	6	24VDC	N/A	N/A
EE	ACP	SS SELF SERVE BAY METER - 1 PER BAY	3/4"	18	6	24VDC	N/A	N/A



1909 EAST 12th STREET
GALENA, KS 66739

TEL: (620) 783-1355
FAX: (620) 783-5735




www.oasiscarwashsystems.com

PROPRIETARY NOTICE


THIS DOCUMENT IS THE PROPERTY OF OASIS CAR WASH SYSTEMS, INC. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF OASIS CAR WASH SYSTEMS, INC. ANY UNAUTHORIZED USE OF THIS DOCUMENT IS PROHIBITED AND WILL BE PROSECUTED TO THE FULL EXTENT OF THE LAW.

RIGSBY CAR WASH
JACKSONVILLE, FLOR

MODEL	XP
VAN	STYL
STYL	RH
EQUIPMENT TITLE	EQUIPMENT LAYOUT
DATE	7/19/07
BY	T L FARMER
SCALE	1/4" = 1'0"
DATE	7/19/07
BY	4 OF 6



PLUMBING SPECIFICS:
TER LINES FOR THE TYHOON SHOULD BE 2\"/>





OASIS

1909 EAST 12th STREET
GALENA, KS 66739

TEL: (620) 783-1355
FAX: (620) 783-5735

www.oasiscarwashsystems.com

PROPRIETARY NOTICE


THIS DOCUMENT CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION OF THE PROPERTY OF OASIS CAR WASH SYSTEMS, AND IS LOANED TO YOU FOR THE PURPOSE OF OBTAINING A QUOTE FOR THE INSTALLATION OF THE EQUIPMENT. IT IS NOT TO BE REPRODUCED, COPIED, OR DISCLOSED TO ANY OTHER PARTY WITHOUT THE WRITTEN CONSENT OF OASIS CAR WASH SYSTEMS. ANY VIOLATION OF THIS NOTICE SHALL BE CAUSE FOR IMMEDIATE ACTION TO ENFORCE THE RIGHTS OF OASIS CAR WASH SYSTEMS. THE OASIS CAR WASH SYSTEMS DO NOT WARRANT THE ACCURACY OF THE INFORMATION CONTAINED HEREIN, AND THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS, REGULATIONS, AND ALL OTHER THINGS, AND ALL MATERIALS, BEFORE INSTALLATION.

COMPANY: OASIS CAR WASH SYSTEMS
ALL RIGHTS RESERVED


RIGSBY CAR WASH

JACKSONVILLE, FLORIDA


CONTACT LOCATION AND LINE SIZES ARE SHOWN IN INCHES. LINE SIZES MAY VARY OR SITE CODES BEFORE INSTALLATION.	
PROJECT:	WASHCO
MODEL:	XP
SIZE:	16' x 8'
EQUIPMENT TITLE:	EQUIPMENT LAYOUT
DATE:	7/19/07
BY:	T. L. FARMER
SCALE:	1/4" = 1'0"
REV:	5 OF 6




IN BAY SIGN AND TREADLE WIRED TO AUTO CONTROL PANEL




AUTOMATIC PUMP STAND





GAS HEATER CONNECTIONS



CONTROL PANEL
SEE ELECTRICAL CONDUIT SCHEDULE FOR RECOMMENDED CONDUIT SIZES AND NUMBER AND SIZES OF CONDUCTORS




BACK FLOW PREVENTER




PLUMBING LAY-OUTS

NOTES:
THE NUMBER OF BRINE AND RESIN TANKS DEPENDS ON THE WATER SPECS. CHECK WITH EQUIPMENT DEALER.
WATER INLET AND OUTLET SHOULD ALWAYS BE AT OPPOSITE ENDS OF THE MANIFOLD.
A BYPASS IS RECOMMENDED TO BYPASS SOFTENER


WATER SOFTENER




R/O SYSTEM




STANDARD MUD PIT



SELF-SERVE LOW PRESSURE BOOMS
FOAM BRUSH AND FOAM CONDITIONER



SELF-SERVE HIGH PRESSURE BOOM



HIGH PRESSURE BOOM MOUNTING FRAME
SHOULD BE PROVIDED BY BUILDER TO SUPPORT SPIDER BOOM. MAY BE CONSTRUCTED AS ILLUSTRATED.



OASIS

1900 EAST 12th STREET
GALENA, KS 66739
www.oasiscarwashsystems.com

TEL: (620) 783-1355
FAX: (620) 783-5735

PROPRIETARY NOTICE

THIS DOCUMENT IS THE PROPERTY OF OASIS CAR WASH SYSTEMS, INC. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF OASIS CAR WASH SYSTEMS, INC. ANY UNAUTHORIZED REPRODUCTION OR TRANSMISSION OF THIS DOCUMENT IS STRICTLY PROHIBITED AND WILL BE SUBJECT TO LEGAL ACTION.

COMPANY 1999
OASIS CAR WASH SYSTEMS, INC.
ALL RIGHTS RESERVED

RIGSBY CAR WASH
JACKSONVILLE, FLORIDA

CONTRACT LOCATION AND WIRE SIZES ARE TO BE DETERMINED BY THE BUILDER. CHECK WITH CITY OR STATE CODES BEFORE INSTALLATION.	
REVISIONS	
NO.	DESCRIPTION
1	WASHCO
2	XP
3	VAN
4	DETAIL SHEET
5	REV
6	REV
7	REV
8	REV
9	REV
10	REV
11	REV
12	REV
13	REV
14	REV
15	REV
16	REV
17	REV
18	REV
19	REV
20	REV
21	REV
22	REV
23	REV
24	REV
25	REV
26	REV
27	REV
28	REV
29	REV
30	REV
31	REV
32	REV
33	REV
34	REV
35	REV
36	REV
37	REV
38	REV
39	REV
40	REV
41	REV
42	REV
43	REV
44	REV
45	REV
46	REV
47	REV
48	REV
49	REV
50	REV
51	REV
52	REV
53	REV
54	REV
55	REV
56	REV
57	REV
58	REV
59	REV
60	REV
61	REV
62	REV
63	REV
64	REV
65	REV
66	REV
67	REV
68	REV
69	REV
70	REV
71	REV
72	REV
73	REV
74	REV
75	REV
76	REV
77	REV
78	REV
79	REV
80	REV
81	REV
82	REV
83	REV
84	REV
85	REV
86	REV
87	REV
88	REV
89	REV
90	REV
91	REV
92	REV
93	REV
94	REV
95	REV
96	REV
97	REV
98	REV
99	REV
100	REV