

MARK DISOSWAY P.E. 53915

THIS PDF HAS DIGITAL SIGNATURE AND ELECTRONIC SEAL. PRINTED

COPIES ARE NOT CONSIDERED

SIGNED OR SEALED. YOU MUST

CLICK HERE TO VERIFY.

VERIFY SIGNATURE ON THIS PDF.

Wednesday, June 16, 2021


Mark Disosway P.E.

Suite 103

386.754.5419

JOB NUMBER: 210871

> **S-2** OF 3 SHEETS



#### STRUCTURAL PLAN SCALE: 1/4" = 1'-0"

## STRUCTURAL PLAN NOTES

ALL LOAD BEARING FRAME WALL & PORCH HEADERS SHALL BE A MINIMUM OF (2) 2X6 SP #2 (U.N.O.)

SN-2 ALL LOAD BEARING FRAME WALL HEADERS SHALL HAVE (1) JACK STUD & (1) KING STUD EACH SIDE (Ù.Ń.O.)

ALL HEADERS w/ UPLIFT TO BE STRAPPED DOWN @ EACH SIDE WITH (1) LSTA24, 14-10d @ TOP & BOTTOM OF WALL WRAP UNDER BOTTOM PLATE & OVER TOP PLATE 1/2" X 10" ANCHOR BOLT w/ 3" X 3" X 1/4" WASHER MUST BE LOCATED WITHIN 6" OF KING STUD @ ALL DOOR LOCATIONS (U.N.O.)

SN-4 USE ONE JACK STUD GIRDER SUPPORT PER 2500 LB LOAD

DIMENSIONS ON STRUCTURAL SHEETS SN-5 ARE NOT EXACT. REFER TO ARCHITECTURAL FLOOR PLAN FOR ACTUAL DIMENSIONS


PERMANENT TRUSS BRACING IS TO BE INSTALLED AT LOCATIONS AS SHOWN ON THE SEALED TRUSS DRAWINGS. LATERAL BRACING IS TO BE RESTRAINED PER BCSI1-03, BCSI-B1, BCSI-B2, & BCSI-B3. BCSI-B1, BCSI-B2, & BCSI-B3 ARE FURNISHED BY THE TRUSS SUPPLIER, WITH THE SEALED TRUSS PACKAGE

# **HEADER LEGEND**

(2) 2X6X0',1J 1K ← HEADER/BEAM CALL-OUT (U.N.O.) — NUMBER OF KING STUDS (FULL LENGTH) -NUMBER OF JACK STUDS (UNDER HEADER) -SPAN OF HEADER -SIZE OF HEADER MATERIAL -NUMBER OF PLIES IN HEADER

# ACTUAL vs REQUIRED SHEARWALL

	TRANSVERSE	LONGITUDUNAL
ACTUAL	22146 LBF	17116 LBF
REQUIRED	18035 LBF	12010 LBF



## **ALTERNATE IF TRUSSES** ARE PERPENDICULAR TO SHEARWALL

/ IF THE ABOVE DETAIL IS USED ON THE FRONT WALL  $^{>}$ @ THE PORCH THE PORCH CEILING DOES NOT NEED TO BE SHEATHED

Stated dimensions supercede scaled dimensions. Refer all questions to Mark Disosway, P.E. for resolution. Do not proceed without clarification.

COPYRIGHTS AND PROPERTY RIGHTS: Mark Disosway, P.E. hereby expressly reserves its common law copyrights and property right in these instruments of service. This document is not to be reproduced, altered or copied in any form or manner without first the express written permission and consent of Mark Disosway. CERTIFICATION: I hereby certify that I have examined this plan, and that the applicable portions of the plan, relating to wind engineering comply with the 7th Edition Florida Building Code Residential (2020)

to the best of my knowledge. LIMITATION: This design is valid for one building, at specified location.

MARK DISOSWAY P.E. 53915

THIS PDF HAS DIGITAL SIGNATURE

AND ELECTRONIC SEAL. PRINTED COPIES ARE NOT CONSIDERED SIGNED OR SEALED. YOU MUST VERIFY SIGNATURE ON THIS PDF. CLICK HERE TO VERIFY. STATE OF

Wednesday, June 16, 2021

Mark Disosway P.E. 163 SW Midtown Place Suite 103 Lake City, Florida 32025 386.754.5419 disoswaydesign@gmail.com

JOB NUMBER: 210871

OF 3 SHEETS

CONNECTIONS, WALL, & HEADER DESIGN IS BASED ON REACTIONS & UPLIFTS FROM TRUSS ENGINEERING FURNISHED BY BUILDER. BUILDERS FIRST SOURCE JOB #2777238